

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Harval Goffens, of Route 1, Astoria, Oregon, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is South Yamhill River, a tributary of Willamette River.

2. The amount of water which the applicant intends to apply to beneficial use is 1.79 cubic feet per second.

3. The use to which the water is to be applied is Irrigation.

4. The point of diversion is located 2000 ft. S. and 200 ft. W. from the corner of Section 26.

being within the S.E. 1/4, N.E. 1/4 of Sec. 26, Tp. 5 S., R. 5 W., in the county of Yamhill.

5. The Pipe line to be 2280 ft. in length, terminating in the S.E. 1/4, N.E. 1/4 of Sec. 26, Tp. 5 S., R. 5 W., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description Fairbanks-Morse Centrif D-D 2 1/2 X 5 15 hp 3 phase electric

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

26020

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 2280 ft.; size at intake, 5 in.; size at ft. from intake 5 in.; size at place of use 5-1/2 in.; difference in elevation between intake and place of use, 16 ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
T 5S	R 6W.	26	N.E. 1/4 of N.E. 1/4	11 9
			S.E. 1/4 of N.E. 1/4	7
			N.E. 1/4 of S.E. 1/4	9 7
		25	N.W. 1/4 of N.W. 1/4	40 36
			S.W. 1/4 of N.W. 1/4	40
			N.W. 1/4 of S.W. 1/4	5 5
			N.E. 1/4 of N.W. 1/4	11
			S.E. 1/4 of N.W. 1/4	6
			N.E. 1/4 of S.W. 1/4	1

(If more space required, attach separate sheet)

(a) Character of soil Bottom Land

(b) Kind of crops raised Pasture, hay and seeds

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp. R. W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return
....., Sec., Tp., R. W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of _____
County, having a present population of _____
and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 2000⁰⁰
- 12. Construction work will begin on or before May 1, 1959
- 13. Construction work will be completed on or before June 1, 1959
- 14. The water will be completely applied to the proposed use on or before Oct 1, 1960

Novel Loffena
(Signature of applicant)

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____

WITNESS my hand this _____ day of _____, 19_____

STATE ENGINEER

By _____ ASSISTANT

PERMIT

STATE OF OREGON,
County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.49 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from South Yamhill River.

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is February 19, 1959

Actual construction work shall begin on or before April 15, 1960 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1960.

Complete application of the water to the proposed use shall be made on or before October 1, 1961.

WITNESS my hand this 15th day of April, 1959.

Lewis A. Stanley
STATE ENGINEER

Application No. 32925
Permit No. 26020

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 19th day of February 1959, at 2:10 o'clock P. M.

Returned to applicant:

Approved:

April 15, 1959

Recorded in book No. 70 of Permits on page 26020

LEWIS A. STANLEY
STATE ENGINEER

Drainage Basin No. 2 page 9042
Fees