

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, J. V. Thomas (Name of applicant)
of Halfway (Mailing address)
State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Clear Cr., Pine Cr., Melbarn Slough, (Name of stream)
unnamed slough and waste water, a tributary of Snake River

2. The amount of water which the applicant intends to apply to beneficial use is 2.5
0.38 cfs from Clear Cr., 0.23 cfs from Pine Cr., 0.77 cfs from un. slough,
cubic feet per second. 0.37 cfs from Melbarn Slough and 0.25 cfs from waste water
(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is irrigation and supplemental irrigation.
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located #1
450 ft. S. and 150 ft. E. from the N $\frac{1}{2}$
(N. or S.)
corner of Sec. 15; #2 - 1850' S. & 100' E. from the N $\frac{1}{2}$ cor. Sec. 15; #3 - 2000' S.
(Section or subdivision)
& 850' E. from the N $\frac{1}{2}$ cor. Sec. 15; #4 - 1320' N. & 20' E. from the S $\frac{1}{2}$ cor. Sec. 15;
#5 - 20' W. of S $\frac{1}{2}$ cor. Sec. 15; #6 - 550' S. & 20' W. of S $\frac{1}{2}$ cor. Sec. 15; #7 - 5' S. &
125' E. of the SW cor. Sec. 15
(If preferable, give distance and bearing to section corner)

being within the #5 & #6 NW $\frac{1}{4}$ NE $\frac{1}{4}$, #7 NW $\frac{1}{4}$ NE $\frac{1}{4}$ of Sec. 22, Tp. B S
(Give smallest legal subdivision) (N. or S.)

R. 46 E., W. M., in the county of Baker
(E. or W.)

5. The plank construction to be plank construction
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the plank construction of Sec. 22, Tp. B S
(Smallest legal subdivision) (N. or S.)

R. 46 E., W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 3 feet, length on top 2 feet, length at bottom
feet; material to be used and character of construction Boards and dirt.
(Loose rock, concrete, masonry,

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate plank construction
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description
(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
8 S	46 E	15	SW $\frac{1}{4}$ NE $\frac{1}{4}$	21
			SE $\frac{1}{4}$ NE $\frac{1}{4}$	25
			SW $\frac{1}{4}$ SE $\frac{1}{4}$	18
		22	NW $\frac{1}{4}$ NR $\frac{1}{4}$	23.5
			NW $\frac{1}{4}$ NR $\frac{1}{4}$	12.5 suppl.

(If more space required, attach separate sheet)

(a) Character of soil heavy loam

(b) Kind of crops raised Pasture, Hay & Grain

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N or S) (No. E or W)

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

..... Sec. Tp. R. W. M.
(No N or S) (No E or W)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of

..... County, having a present population of
(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 2000⁰⁰

12. Construction work will begin on or before August 1, 1959

13. Construction work will be completed on or before October 1, 1960

14. The water will be completely applied to the proposed use on or before October 1, 1961

J. V. Thomas
(Signature of applicant)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of 19.....

STATE ENGINEER

By ASSISTANT

PERMIT

STATE OF OREGON,

County of Marion,

} ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 2.5 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Clear Creek, Pine Creek, Melhorn Slough, unnamed slough and waste water, being 0.38 cfs from Clear Creek, 0.23 cfs from Pine Creek, 0.37 cfs from Melhorn Slough, 0.77 cfs from unn. stream and 0.75 cfs from Waste water

The use to which this water is to be applied is irrigation and supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/40 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 4 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the amount of water allowed herein, together with the amount secured under any other right existing for the same lands shall not exceed the limitation allowed herein, and shall also be limited to the water available at the proposed point of diversion, and shall not carry with it the right to compel the continuance of the waste water, and shall also be limited to the application of the waters appropriated from Clear Creek to those lands described as primary,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 6, 1959 May 20, 1960 Actual construction work shall begin on or before April 15, 1960 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19 60

Complete application of the water to the proposed use shall be made on or before October 1, 19 61.

WITNESS my hand this 15th day of May, 19 59.

[Signature] STATE ENGINEER

Application No. 3294

Permit No. 26034

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 6th day of March, 1959, at 12:40 o'clock P.M.

Returned to applicant:

Approved: May 20, 1959

Recorded in book No. 70 of

Permits on page 2513

LEWIS A. STANLEY STATE ENGINEER

Drainage Basin No. 9 page 19 of 24

Fees