

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Lester Mahuria, of Route 1, Willamina, Oregon, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is South Lambhill River, a tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 0.50 cubic feet per second.

3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located 16.40 feet from the corner of Section 1

being within the SW 1/4 of SW 1/4 of Sec. 1, Tp. 6 S, R. 8 W, W. M., in the county of Polk

5. The proposed location being shown throughout on the accompanying map

DESCRIPTION OF WORKS

Diversion Works—

(a) Height of dam 12.00 feet, length on top ... feet, length at bottom ... feet; material to be used and character of construction

rock and brush, timber crib, etc., wasteway over or around dam

(b) Description of headgate 12.00

(c) If water is to be pumped give general description a centrifugal pump belt driven by a 5 hp electric motor

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

Canal System or Pipe-Line— *none*

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Williams Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
65	8W	1	SW $\frac{1}{4}$ of SW $\frac{1}{4}$	9 $\frac{9}{16}$
65	8W	1	SE $\frac{1}{4}$ of SW $\frac{1}{4}$	37 $\frac{9}{16}$

(If more space required, attach separate sheet)

(a) Character of soil *Silty Clay Loam + Clay Loam*

(b) Kind of crops raised *Pasture*

Power or Mining Purposes— *none*

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

(Legal subdivision)

Tp., R., W. M.

(No N. or S.) (No E. or W.)

(f) Is water to be returned to any stream?

(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.

(No N. or S.)

(No E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of _____

_____ County, having a present population of _____

and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 2,000
- 12. Construction work will begin on or before June 1 1959
- 13. Construction work will be completed on or before June 1 1960
- 14. The water will be completely applied to the proposed use on or before Oct 1 1961

Lester J. Mahurin
(Signature of applicant)

Remarks:

** Although 46² acres have been indicated for irrigation, it is planned to irrigate only 40 acres in any one year. Normal plans for crop rotation limit the area to 40 acres per year.*

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____

WITNESS my hand this _____ day of _____, 19_____

STATE ENGINEER

By _____ ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.50 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from South Yamhill River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/40 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 9, 1959

Actual construction work shall begin on or before April 15, 1960 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1960.

Complete application of the water to the proposed use shall be made on or before October 1, 1961.

WITNESS my hand this 15th day of April, 1959.

LEWIS A. STANLEY
STATE ENGINEER

Application No. 3299A
Permit No. 26036

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 9th day of March, 1959, at 3:45 o'clock P. M.

Returned to applicant: 4

Approved: April 15, 1959
Recorded in book No. 70 of 23836
Permits on page

LEWIS A. STANLEY
STATE ENGINEER

Drainage Basin No. 2 page 7042
Fees