*APPLICATION FOR PERSON

To Appropriate the Public Waters of the State of Oregon

1921 Pacific Ascennes Forest Grove Campon Goldowing described public vosters of the State of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give data and place of incorporation	I ,	Frank H. Goff and I. Lucille P. Goff
The source of the proposed appropriation is Carpenter Creek (If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is Carpenter Creek (It was to be seed from months to apply to beneficial use is 2/89. 2. The amount of water which the applicant intends to apply to beneficial use is 2/89. (It was to be seed from months are source, give quantity from each) **3. The use to which the water is to be applied is Fish Dond. (It was to be seed from months are source, give quantity from each) **3. The use to which the water is to be applied is Fish Dond. (It was to be seed from months are source, give quantity from each) **4. The point of diversion is located 16.7 ft. N. and 42 ft. E. from the SW orner of of the Northeast Quarter of the Northeast Quarter of Section 9. Towns (the source) 1. South, Range 4 West (If werehoods, give distinguished to section country) (If were his more his man sound of diversion, such most be described. Use separate that if security) (If were his more his more sound of diversion, such most be described. Use separate that if security) (If were his more his more sound of diversion, such most be described. Use separate that if security) (If were his more his more sound of diversion, such most be described. Use separate that if security) (If were his more his more sound of diversion and his described. Use separate that if security) (If were his more his more paid of diversion, such most be described. Use separate that if security) (If were his more his more paid of diversion and his described. Use separate that if security) (If were his more his more paid of diversion and his described. Use separate that if security is not his country is not become and the security is not his country is not his country. (If were his more his security is not his country is not his country is not his country. (If were his more his security is not his country is not pumple. (If were his more his security is not his country is not pump	1	927 Pacific Avenue, Forest Grove
If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is Carpenter Creek (Carpenter Creek (State ofO	dr. agan, do hereby make application for a permit to appropriate the
1. The source of the proposed appropriation is Carpenter Creek (these of stream) (a tributary of Gales Creek 2. The amount of water which the applicant intends to apply to beneficial use is 2/80 (the water is to be used from more than one source, give quantity from each) **3. The use to which the water is to be applied is Fish pond (the water is to be applied is Carpenter, power, minke, samulacturing, domestic supplies, six of the Northeast, Quarter, of the Northeast, Quarter, of Section 9. Towns (the probable, three distincts and beauting to section correct) (the probable, three distincts and beauting to section correct) (the probable, three distincts and beauting to section correct) (the probable, three distincts and beauting to section correct) (the probable, three distincts and beauting to section correct) (the probable, three distincts and beauting to section correct) (the probable, three distincts and beauting to section correct) (the probable, three distincts and beauting to section correct) (the probable, three distincts and beauting to section correct) (the section of the country of the section correct) (the section of the country of the section correct) (the section of the country of the section correct) (the section of the section beauting that the section correct cor	ollowing descr	ibed public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
1. The source of the proposed appropriation is Carpenter Creek (these of stream) (a tributary of Gales Creek 2. The amount of water which the applicant intends to apply to beneficial use is 2/80 (the water is to be used from more than one source, give quantity from each) (the water is to be applied is Fish pond (the water proposed is considered as the consequence of	If the app	plicant is a corporation, give date and place of incorporation
(If we we would have a pulse of the Northeast Quarter of Section 9. Towns 1 South, Range 4 West (If we would be applied in the western and baseing to medical and in the Northeast Quarter of the Northeast Quarter of Section 9. Towns 1 South, Range 4 West (If we would be approximately 100 feet and 100 feet		
(If we were in the content of Gales Creek 2. The amount of water which the applicant intends to apply to beneficial use is 2/80. crybic feet per second. (If water is to be used from more than one occurs, give quantity from each) **3. The use to which the water is to be applied is Fish pond. (Creation, Bower, maining, manufacturing, demonstic supplies, etc. 4. The point of diversion is located 167 ft. N. and 42 ft. E. from the SW (R. w.W.) 1. South, Range 4. West. (If westernite, of the Northeast Quarter of Section 9. Towns (Section 9. Towns 1. South, Range 4. West. (If westernite, give distance and baseing to medicated to section corner) (If there is new thin as peace of current, such and to described. We expected that it measures) (If westernite high redditions) 5. The ditch and piple line. (China the line. (China	1 The w	compared the represent supposed tion is Carpenter Creek
2. The amount of water which the applicant intends to apply to beneficial use is 2/80. The use to which the water is to be applied is Fish. pond (herestin, power, mining, manufacturing, demantic supplies, etc. 4. The point of diversion is located 167 ft. N and 42 ft. E. From the SW (R. w. W.) From the Northeast Quarter of the Northeast Quarter of Section 9. Towns (heating or mining within the Northeast Quarter of Section 9. Towns 1. South. Range 4. West (If preferable, sive distance and bearing to section corner) Of there is more than one point of diversion, each much to discribed. Use expanse then if security) being within the Northeast Qtr. of Northeast Qtr. of Sec. 9 Th. 15 (If or 3) R. 4W , W. M., in the county of Washington (If we will be approximately 100 fee. (In the county of Washington to be approximately 100 fee. (In the county of the NEL 1/4 of Sec. 9 Th. 18. (In the county of the sec. 1/4 of Sec. 9 Th. 18. (In the county of the sec. 1/4 of Sec. 9 Th. 18. (In the county of the sec. 1/4 of Sec. 9 Th. 18. (In the county of the sec. 1/4 of Sec. 9 Th. 18. (In the county of the sec. 1/4 of Sec. 9 Th. 18. (In the county of the sec. 1/4 of Sec. 9 Th. 18. (In the county of the sec. 1/4 of Sec. 9 Th. 18. (In the county of the sec. 1/4 of Sec. 9 Th. 18. (In the county of the sec. 1/4 of Sec. 1/4		(Mame of charm)
(If water is to be used from more than one source, give quantity from each) **3. The use to which the water is to be applied is Fish pond. (drigation, power, mining, manufacturing, consents crippies, see 4. The point of diversion is located 167 ft. N. and 42 ft. E. from the SW (C. ew.) One of the Northeast Quarter of the Northeast Quarter of Section 9. Towns (Institute of smith of the Northeast Quarter of Section 9. Towns 1 South, Range 4 West (If profession, give distinse and beauting to section corner) Off there is more than one point of diversion, each most to described. Use organise theat if security) Peting within the Northeast Qtr. (Northeast Qtr. of Sec. 9 Tp. 15 (Give ww.) , W. M., in the county of Washington S. The ditch and pipls line to be approximately 100 fee (little or rev) (Rosellost field stand and division) R. 4W W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam 5 feet, length on top 10 feet, length at bots (Lower construction of headgette field and character of construction dirt and boards. (Lower construction of headgette field stands of the normal construction of		·
*** The use to which the water is to be applied is **Fish.pond** (A. The point of diversion is located 167 ft. N. and 42 ft. E. from the SW on we of the Northeast Quarter of the Northeast Quarter of Section 9. Towns (Insulan or maderialess) 1 South. Range 4 West (If preferrable, give distinue and bearing to metion corner) (If there is more than me point of diversion, each much be described. Use expense that if necessary) being within the Northeast Oxford Northeast Qir. of Sec. 9 Tp. 15 (X or x.) R. 4W , W. M., in the country of Washington 5. The ditch and piple line to be approximately 100 fee (Insulan or results) (In length, terminating in the NE 1/4 of the NE 1/4 of Sec. 9 Tp. 15 (K or x.) (R. 4W , W. M., the proposed location being shown throughout on the accompanying map. (R. or w.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam 5 feet, length on top 10 feet, length at both (Insulan or level) 6. feet; material to be used and character of construction diri and boards. (Incompany) (b) Description of headgite **Timber, conserver, rec., number and size of openings) (c) If water is to be pumped give general description No pump - just natural floations and type of pump)		
4. The point of diversion is located 167 ft. N. Ot. or 8.) corner of of the Northeast Quarter of the Northeast Quarter of Section 9. Towns (Bestime or subdivision) 1. South. Range 4 West. (If preferable, give distance and bearing to section corner) (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, such much be described. Use separate short if secondary) (If there is more than one point of diversion, such much be described. Use separate short if secondary) (If there is more than one point of diversion, such much be described. Use separate short if secondary) (If there is more than one point of diversion, such much be described. Use separate short if secondary) (If there is more than one point of diversion, such much be described. Use separate short if secondary) (If there is more than one point of diversion, such much be described. Use separate short if secondary) (If there is more than one point of diversion should be described. Use separate short if secondary) (If there is more than one point of diversion should be described. Use separate short if secondary) (If there is more than one point of diversion of secondary) (If there is no point is short if secondary) (If there is no point is south than the described of the secondary) (If there is no point is located and secondary of the se	cybic feet per se	econd. (If water is to be used from more than one source, give quantity from each)
(If there is more than one point of distance and bearing to section corner) (If there is more than one point of direction, each must be described. Use organise then if secondary) being within the Northeast Qtr. of Northeast Qtr. of Sec. 9 , Tp. 15 ((R. or S.)) (Che manifest legal subdivision) R. 4W., W. M., in the county of Washington (Band dish, enact or sipe lime) (Band dish, enact or	**3. The u	se to which the water is to be applied isFish_pond
(It preferable, give distance and bearing to section corner) (It there is more than one point of diversion, each must be described. Use separate short if necessary) being within the Northeast. Ott. of. Northeast. Otr. of Sec. 9. Tp. 1S. (N. or S.) R. 4W. , W. M., in the country of Washington. S. The ditch and piple line to be approximately 100 fee (nine of the country of the NE 1/4 of the NE 1/4 of Sec. 9 , Tp. 1S. (N. or S.) R. 4W. W. M., the proposed location being shown throughout on the accompanying map. (E. or W.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam 5 feet, length on top 10 feet, length at bott for the country of the coun	4. The po	oint of diversion is located 167 ft. N and 42 ft. E from the SW
(It preferable, give distance and bearing to section corner) (It there is more than one point of diversion, each must be described. Use separate short if necessary) being within the Northeast. Ott. of. Northeast. Otr. of Sec. 9. Tp. 1S. (N. or S.) R. 4W. , W. M., in the country of Washington. S. The ditch and piple line to be approximately 100 fee (nine of the country of the NE 1/4 of the NE 1/4 of Sec. 9 , Tp. 1S. (N. or S.) R. 4W. W. M., the proposed location being shown throughout on the accompanying map. (E. or W.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam 5 feet, length on top 10 feet, length at bott for the country of the coun	corner ofQ	f the Northeast Quarter of the Northeast Quarter of Section 9, Townsh
(It there is more than one point of diversion, each must be described. Use expanse sheet if necessary) being within the Northeast Qtx. of Northeast Qtx. of Sec. 9. , Tp. 15. (Give smallest legal subdivision) R. 4W. , W. M., in the county of		
(St there is more than one point of diversion, each must be described. Use expanses short if necessary) being within the Northeast Qtx. of Noxtheast Qtx. of Sec. 9. , Tp. 15. (Give smallest legal subdivision) R. 4W. ,W. M., in the county of		
(By there is more than one point of diversion, each must be described. Use separate sheet if necessary) peing within the Northeast Qtx. of Noxtheast Qtx. of Sec. 9. Tp. 15 (Give sensitive legal subdivision) R. 4W., W. M., in the county of Washington S. The ditch and piple line to be approximately 100 fee (Miles or feet) I length, terminating in the NE 1/4 of the NE 1/4 of Sec. 9. Tp. 15 (Roots) R. 4W. W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam 5 feet, length on top 10 feet, length at bott for the struck, timber crib, etc., westerny over or around dam) (b) Description of headgate Timber, conserve, etc., number and size of openings) (c) If water is to be pumped give general description No pump - just natural flow (Size and type of pumps)	***************************************	
ceing within the Northeast Otr of Northeast Otr of Sec. 9 , Tp. 15 (North) (Chew smallest legal substivision) R. 4W , W. M., in the county of Washington 5. The ditch and piple line to be approximately 100 fee (Milles or feet) In length, terminating in the NE 1/4 of Sec. 9 , Tp. 15 (R. or 8.) R. 4W , W. M., the proposed location being shown throughout on the accompanying map. (E or W.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam		
R. 4W , W. M., in the county of Washington S. The ditch and piple line (Minn of the County of Mashington) I dependent which, cannot or page line) I dependent which, cannot or page line) I dependent which, cannot or page line) I dependent which (NE 1/4 of Sec. 9 , Tp. 18 (N. or 8.) AW	heina mithin th	(If there is more than one point of diversion, each must be described. Use separate short if necessary) Northeast Otr of Northeast Otr of Sec. 9
5. The ditch and piple line to be approximately 100 fee (Miles or text) (miles ditch, escal or pipe line) (miles of the NE 1/4 of Sec. 9 , Tp. 18 (N. or 8.) R. 4W W. M., the proposed location being shown throughout on the accompanying map. (E or W.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam 5 feet, length on top 10 feet, length at bott 6 feet; material to be used and character of construction dirt and boards (Loose rock, concrete, mass (Loose rock, concrete, mass (Loose rock, concrete, which mass 11 pipe 11 pipe 12 pipe 13 pipe 14 pipe 15 pipes 15 pipes 16 pipes 16 pipes 16 pipes 16 pipes 17 pipe 17 pipe 17 pipe 17 pipe 17 pipe 17 pipe 17 pipes 18 pipes		
n length, terminating in the NE 1/4 of the NE 1/4 of Sec. 9 , Tp. 18 (N. or 8.) AW W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam 5 feet, length on top 10 feet, length at bott 6 feet; material to be used and character of construction dirt and boards. (Leone rock, concrete, mass of the stand break, timber crib, etc., wasteway over or around dem) (b) Description of headydte 4" pipe Tumber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description No pump - just natural flow (Size and type of pump)	V=	·
DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam 5 feet, length on top 10 feet, length at both 6. feet; material to be used and character of construction dirt and boards. (Loose rock, concrete, mass of pipe from the direct of construction of headgate 4" pipe from the direct of construction of headgate 1" pipe from the direct of construction of headgate 1" pipe (Since and type of pump)	5. The	Office and pipe line to be approximately 100 feet (Milles or foot)
DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam 5 feet, length on top 10 feet, length at both 6. feet; material to be used and character of construction dirt and boards. (Loose rock, concrete, mass of pipe from the direct of construction of headgate 4" pipe from the direct of construction of headgate 1" pipe from the direct of construction of headgate 1" pipe (Since and type of pump)	n length, termi	nating in the NE 1/4 of the NE 1/4 of Sec. 9 , Tp. 15. (Bonalisat legal subdivision) (N. or S.)
6. (a) Height of dam 5 feet, length on top 10 feet, length at bott 6. (a) Height of dam 5 feet, length on top 10 feet, length at bott 6. (a) Height of dam 5 feet, length on top 10 feet, length at bott 6. (b) Geet; material to be used and character of construction dirt and boards (Loose rock, concrete, many (Loose rock, concrete, many (b) Description of headgate 4" pipe (b) Description of headgate 7"maker, concrete, etc., number and size of openings) (c) If water is to be pumped give general description No pump - just natural flow (Size and type of pump)	2. 4W (E. cer ₩.)	W. M., the proposed location being shown throughout on the accompanying map.
6. (a) Height of dam 5 feet, length on top 10 feet, length at bott 6. (a) Height of dam 5 feet, length on top 10 feet, length at bott 6. (a) Height of dam 5 feet, length on top 10 feet, length at bott 6. (b) Description of headydte (Loose rock, concrete, mass (c) If water is to be pumped give general description No pump - just natural flox (Siese and type of pump)		DESCRIPTION OF WORKS
6. feet; material to be used and character of construction dirt and boards. (Loose rock, concrete, mass (Loose rock, concrete, mass	Diversion Work	3
6. feet; material to be used and character of construction dirt and boards. (Loose rock, concrete, mass (Loose rock, concrete, mass	6. (a) He	eight of dam
(b) Description of headgate 4" pipe (c) If water is to be pumped give general description No pump - just natural flox (shee and type of pump)	•	
(b) Description of headgate 4" pipe Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description No pump - just natural flor (Size and type of pump)		(Loose rock, concrete, mason
(c) If water is to be pumped give general description No pump - just natural flor		· · · · · · · · · · · · · · · · · · ·
(som and type of pump)	(0) Desci	Timber, concrete, etc., number and size of openings)
(som and type of pump)	(c) If wa	ster is to be pumped give general description
	************	(some seed type of pump)
(new one type of engine or motor to be used, total head water is to be lifted, etc.)	•	(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

 System.			▲ • • •
	-	_	T

	and the second s	_	rr line)	
			headgate: width on top (at wat	
·	feet; width on	bottom	feet; depth of	water fee
ređe	feet j	all per one tho	usandijest.	•
			.; size at intake,4	ia · sisse art f
			of use4 in.; d	- A
		ft.	Is grade uniform?	Estimated capacity
***************************************	sec. ft.		en e	
8. Loca	tion of area to b	e irrigated, or	place of use	
Township	Rånge	Section	Ferty-scre Tract	Number Acres To Be Irrigated
WILM	NETTE MERIDIAN			,
15	4 W	9	NE 1/4 of NE 1/4	
		 	-1.2 1/1 OF HE 1/4	
		-		•
The North	ast quarter	of the North	east quarter of Section	9. Township 1 South,
Kange a w	est of the Wil	llamette Me	ridian, subject to roadw	valv reserved in deed
of the Cour	ty Road.			art mercor rying cast
· · · · · · · · · · · · · · · · · · ·	· ·			
		-		
·				
		(If more spe	ce required, attack separate abset)	
(a) Cha	racter of soil		· · · · · · · · · · · · · · · · · · ·	
(b) Kin	d of crops raised	***************************************	·	<u></u>
ower or Mini	ng Purposes—			
9. (a) 1	l'otal amount of	power to be de	veloped	theoretical horsepowe
(ъ) (Quantity of wate	er to be used fo	т роwет	sec. ft.
(c) :	Fotal fall to be u	tilized	feet.	
. (a) 1	the nature of the	e works by med	ins of which the power is to be	e developed
······································		••••		
(e) S	Such works to be	located in	(Legal subdivision)	of Sec.
	, R			
	,		stream?	
			1	
			point of return	
*******		, Sec	, Tp(No. N. or S.)	, R. (No. R. or W.)
(h) :	The use to which	power is to be	applied is	
			in .	
•••••	•••••••••••••••••••••••••••••••••••••••			

Crearly, heating a present population of
and an adheathd population of
(5) If for dimeetic use sinte number of families to be supplied
15, Bottonated cost of proposed souths, \$50, 00
II. Construction work will begin on or beforeimmediately
22. Construction work will be completed on or before December 31, 1954.
M. The water will be completely applied to the proposed use on or before December 31, 199
Frank H. Goff
Frank H. Soff
racille) - Joff
Remerke:
STATE OF OREGON,
County of Marion,
This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for
In order to retain its priority, this application must be returned to the State Engineer, with corre
tions on or before
WITNESS my hand this day of 19

STATE OF OREGON,

County of Marion.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The Act	be subject to so priority date count construction be prosecuted	uch reaso of this pe m work s	mable :	rotatio	n sys	tem as	Sep	dered by	the prop		fficer.
The Act	priority date o	uch reaso of this pe m work s	mable :	rotatio	n sys	tem as	may be on	dered by	the prop		fficer.
The Act	priority date o	uch reaso of this pe m work s	mable 1	rotatio	n sys	tem as	may be on	dered by	the prop		fficer.
The Act	priority date o	uch reaso of this pe m work s	mable 1	rotatio	n sys	tem as	may be on	dered by	the prop		fficer.
The Act	priority date o	of this pe m work s	rmit is	******	- 		Sep	ember 3	1954		fficer.
The Act	priority date o	of this pe m work s	rmit is	******	- 		Sep	ember 3	1954		fficer.
Acti	ual constructio	n work s									•••••
•			shall be	enie ~				/			
Соп	nplete applicat	•••••	•••••				-				4
	TNESS my han						May	UVR d in sections	, 19 0 1 and 2 and	159 LAMILY STATE AUGUST 14. OFFI	() SENGINEER gon Laws 1983.
	ric		id in the	£.7	K.				o	TATE ENGINEER	64.43
Permit No. AMOHS	PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	Division No. District No.	This instrument was first received in the	on the 3th day of September	19.54., at o'clock	Returned to applicant:	Corrected application received:	900	Recorded in book No. 70	Permits on page 26045 IEMIS A. STANIET STATE BETATE	Drainage Basin No. 2 Page 64.A.7 Fees Paid