*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Vergil A. Parker (Base of	
Blachly, Oregon	
State of	make application for a permit to appropriate the
following described public waters of the State of Orego	
If the applicant is a corporation, give date and pla	
of the property of the control of th	,
1. The source of the proposed appropriation isG.	
	(Name of stream)
	of Lake Creek
2. The amount of water which the applicant intend	
gubic feet per second. (If water is to be used from	more than one source, give quantity from each)
**3. The use to which the water is to be applied is	Irrigation (Errigation, power, mining, manufacturing, domestic supplies, etc.)
4. The point of diversion is located 1214.4ft Section 35	
(Section o	e subdivision)
Diversion #2 is located 1667.4 ft	
W.1/4 corner of section 35.	<u> </u>
(If preferable, give distance and be	
being within the S.E.1/4 S.W.1/4 (Give smallest legal subdivision)	described. Use separate sheet if necessary) of Sec. 35 , Tp. 165 (N. or S.)
R. 8W., W. M., in the county of Lane	
5. The Pipe line (Main ditch, canal or pipe line)	to be 1930.
in length, terminating in the $\frac{N.W.1/4}{\text{(Smallest legal subdivision)}}$	
R. 8W., W. M., the proposed location being s	hown throughout on the accompanying man
Diversion Works— DESCRIPTION O	F WORKS
6. (a) Height of dam feet, lengt	h on top feet, length at bottom
feet; material to be used and character o	f construction
***************************************	(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate	er, concrete, etc., number and size of openings)
(c) If water is to be pumped give general descripti	on 2 Centrifural pump (Size and type of pump)
10 h.p. electric motor, lifting 1(tal head water is to be lifted etc.)
	The second secon

"A different form of application is provided where storage works are contemplated.

"Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the ydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, figure, and the secured of the contemplate of the secured of the contemplate of the c

anal System or	Pipe Line			4
		t each maint	of canal where materially chang	
eadoute At her	dosto estás.	dam (or the same writer materially change	ged in size, stating mile
	wywie. Weller Di	tob (at met	er line)	feet; width on
rousend feet.	jeet; depth of	water	feet; grade	feet fall 1
(b) At	***************************************	miles from	headgate: width on top (at wate	r line)
***************************************	feet; width on l	bottom	feet; depth of u	nater
rade	feet fa	I per one the	ousand feet	
			t.; size at intake,4	
om intake	·····in	einn at alla.	, sice at insure,	. in.; size at
take and place	of use 251	size at place	of use 2 in.; dif	ference in elevation be
and place	o, use,25	ft.	Is grade uniform? Yes	Estimated ca
8. Location	se c. ft. i of area to be i	Trigated or	place of use N. bank Gre	enlesf Craok
Township	Range E. or W. of		pance of use	Chical Creek
North or South	Williamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigs
rsion #1			-	
16S.	8W.	35	N.W.1/4 S.W.1/4	2.61
11		. 11	N.E.1/4 S.W.1/4	
eren jako erren e			N.M.1/4 3.0.1/4	5.10
rsion #2				
_16S.	OW			
105.	8W.	35	N.E.1/4 S.W.1/4	. 40
		**	S.E.1/4 S.W.1/4	6.86
			•	
		:		
	1 2	(If more space	required, attach separate sheet)	
(a) Char	acter of soil	Clay and	loam	
(b) Kind	of crops raised	Pasture		
er of minnig L	urposes-			
s. (a) Total	amount of pow	er to be dev	eloped	theoretical horsepo
(b) Quan	tity of water to	be used for p	ower sec. :	ft.
(c) Total	fall to be utiliz	ed	(Hend)	
(d) The n	ature of the wo	rks by mean	s of which the power is to be de	
				veloped
(e) Such	works to be lose			
, ~ work		a in	(Legal subdivision)	of Sec.
(No. N. or S.)	(No. E. or	, W. M ∵W.)	•	
(f) Is was	er to be returne	ed to any str	eam?(You or No)	
(g) If so,	name stream ar	id locate poi	nt of return	
	, S	ec	, Tp(No. N. or S.)	
			······································	D

and shall not exceedO.	19 cubic feet per second n	reasured at the p	oint of diversion from t
• •	e of rotation with other water		

			es."
The use to which this wa	ter is to be applied is _irriga	tion	

	•	***************************************	
If for irrigation, this appr	ropriation shall be limited to		
cond or its equivalent for each	acre irrigated and shall b	a further limi	ted to a diversion
	feet per acre for each a		
	•		
vasom m. sam ysar.			
nd shall be subject to such rea		be ordered by the	proper state officer.
nd shall be subject to such rea The priority date of this p	sonable rotation system as may	be ordered by the	proper state officer.
nd shall be subject to such rea The priority date of this p Actual construction work	sonable rotation system as may permit is shall begin on or before	be ordered by the March 23, 19	proper state officer.
nd shall be subject to such rea The priority date of this p Actual construction work ereafter be prosecuted with r	sonable rotation system as may permit is	be ordered by the March 23, 19 May 20, 1960 upleted on or before	proper state officer. i9and sha
nd shall be subject to such rea The priority date of this p Actual construction work tereafter be prosecuted with r Complete application of t	sonable rotation system as may permit is shall begin on or before	be ordered by the March 23, 19 May 20, 1960 upleted on or before	proper state officer. 9 and sha re October 1, 19.60 before October 1, 19.61

State Printing 16137

Application No. 32283

Permit No. 26084

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the

office of the State Engineer at Salem, Oregon, on the Land day of Mascali

19 2 9, at 2. C.C. o'clock (-) M.

Returned to applicant:

Approved:

May 20, 1959

Recorded in book No. 70 Permits on page 26084 LEWIS A. STANIAT STATE ENGINEER

Drainage Basin No. 18 - page 26E

Fees