

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Ivan E. Holm, of Pt 1 Box 415 Sutherlin Ore, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Holm Reservoir and Sutherlin Creek, a tributary of North Umpqua River

2. The amount of water which the applicant intends to apply to beneficial use is 2/80 cubic feet per second.

3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located N 68° 26' W 1107.0' from the SW corner of Sec 13.

being within the SW 1/4 SW 1/4 of Sec. 13, Tp. 25S, R. 5W, W. M., in the county of Douglas

5. The Pipe line to be 455 ft. in length, terminating in the SW 1/4 SW 1/4 of Sec. 13, Tp. 25S, R. 5W, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works— See Res appl. R 30818 per R 1893 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description

\*A different form of application is provided where storage works are contemplated. \*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake, ..... in.; size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

8. Location of area to be irrigated, or place of use .....

Township North or South	Range E. or W. of Wilmotte Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
25S	5W	13	SW 1/4 SW 1/4	0.5
		24	NW 1/4 NW 1/4	1.5

(If more space required, attach separate sheet)

(a) Character of soil ..... *You call it silt*

(b) Kind of crops raised ..... *Hay*

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Quantity of water to be used for power ..... sec. ft.

(c) Total fall to be utilized ..... feet.  
(Head)

(d) The nature of the works by means of which the power is to be developed .....

(e) Such works to be located in ..... of Sec. ....  
(Legal subdivision)

Tp. ...., R. ...., W. M. ....  
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? .....  
(Yes or No)

(g) If so, name stream and locate point of return .....

....., Sec. ...., Tp. ...., R. ...., W. M. ....  
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is .....

(i) The nature of the mines to be served .....

20. (a) To supply the city of \_\_\_\_\_

(Name of) \_\_\_\_\_ County, having a present population of \_\_\_\_\_

and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

(b) If for domestic use state number of families to be supplied \_\_\_\_\_

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 450<sup>00</sup>

12. Construction work will begin on or before Completed

13. Construction work will be completed on or before Completed

14. The water will be completely applied to the proposed use on or before Oct 1 1959

Joan E. Holm  
(Signature of applicant)

Remarks:

The land to be irrigated under this Permit application is in addition to application No 30819, Permit No 24260

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before \_\_\_\_\_, 19\_\_\_\_\_

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 19\_\_\_\_\_

STATE ENGINEER

By \_\_\_\_\_ ASSISTANT

PERMIT

STATE OF OREGON,

County of Marion,

} ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.03 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Halm Reservoir constructed under Permit No. R-1873 and Sutherlin Creek

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated / and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year. provided further that the right to the use of water is limited to the period when the flow of water in the North Umpqua River is 525.0 c.f.s. or more at its mouth.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 26, 1959

Actual construction work shall begin on or before May 20, 1960 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19 60.

Complete application of the water to the proposed use shall be made on or before October 1, 19 61.

WITNESS my hand this 20th day of May, 19 59.

[Signature] STATE ENGINEER

Application No. 32988  
Permit No. 26087

PERMIT  
TO APPROPRIATE THE PUBLIC  
WATERS OF THE STATE  
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 26th day of March, 1959, at 9:15 o'clock A. M.

Returned to applicant:

Approved:

May 20, 1959

Recorded in book No. 70 of

Permits on page 26087

LEWIS A. STANLEY  
STATE ENGINEER

Drainage Basin No. 16 page 280

Fees /