

RECEIVED
APR 11 1930
STATE ENGINEER
SALEM, OREGON

Permit No. 26100

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Oregon State Highway Commission (State Parks Division) of 301 State Highway Building, Salem Oregon do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Snake River waters from Brownlee Reservoir, a tributary of Snake River Columbia River

2. The amount of water which the applicant intends to apply to beneficial use is 0.50 cubic feet per second.

3. The use to which the water is to be applied is Public Park Purpose Irrigation Farewell Bend State Park

4. The point of diversion is located ft. and ft. from the corner of The point of diversion is located S. 38° 05'E., 1280 Feet of the quarter Corner Common to Sections 32 and 33, T. 14 S., R. 45 E., W.M.

being within the NW 1/4 SW 1/4 of Sec. 33 Tp. 14 S. R. 45 E., W. M., in the county of Baker

5. The Pipe line to be 1,000 feet in length, terminating in the SW 1/4 SW 1/4 of Sec. 33 Tp. 14 S. R. 45 E. W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description Water to be picked up in sump in Brownlee Reservoir 15 H.P. pump will be placed about 20 feet higher, above high water, in Reservoir.

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1000 ft.; size at intake, 4 in.; size at ft. from intake in.; size at place of use 2 in.; difference in elevation between intake and place of use, 35 ft. Is grade uniform? No Estimated capacity, 0.50 sec. ft.

8. Location of area to be irrigated, or place of use Irrigation of trees and shrubs

Township	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
14 S.	45 E.	32	SE $\frac{1}{4}$ SE $\frac{1}{4}$	Park Purpose - 3.4 AC.
14 S.	45 E.	32	NE $\frac{1}{4}$ SE $\frac{1}{4}$	Park Purpose - 2.6 AC.
14 S.	45 E.	33	NW $\frac{1}{4}$ SW $\frac{1}{4}$	Park Purpose - 5.0 AC.
14 S.	45 E.	33	SW $\frac{1}{4}$ SW $\frac{1}{4}$	Park Purpose - 5.0 AC.
			Total	16.0 AC.

(If more space required, attach separate sheet)

(a) Character of soil Sandy loam

(b) Kind of crops raised Trees and shrubs

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

(Legal subdivision)

Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(f) Is water to be returned to any stream?

(Yes or No)

(g) If so, name stream and locate point of return

Sec.

Tp.

R.

W. M.

(No. N. or S.)

(No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$... 5,000.....

12. Construction work will begin on or before October 1, 1959.....

13. Construction work will be completed on or before October 1, 1960.....

14. The water will be completely applied to the proposed use on or before October 1, 1961.....

[Handwritten Signature]
(Signature of applicant)

State Parks Superintendent

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before June 8, 19 59.....

WITNESS my hand this 6th day of April, 19 59.....

LEWIS A. STANLEY

STATE ENGINEER

By *[Handwritten Signature]*
James W. Carter, Jr., Assistant

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.40 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Snake River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/40 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 4 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 1, 1959

Actual construction work shall begin on or before May 20, 1960 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1960

Complete application of the water to the proposed use shall be made on or before October 1, 1961

WITNESS my hand this 20th day of May 19 59

Lewis A. Stanley
STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1951.

Application No. 33010
Permit No. 26/97

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.
This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 1st day of April
19 59 at 3:30 o'clock P. M.

Returned to applicant:
Corrected application received:
Approved: May 20, 1959
Recorded in book No. 70 of
Permits on page 26100
LEWIS A. STANLEY
STATE ENGINEER
Drainage Basin No. 9 Page 2A
Fees Paid