

## \*APPLICATION FOR PERMIT

## To Appropriate the Public Waters of the State of Oregon

	Ni, Oregon City, Oregon
	do hereby make application for a permit to appropriate the
	paters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a co	rporation, give date and place of incorporation
************************************	
1. The source of the pr	roposed appropriation is
·	, a tributary of Clackanas River
9. Mha amanad af an ata	
2. The amount of wate	er which the applicant intends to apply to beneficial use is .0.01 (1/100)
bic feet per second	(If water is to be used from more than one source, give quantity from each)
**3. The use to which th	te water is to be applied is
	(Irrigation, power, mining, manufacturing, domestic supplies, etc.)
· · · · · · · · · · · · · · · · · · ·	
4. The point of diversi	ion is located 600 ft. N and 252 ft. E from the 1/4 L
man at lating &	(N. or S.) (E. or W.)
rner of <u>Delances</u>	(N. or S.) (E. or W.)
(Creek crosses from 2	ast to West about the center of the 1320' x 252' lot).
	(M preferable, give distance and bearing to section corner)
	(If preferable, give distance and bearing to section corner)  than one point of diversion, each must be described. Use separate sheet if necessary)
ing within the SW quarte	(If preferable, give distance and bearing to section corner)  than one point of diversion, each must be described. Use separate sheet if necessary)  er of the NW quarter of Sec. 23
ing within the SW quarte	(If preferable, give distance and bearing to section corner)  than one point of diversion, each must be described. Use separate sheet if necessary)  er of the NW quarter of Sec. 23, Tp. 25  (Give smallest legal subdivision)
ing within the SW quarte	(If preferable, give distance and bearing to section corner)  than one point of diversion, each must be described. Use separate sheet if necessary)  er of the NW quarter of Sec. 23, Tp. 25.  (Give smallest legal subdivision) (N or S)
eing within the SW quarte  2B , W. M., in the  5. The	(If preferable, give distance and bearing to section corner)  than one point of diversion, each must be described. Use separate sheet if necessary)  er of the NW quarter of Sec. 23, Tp. 25.  (Give smallest legal subdivision)  county of Clackamas  pipe to be 125!
eing within the SW quarte  2B , W. M., in the  5. The	(If preferable, give distance and bearing to section corner)  than one point of diversion, each must be described. Use separate sheet if necessary)  er of the NW quarter of Sec. 23, Tp. 25.  (Give smallest legal subdivision)  county of Clackamas  pipe to be 125!
eing within the SW quarte  2B , W. M., in the  5. The	(If preferable, give distance and bearing to section corner)  than one point of diversion, each must be described. Use separate sheet if necessary)  er of the NW quarter of Sec. 23, Tp. 25  (Give smallest legal subdivision)  (N or 5)  county of Clacksmas  pipe to be 1251  (Main ditch, canal or pipe line)  SW 2 of NW 4 of Sec. 23, Tp. 2 S  (Smallest legal subdivision)  (Smallest legal subdivision)
eing within the SW quarte  2B , W. M., in the  5. The	(If preferable, give distance and bearing to section corner)  than one point of diversion, each must be described. Use separate sheet if necessary)  er of the NW quarter of Sec. 23, Tp. 25.  (Give smallest legal subdivision)  county of Clackamas  pipe to be 125!
eing within the SW quarte  2B , W. M., in the  5. The	(If preferable, give distance and bearing to section corner)  than one point of diversion, each must be described. Use separate sheet if necessary)  er of the NW quarter of Sec. 23, Tp. 25.  (Give smallest legal subdivision)  (Nors)  county of Clackamas  pipe to be 125!  (Main ditch, canal or pipe line)  (Main ditch, canal or pipe line)  SW = of NW = of Sec. 23, Tp. 25.  (Smallest legal subdivision)  (Smallest legal subdivision)  he proposed location being shown throughout on the accompanying map.
zing within the SW quarter  2B , W. M., in the  5. The	(If preferable, give distance and bearing to section corner)  than one point of diversion, each must be described. Use separate sheet if necessary)  er of the NW quarter of Sec. 23, Tp. 25  (Give smallest legal subdivision)  (N or 5)  county of Clacksmas  pipe to be 1251  (Main ditch, canal or pipe line)  SW 2 of NW 4 of Sec. 23, Tp. 2 S  (Smallest legal subdivision)  (Smallest legal subdivision)
zing within the SW quarte  2E , W. M., in the  5. The	(If preferable, give distance and bearing to section corner)  than one point of diversion, each must be described. Use separate sheet if necessary)  er of the NW quarter of Sec. 23, Tp. 25.  (Give smallest legal subdivision)  (Nors)  county of Clackamas  pipe to be 125!  (Main ditch, canal or pipe line)  SW = of NW = of Sec. 23, Tp. 25.  (Smallest legal subdivision)  (Smallest legal subdivision)  he proposed location being shown throughout on the accompanying map.  DESCRIPTION OF WORKS
ing within the SW quarter  2E , W. M., in the  5. The	(If preferable, give distance and bearing to section corner)  than one point of diversion, each must be described. Use separate sheet if necessary)  er of the NW quarter of Sec. 23, Tp. 25.  (Give smallest legal subdivision)  county of Clacksmas  pipe to be 125!  (Malles or feet)  SW = of NW 4 of Sec. 23 , Tp. 2 S.  (Smallest legal subdivision)  he proposed location being shown throughout on the accompanying map.  DESCRIPTION OF WORKS  3 feet, length on top 10 feet, length at bottom
ing within the SW quarter  2E , W. M., in the  5. The	(If preferable, give distance and bearing to section corner)  than one point of diversion, each must be described. Use separate sheet if necessary)  er of the NW quarter of Sec. 23, Tp. 25.  (Give smallest legal subdivision)  (Nors)  county of Clackamas  pipe to be 125!  (Main ditch, canal or pipe line)  SW = of NW = of Sec. 23, Tp. 25.  (Smallest legal subdivision)  (Smallest legal subdivision)  he proposed location being shown throughout on the accompanying map.  DESCRIPTION OF WORKS
ing within the SW quarte  2B , W. M., in the  5. The	(If preferable, give distance and bearing to section corner)  than one point of diversion, each must be described. Use separate sheet if necessary)  er of the NW quarter of Sec. 23, Tp. 28  (Give smallest legal subdivision)  pipe to be 1251  (Main ditch, canal or pipe line)  SW of NW of Sec. 23, Tp. 28  (Smallest legal subdivision)  he proposed location being shown throughout on the accompanying map.  DESCRIPTION OF WORKS  3 feet, length on top 10 feet, length at bottom all to be used and character of construction wood and earth.  (Loose rock, concrete, masonry.
zing within the SW quarter  2B , W. M., in the  5. The	(If preferable, give distance and bearing to section corner)  than one point of diversion, each must be described. Use separate sheet if necessary)  er of the NW quarter of Sec. 23 , Tp. 25 (N or 5)  county of Clacksmas  pipe to be 125!  (Main ditch, canal or pipe line) (Miles or feet)  SW of NW 4 of Sec. 23 , Tp. 2 S (N or 5)  (Smallest legal subdivision) (N or 5)  the proposed location being shown throughout on the accompanying map.  DESCRIPTION OF WORKS  3 feet, length on top 10 feet, length at bottom (Loose rock, concrete, masonry, we over or around dam)
zing within the SW quarter  2B , W. M., in the  5. The	(If preferable, give distance and bearing to section corner)  than one point of diversion, each must be described. Use separate sheet if necessary)  er of the NW quarter of Sec. 23 , Tp. 25 (N or 5)  county of Clacksmas  pipe to be 125!  (Main ditch, canal or pipe line) (Miles or feet)  SW of NW 4 of Sec. 23 , Tp. 2 S (N or 5)  (Smallest legal subdivision) (N or 5)  the proposed location being shown throughout on the accompanying map.  DESCRIPTION OF WORKS  3 feet, length on top 10 feet, length at bottom (Loose rock, concrete, masonry, we over or around dam)
zing within the SW quarter  2B , W. M., in the  5. The	(If preferable, give distance and bearing to section corner)  than one point of diversion, each must be described. Use separate sheet if necessary)  er of the NW quarter of Sec. 23 , Tp. 25 (N or 5)  county of Clacksmas  pipe to be 1251  (Main ditch, canal or pipe line) (Miles or feet)  SW of NW of SW of Sec. 23 , Tp. 2 S (N or 5)  (Smallest legal subdivision) of Sec. 23 , Tp. 2 S (N or 5)  the proposed location being shown throughout on the accompanying map.  DESCRIPTION OF WORKS  3 feet, length on top 10 feet, length at bottom (Loose rock, concrete, masonry, over or around dam)  indigate None
ing within the SW quarte  2B , W. M., in the  5. The	(If preferable, give distance and bearing to section corner)  than one point of diversion, each must be described. Use separate sheet if necessary)  er of the NW quarter of Sec. 23 , Tp. 25 (N or 5)  county of Clacksmas  pipe to be 1251  (Main ditch, canal or pipe line) (Miles or feet)  SW of NW of SW of Sec. 23 , Tp. 2 S (N or 5)  (Smallest legal subdivision) of Sec. 23 , Tp. 2 S (N or 5)  the proposed location being shown throughout on the accompanying map.  DESCRIPTION OF WORKS  3 feet, length on top 10 feet, length at bottom (Loose rock, concrete, masonry, over or around dam)  indigate None

\*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Rydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem. Oregon.

<sup>\*</sup>A different form of application is provided where storage works are contemplated.

dgate. At he	adgate: width or	top (at water	line)	feet; width on botto
usand feet.	. feet; depth of	water	feet; grade	feet fall per or
		miles from he	idgate: width on top fat ma	ter line)
TET A. ARM	feet midth on	hottan		
e fet ve⊈til. ••			Jeet; depth of	water fee
		ll per one thous	· ·	
(c) Lengt	h of pipe,	125 ft.; s	rize at intake, 2	in.; size at any
n intake	2in.	; size at place of	use in d	ifference in elevation betwee
ke and place	of use.	# 1-	come do sumiform 2 Vos	Estimated capacity
<i>i</i>	•	je. 28	grade unijorni:195	Estimated capacity
	sec. ft. n of area to be	irrigated, or plac	ce of use	•
Township North or South	Range	Section		
	Will smotte Meridian		Porty-acre Tract	Number Acres To Be Irrigated
25	ZE	23	SWNW	Domesticat
	•			-
		-		
· · · · · · · · · · · · · · · · · · ·				
				And the second s
			E	
(a) Cha	racter of soil	(if more space requ	uired, attach separate sheet)	
er or Mining	Purposes—			
		per to be denelo	neđ	theoretical horsepower.
			vet sec	c. ft.
(c) Tota	l fall to be utili	zed	(Head) feet.	•
(d) The	nature of the w	orks by means o	f which the power is to be	developed
		••••••••••••••••••••••••••••••	•	
(e) Such				****
	R		(Legal subdivision)	of Sec
	, R. (No. E. (			
		ed to any streat	(Yes or No)	·
(g) If so	, name stream o	nd locate point	of return	***************************************
		N	_	, R
*********		sec	, Tp	R

	pal or Dunsestie S (4) To supply				• • • • • • • • • • • • • • • • • • •		ACTION!
					<del></del>	**************************************	\$ .
			having a pres	ent population	of		***************************************
end en	estimeted popule	tion of		in 19	• 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
	(b) If for don	icotle une si	lute number e	f families to t	e supplied	Oge .	
in the state of th	nasti as kalakak		(Analys with the l	. a a wear		- 3	
	. Estimated cost		4 44 4				
				•	·••		
12	. Construction w	will be	gin on ar befo	reAlre	adycomplete	d	· ·
13	. Construction u	pork will be	completed on	or before	Completed	*************	
14	. The water will	be complete	ely applied to	the proposed u	se on or before	Preser	t.time.
		1 4 1	. Xwy is				
2				Lem	Herter	- leas	
	i ein	•	•	000-10	(Signature	of applicant)	ww
				*	<del>4</del>	······································	
1	Remarke:		***********************				
******			*************	1			
					•		,
***************************************	***************************************	***************************************		******************	***************************************		• • • • • • • • • • • • • • • • • • • •
				•••••••••••••••••	***************************************	•••••	
***************************************		•		·		······································	************
	, 			*******	<b>777 8</b> 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		
					•		
	;			************************	***************************************	•••••••••	•••••
************		<del></del>		***************************************	***************************************		
*,					************************************		······································
************	····			******			
				•			
	1	*******		*			••••••
<del>-</del>	·		·· <del>··</del>	***************************************	***************************************		******************
************			······································	<u>, , , , , , , , , , , , , , , , , , , </u>	***************************************		
	······						
	-		•	7			
	E OF OREGON,	} \$8.		•			
Con	inty of Marion,	. )		-			
	inty of Marion, This is to certify	. )	anaminad th				
				-			accompa
muḥs d	nd data, and reti	in the same	s 10T				•
······································		- ,					
. 1	In order to retain	ı its priorit <u>ı</u>	y, this applicat	ion must be re	turned to the S	tate Enginee	er, with co
	n or before					<i>y</i>	,
				-9 AV	•		
,	WITNESS my ha	nd this	day of			-	19

## STATE OF OREGON,

This is to certify that I have examined the foregoing application and do hereby grant the same STIRIECT TO EXISTING RIGHTS and the following limitations and conditions:

all not exceed OaCL   cubic feet per		
s, or its equivalent in case of rotation with of	er water users, from	
0		
The use to which this water is to be applied is		
If for irrigation, this appropriation shall be liv	of o	ne cubic foo
d or its equivalent for each acre irrigated		*************
	· · · · · · · · · · · · · · · · · · ·	
	A Commence of the Commence of	
	,	
	1	
shall he subject to such reasonable rotation sy	stem as may be ordered by the proper	state officer
· · · · · · · · · · · · · · · · · · ·	0 -000	
The priority date of this permit is		
Actual construction work shall begin on or	before August 20, 1900	ane
eafter be prosecuted with reasonable diligenc	e and be completed on or before Octob	per 1, 19 61
easter de prosecuteu with reasonable	I was all he made on or before	October 1
Complete application of the water to the pro-	posed use shall be made on or before	)
WITNESS my hand this 20th day	of	

Application No. 33/67

Permit No. 2,6234

PERMIT

TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON
This instrument was first received in the

office of the State Engineer at Salem, Oregon, on the 18 H day of Ima

Returned to applicant:

19 5%, at \$ 55 0'clock: P. M.

Approved:
August 20, 1959

Recorded in book No. 71.
Permits on page . 26234

LEWIS A. STANLEY
STATE ENGINEER

Dramage Basm No.

Fees

State Printing 98137