REGEIVED JUN 2 9 1959

STATE ENGINEER SALEM CREGON To Appropriate the Public Waters of the State of Oregon

7, Poto E. Mortens		
of Re.l. Best 116, Saio	applicant)	
State of	make application for	a annuit to annual to all
following described public waters of the State of Orego		
If the applicant is a corporation, give date and pla		
1. The source of the proposed appropriation is	homas Grook	
"a tributarı	of South Santian	of stream) River
2. The amount of water which the applicant inten-	ds to apply to benefici	al use is
cubic feet per second.	m more than one source, give qu	
		antity from each)
**3. The use to which the water is to be applied is	(Irrigetion, power, mining, m	anufacturing, domestic supplies, etc.)
8. 72° 10'	W. 38 chains	
4. The point of diversion is located ft	ft	· from the XX
corner of SE2 of S. 11, T. 10 S., R. 1 W		(= 0.00)
	os ampqiamicus)	
		*
	······	***************************************
(If preferable, give distance and be	saring to section corner)	
(If there is more than one point of diversion, each must be	e described. Use senarate cheet i	f necessary)
being within the Give smallest legal subdivision)	of Sec 11	Tp. 10 S
R. 1 W , W. M., in the county of 14m	,	(N. or S.)
5. The main pipe line (Main ditch, canal or pipe line)	to be	2000 feet (Miles or feet)
in length, terminating in the wat of water	of Sec. 14	
R, W. M., the proposed location being s		
DESCRIPTION O	OF WORKS	
Diversion Works— 6. (a) Height of dam feet, leng	th on ton	
•		
feet; material to be used and character		(Loose rock, concrete, masonry
rock and brush, timber crib, etc., wasteway over or around dam)		
(b) Description of headgate	•	
(a) 14 materia to be many 3 minutes in the second		
(c) If water is to be pumped give general descript electric motor - 15 feet lift - Will plan to	/Aire	and tree of mummi
(6ize and type of engine or motor to be used, to	otal head water is to be lifted, et	on skriuktere*

radgete. At he	idgate: width on	top (at water	line)	feet; width on bott
	. jeet; depth of u	ater	feet; grade	feet fall per
ousand feet.		•		water line)
			_	of water fe
	Jeet, wath on o			of water fe
	·编译 - 41 - 41 - 41 - 41 - 41 - 41 - 41 - 4			
				in.; size at 2000
				; difference in elevation betw
take and place	e of use, 25	ft. 1	s grade uniform?	Estimated capac
	sec. ft.			•
o. Locatu	·	rrigated, or p	ace of use	m)
Township North or South	Range R. or W. of Willemette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
10 8	1.1	11	mi of SE	6.9
10 s	1 W	n	Swi of SEi	19.1
10 8	1,4	n	NET of SWT	1,4
10 5	1 W	n	SEZ of SWZ	3.1
10 8	1 W	7J4	HEZ of MWZ	3.2
10 8	1 W	14	mit of met	21.3
· .			·	55.0
		4.		
· · · · · · · · · · · · · · · · · · ·			1	. 0
		· · · · · · · · · · · · · · · · · · ·		
· · · · · · · · · · · · · · · · · · ·		(If more space	required, attach separate sheet)	
(a) Ch	naracter of soil	Salem	and Holcomb	
(b) Ki	ind of crops raised	Forage		en deren den erren der er e
ower or Minin		•		
				theoretical horsepou
		-	power	•
(c) To	tal fall to be util	zed	(Head) feet.	S
			is of which the power is to	
***************************************		·····		
(e) Su	ich works to be lo	cated in	(Legal subdivision)	of Sec.
	, R. (No. E		•	0, 5
	water to be retur			
			(Yes or No)	
(9) 13	ov, nume stream	una tocate po	int of return	

(i) The nature of the mines to be served

ASSISTANT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

If f	e use to which thi or irrigation, this its equivalent for	approp	riation sl	hall be l	imited to	1/80น	1	•		•
t to	exceed $2\frac{1}{2}$ acre	feet	per ac	re for	each ac	re irriga				
-ovi	or escu Agar.	· · · · · · · · · · · · · · · · · · ·			************************					
		······	•••••					••••		
	-	e :		•			······			· · · · · · · · · · · · · · · · · · ·
		·····		.						
	7	······					,			
shall	be subject to such	reason	able roto	ition sys	stem as m	ay be ordere	d by the	рторет	state off	icer.
The	priority date of t	his per	mit is		·····	June 29,	195 9			
	ual construction									
	be prosecuted w						-			
						1 P. C. C. C. C.		•	_	1, 19
	TNESS my hand t	•			******	N	Wa .	1.0	lane	NGWEER
	•		*							7
	•	n the	egon,	1			9		EER	Ø
لما	JBLIC TE	ived i	m, 07	M					T . STATE ENGINEER	page 51 B
	HE PU	rece	t Sale		•		% 8	5	STATI	bage
χ, χ		firs	eer a		•		2, 19	Š	TANE	
762%	Z FF Z	65	- ž	2 1						
Dermit No. 262 KS	PERMIT APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	instrument was first received in the	the State Engineer at Salem, Oregon,	LLL o'clock A M.	d to applicant:		August 20, 1959 ded in book No.	on page	Lenis A. Stanlet	Basın No. Z