

"APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

Realism enthroad Oregon do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is The Owyhee River and unamed drain county tributary thereto 2. The amount of water which the applicant intends to apply to beneficial use is Oslik cubic feet per second. from each of three sources or a total of 1.32 CFPS. (If water is to be used from more than one source, give quantity from each) **3. The use to which the water is to be applied is If it is a set on the county of diversion is located 1111 ft. 79 Sladid of core. 4. The point of diversion is located 1111 ft. 79 Sladid of core. Second point of diversion is located 1212 ft., S. 12 61 from the interest of the second of the second corner of the corner of th
State of
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is The Owyhee River and Junioned drain county of tributary thereto
If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is The Owyhee River and unusumed arain consists tributary thereto
1. The source of the proposed appropriation is The Owyhee River and unmaned drain concellent tributary thereto , a tributary of The Snake River 2. The amount of water which the applicant intends to apply to beneficial use is Ooklik cubic feet per second. from each of three sources are total af 1.32 CFPS. (If water is to be used from more than one source, give quantity from each) **3. The use to which the water is to be applied is Irrication (Irrigation, power, mining, manufacturing, domestic supplies, etc.) 4. The point of diversion is located 1:11 fts. 79 51 all ft. (Rows) Second point of diversion is located 1:12 fts., S. 10 61 fto 1:2 fts. (Rows) Second point of diversion is located 1:312 ft., S. 10 61 fto 1:2 fts. Toint of diversion. (If predictable, give distance and beating to section corner) point of diversion. (If predictable, give distance and beating to section corner) being within the high of the B. NaNE SanE Num SE of Sec. 7p. (Nors) (Corne mallest itest subdivision)
tributary thereto
tributary thereto
2. The amount of water which the applicant intends to apply to beneficial use is Ookliced Colors of the applicant intends to apply to beneficial use is Ookliced Colors of the applied is a source of a total of 1.32 (IFPS. (If water is to be used from more than one source, give quantity from each) 1. The use to which the water is to be applied is a source, give quantity from each) 1. The point of diversion is located 1.11
Cubic feet per second. from each of three sources or a total of 1.32 CFPS. (If water is to be used from more than one source, give quantity from each) **3. The use to which the water is to be applied is
(If water is to be used from more than one source, give quantity from each) 1. The use to which the water is to be applied is a second country of diversion is located with the country of the second point of diversion is located with the country of the country
The use to which the water is to be applied is Irrication (Brightion, power, mining, manufacturing, domestic supplies, etc.) ### A. The point of diversion is located 1: 11 ft. 79 51 and ft. from the (E. or W.) ### COTHER of Section 25 (Section or subdivision) Section 25 (E. or W.) ### Point of diversion is located 1: 312 ft., S. 1: 01 ft. from the ft. ft. from the ft. from the ft. from the
(Rection power, mining, manufacturing, domestic supplies, etc.) ### ### ### ### ####################
4. The point of diversion is located 1:11 ft. 79 51 and ft. (M. or 8.) COTNET of Section 25 Second point of diversion is loc ted 1312 ft., S. 11 61 . from the round of diversion is loc ted 1312 ft., S. 11 61 . from the round of diversion. Ahird point of diversion is located 1342 ft., S. 12 67 %, from the round of diversion. (If perferable, give distance and bearing to section corner) point of diversion. (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the 1/2 of the E. NWNE - SWNE - NWSE of Sec. 7p. (N. or 8) R. 46 E., W. M., in the county of Malhour (Main ditch, canal or pipe line) to be 1/2 0/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1
Second point of diversion is loc ted 1312 ft., S. 11 61 . from the diversion is loc ted 1312 ft., S. 11 61 . from the diversion. A third point of diversion is located 1340 ft., S. 14 60 %, from the decided point of diversion. (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the
Second point of diversion is loc ted 1312 ft., S. 11 61 . from the first test of diversion. Third point of diversion is located 1342 ft., S. 12 07 %, from the first of diversion is located 1342 ft., S. 12 07 %, from the first of diversion, give distance and bearing to section corner) point of diversion. (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the hard of the B. NWNE-SWNE-NWSE of Sec. 25, Tp. 10 S. (Often mallest legal subdivision) (Corner w.) (Corner w.) (Corner w.) (Main ditch, canal or pipe line) (Miles or feet)
point of diversion. third reint of diversion is located 1340 ft., S. 1607 M, fr. 16 401 M. (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the M. of the E. NWNE-SWNE-NWSE of Sec. 25 (Give smallest legsl subdivision) R. 40 E., W. M., in the county of Malhour (E. or W.) (Main ditch, canal or pipe line) (Miles or feet)
point of diversion. (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the
being within the NuNE - SWNE - NWSE of Sec. 25 Cores. (Core smallest legal subdivision) R. 46 E., W. M., in the county of Nalhour (E. or W.) 5. The ditch and 440 ft of rive to be a found of feet) (Main ditch, canal or pipe line)
R. 46 E., W. M., in the county of Nalhour (E. or W.) 5. The ditch and 440 ft of rive to be a found of the order (Miles or feet)
5. The ditch and 440 ft of rive to be to to 1 (Miles or feet)
(Employ last) ask division)
R
DESCRIPTION OF WORKS Diversion Works—
6. (a) Height of dam feet, length on top feet, length at bottom
feet; material to be used and character of construction
rock and brush, timber crib, etc., wasteway over or around dam)
(b) Description of headgate
(c) If water is to be pumped give general description Since 1. (Size and type of pump)
cend, 20 ft.; Sing 2, 3. Pelectric procedure pure, 100 s, 100 s; (Size and type of engine or motor to be used, total head water is to be lifted, etc.) Since 45, 2hP electric centrifical pure, 100 d, 10 d.

^{*}A different form of application is provided where storage works are contemplated.

				feet; width on botto
usund feet.	7			n.k. one half feet fall per of oater line)
f	eet; width on b	ottom	feet; depth (of water fee
łe	feet fal	l per one thous	and feet.	
(c) Length	of pipe, 440	ft.;	size at intake, 8	in.; size at 440
n intake	8 in.;	size at place o	f use	difference in elevation betwe
ke and place o	of use,	5 ft. Is	grade uniform? yes	Estimated capaci
one				
	•	rrigated, or pla	sce of use	
Township North or South	Range 2. or W. of Willemotte Meridian	Section	Forty-sere Tract	Number Acres To Be Irrigated
20 S	46 E	25	E a Ea	50
20 S	46 E	25	NW NE	16
20 S	46.E	25	SE NE	5
		,		
20\$	46 E	≿5	Shg //82	15
20 S	46E	25	Wa SE	18
-				Journal 79 sarres
· · · · · ·				
,				1
				-
		a , ,	required, attach separate sheet)	4
	racter of soil			
		d Hay. grai	n an d rew-or e	
wer or Mining 9. (a) Tot		omer to be den	eloned	theoretical horsepou
		. ~	oower	·
		, ·	•	
			(Hend) feet.	
(d) The	e nature of the	works by mean	s of which the power is to	be developed
•••••••••••••••••••••••••••••••••••••••				1
(e) Suc	ch works to be	located in	(Legal subdivision)	of Sec.
	, R			
			ream?	
(),			(Ves or No)	

(i) The nature of the mines to be served

James

77	he right herein gr	anted is limited to th	e amount	of water which can be as	plied to beneficial use
				d measured at the point	
No. of the second				ster users, from Onyhee	
				Owyhee River and O.4	
of two	wanesed drain	canals.			
Th	e use to which th			irrigation	
				, 1/60th	
				L be further limited	• •
				re irrigated during	
	_			as and conditions of	
				Laneous Records of t	
		a part hereof,			
-					
				`	
	***************************************				erent in an
and shall	he subject to such	reasonable rotation	existem as	may be ordered by the pro	······································
				August 10, 1959	oper state officer.
			September 22, 1960	· ····································	
		_	•	completed on or before O	and shift
				-	*
	TNESS my hand t	20. 1		e shall be made on or be	
WI	TNESS my nana (inis de	ıy of:	September /	9 24
			***************************************	DAMA C	STATE ENGINEER
		•			
		ı the egon,		of	a R
	BLIC	n, Ore			STATE ENGINEER
, 7	rAT	receiu Salen X. 1			TATE E
Application No. 74274 Permit No. 26274	PERMIT APPROPRIATE THE PUB WATERS OF THE STATE OF OREGON	irst 1 2 at		ST C	Y S
9	PERMIT DPRIATE TH RS OF THE OF OREGON	was f iginee of		22, 12, 15, No	LETTES A. STATESY // // // C. Z. 2
No.	PE OPRI RS (OF (te Ente Endag (dag)	lıcanı	жыре	
mit	PPR(e Sta	app	Sept	s ZIIS
Ap. Per	PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 20°2 day of Max. 19.27, at ***** o'clock A. M.	Returned to applicant:	proved: Seo tember 22, 1959 Recorded in book No. 71	LETTS A.
		Thi ffice 1 the	eturn	Approved	
. 19	H	of on 19	1 × ×	- ₹	<u> </u>

Application No. 33425 Permit No. 26274