Permit No. .. 20283



STATE ENGINEERTE ENGINEERTICATION FOR PRIMIT SALEMI-OREGORALEM, OREGON

To Apprepriate the Public Waters of the State of Oregon

**************************************	ROSEBURG, ORE:	ON LARSEN ROA	Б
Chinging a ORE.	district)		
	do here	by make application for	permit to appropriate the
ollowing described public w	raters of the State of Ore	con. SUBJECT TO PYIS	TING PIGUES
If the applicant is a so			ING RIGHTS:
	rporation, give date and	place of incorporation	
1. The source of the pr	oposed appropriation is	Wylie Creek &	a spring and rese
to be constructed Appl			
2. The amount of water	r which the applicant into	ends to apply to beneficia	use is 0.01 0.25
ibic feet per second.			-
**3. The use to which the	(If water is to be used:	from more than one source, give quan	
			ufacturing, domestic supplies, etc.)
fo	r spring, 3.47°W.	710 ft.	Wasanda A. Land
4. The point of diversion	on is locatedft.	484 ft. From the	North 1/4 Section
rner of Sec. 9, T	r spring, 3.47°W. creek, 3.47°W. on is located ft.	(M. or M.) W. M	(E. or W.)
		n or subdivision)	
The point of di	version for the a	appropriation of	water from the
2000 cmm - 24			
reservoir or por	nd 1s 1000 ft S.	& 600 ft. W. or	the N 1/1 3- 0
of Sec. 9. T. 28	nd 1s 1000 ft S. 8 S: R. 7 W. W.M.	& 600 ft. W. of	the N 1/4 Sec. Cor
of Sec. 9, T. 2	nd is 1000 ft S. 8 S; R., 7 W; W.M. (If preferable, give distance and	•	the N 1/4 Sec. Cor
or sec. 9, T. 28	8 S; R. 7 W; W.M.	bearing to section corner)	
or sec. 9, T. 28	8 S; R. 7 W; W.M.	bearing to section corner)	
Of Sec. 9, T. 28	(If preferable, give distance and one point of diversion, each must 14 NW 1/4 Ofter smallest legal subdivision)	bearing to section corner) be described. Use separate sheet if r	
ing within the	8 S; R., 7 W; W.M. (If preferable, give distance and an one point of diversion, each must 4. NW 1/4. Give smallest legal subdivision) ounty of Douglas	bearing to section corner) be described. Use separate sheet if r of Sec. 9	есениу) , Тр. 28 З; (N or S)
ing within the	8 S; R., 7 W; W.M. (If preferable, give distance and an one point of diversion, each must 4. NW 1/4. Give smallest legal subdivision) county of Douglas e line	bearing to section corner) be described. Use separate sheet if r of Sec. 9	есениу) , Тр. 28 З; (N or S)
ing within the	SS: R., 7 W; W.M. (If preferable, give distance and an one point of diversion, each must 4. NW 1/4. Give smallest legal subdivision) ounty of Douglas eline Main ditch, canal or pipe line)	bearing to section corner) be described. Use separate sheet if x of Sec	Tp. 28 5; (N or S)
of Sec. 9, T. 28 Ing within the	SS; R., 7 W; W.M. (If preferable, give distance and an one point of diversion, each must 4 NW 1/4 Give smallest legal subdivision) COUNTY of DOUGLAS 1 1 1 MW 1/4 (Smallest legal subdivision)	bearing to section corner) be described. Use separate sheet if r of Sec. 9 to be	(Miles or feet) (Tp. 28 5; (N or S)
of Sec. 9, T. 28 Ing within the	SS; R., 7 W; W.M. (If preferable, give distance and an one point of diversion, each must 4 NW 1/4 Give smallest legal subdivision) COUNTY of DOUGLAS 1 1 1 MW 1/4 (Smallest legal subdivision)	bearing to section corner) be described. Use separate sheet if r of Sec. 9 to be	(Miles or feet) (Tp. 28 5; (N or S)
There is mere the series in mere the series is mere the series in the series is mere the series in the serie	8 S; R., 7 W; W.M. (If preferable, give distance and an one point of diversion, each must 4 NW 1/4 Give smallest legal subdivision) county of Douglas 9 line Main ditch, canal or pipe line) NE 1/4 NW 1/4 (Smallest legal subdivision) 2 proposed location being	bearing to section corner) be described. Use separate sheet if a grant of Sec. 9 to be	(Miles or feet) (Tp. 28 5; (N or S)
There is mere the series in mere the series is mere the series in the series is mere the series in Works—	8 S; R., 7 W; W.M. (If preferable, give distance and an one point of diversion, each must 4. NW 1/4. Give smallest legal subdivision) Ounty of Douglas 9 line Maio ditch, canal or pipe line) NE 1/4 NW 1/4. (Smallest legal subdivision) proposed location being DESCRIPTION (bearing to section corner) be described. Use separate sheet if a of Sec. 9 to be	(Milles or feet) (Milles or feet) (Milles or seet) (Milles or feet) (Milles or feet) (Nors) accompanying map.
There is mere the series in mere the series is mere the series in the series is mere the series in Works—	8 S; R., 7 W; W.M. (If preferable, give distance and an one point of diversion, each must 4. NW 1/4. Give smallest legal subdivision) Ounty of Douglas 9 line Maio ditch, canal or pipe line) NE 1/4 NW 1/4. (Smallest legal subdivision) proposed location being DESCRIPTION (bearing to section corner) be described. Use separate sheet if a of Sec. 9 to be	(Milles or feet) (Milles or feet) (Milles or seet) (Milles or feet) (Milles or feet) (Nors) accompanying map.
There is mere the series in mere the series is mere the series in the series in the series in the series in the series with the series in Works— 6. (a) Height of dam	8 S; R., 7 W; W.M. (If preferable, give distance and an one point of diversion, each must 4. NW 1/4. Give smallest legal subdivision) Ounty of Douglas 9 line Maio ditch, canal or pipe line) NE 1/4 NW 1/4. (Smallest legal subdivision) proposed location being DESCRIPTION (8 feet, leng	bearing to section corner) be described. Use separate sheet if r of Sec. 9 to be to be shown throughout on the OF WORKS th on top 14	(N or S) accompanying map.
The pipe and the control of the cont	8 S; R., 7 W; W.M. (If preferable, give distance and an one point of diversion, each must 4 NW 1/4 Give smallest legal subdivision) (Nunty of Douglas 2 line Main ditch, canal or pipe line) NE 1/4 NW 1/4 (Smallest legal subdivision) proposed location being DESCRIPTION 8 feet, leng to be used and character	bearing to section corner) be described. Use separate sheet if r of Sec. 9 to be	(N or S) accompanying map.
of Sec. 9, T. 28 (If there is more the sec. westerns) Of Sec. 9, T. 28 (If there is more the sec. westerns) Of Sec. 9, T. 28 (If there is more the sec. westerns) Of Sec. 9, T. 28 (If there is more the sec. westerns) Of Sec. 9, T. 28 (If there is more the sec. westerns) Of Sec. 9, T. 28 (If there is more the sec. westerns) Of Sec. 9, T. 28 (If there is more the sec. westerns)	8 S; R., 7 W; W.M. (If preferable, give distance and an one point of diversion, each must 4. NW 1/4. Give smallest legal subdivision) County of Douglas 9 line Main ditch, canal or pipe line) NE 1/4 KW 1/4. (Smallest legal subdivision) Proposed location being DESCRIPTION (8 feet, leng to be used and character	bearing to section corner) be described. Use separate sheet if a grant of Sec. 9 to be	(Miles or feet) Tp. 28 5; (N or 5) (Miles or feet) Tp. 28 S (N or 5) accompanying map. feet, length at bottom crete (Loose fock, concrete, masonry.
of Sec. 9, T. 28 (If there is more the sec. westerns) Of Sec. 9, T. 28 (If there is more the sec. westerns) Of Sec. 9, T. 28 (If there is more the sec. westerns) Of Sec. 9, T. 28 (If there is more the sec. westerns) Of Sec. 9, T. 28 (If there is more the sec. westerns) Of Sec. 9, T. 28 (If there is more the sec. westerns) Of Sec. 9, T. 28 (If there is more the sec. westerns)	8 S; R., 7 W; W.M. (If preferable, give distance and an one point of diversion, each must 4. NW 1/4. Give smallest legal subdivision) County of Douglas 9 line Main ditch, canal or pipe line) NE 1/4 KW 1/4. (Smallest legal subdivision) Proposed location being DESCRIPTION (8 feet, leng to be used and character	bearing to section corner) be described. Use separate sheet if a grant of Sec. 9 to be	(Miles or feet) Tp. 28 5; (N or 5) (Miles or feet) Tp. 28 S (N or 5) accompanying map. feet, length at bottom crete (Loose fock, concrete, masonry.
The pipe and the control of the cont	8 S; R., 7 W; W.M. (If preferable, give distance and an one point of diversion, each must 4. NW 1/4. Give smallest legal subdivision) County of Douglas 9 line Main ditch, canal or pipe line) NE 1/4 KW 1/4. (Smallest legal subdivision) Proposed location being DESCRIPTION (8 feet, leng to be used and character	bearing to section corner) be described. Use separate sheet if a grant of Sec. 9 to be	(Nors) Tp. 28 3; (Nors) (Nors) (Nors) accompanying map. feet, length at bottom crete (Loose tock, concrete, masonry)
of Sec. 9, T. 28 (If there is more the sec. westerns) Of Sec. 9, T. 28 (If there is more the sec. westerns) Of Sec. 9, T. 28 (If there is more the sec. westerns) Of Sec. 9, T. 28 (If there is more the sec. westerns) Of Sec. 9, T. 28 (If there is more the sec. westerns) Of Sec. 9, T. 28 (If there is more the sec. westerns) Of Sec. 9, T. 28 (If there is more the sec. westerns)	8 S; R., 7 W; W.M. (If preferable, give distance and an one point of diversion, each must with the second	bearing to section corner) be described. Use separate sheet if x of Sec. 9 to be	(Miles or feet) (Miles or feet) (Tp. 28 S; (N or S) (N or S) accompanying map. feet, length at bottom crete (Loose rock, concrete, masonry)

adjustment of the state of a second of the s

C	anal System or	Pipe Line-			•
	- A.		each point of c	anal where materially chang	ed in size, stating miles from
h	A			line)	
	4, 106, 200	Action to the first of		feet; grade	1
្ត	housand feet.				
0.	(b) At		miles from he	adgate: width on top (at wate	r line)
		feet; width on bo	ttom	feet; depth of u	pater feet
g	rade	feet fall	per one thous	and feet.	
	Spr (c) Lengti	inkler syst	em - , Oft.;	size at intake,4	in.; size at 500 fi
fi			•	f use in.; dij	
,					
	•		ft. Is	grade uniform? yes	Estimated capacity
•-	not over		microtad du mis	ice of use	
-			rigates, or pic	ice of use	
_	Township North or South	Range E. er W. of Willemotte Mondian	Section	Forty-acre Tract	Number Acres To Be Irrigated
	28 S	7 W	9.	NE 1/4 NW 1/4	25
			-		
			, .		
-				,	
-		 			
-			i		
-			·		
_					
-					
-			······································		
-			/78	required, attach separate sheet)	
	(a) Ch	aracter of soil		required, attach separate sheet)	
				е	
I	Power or Mining				······
		-	wer to be deve	eloped	theoretical horsepower
				ю w ет se	· · · · · · · · · · · · · · · · · · ·
					· . ,
				(Head) feet.	
1	(d) Ti	re nature of the w	orks by mean	s of which the power is to be	developed
	•••••••••••••••••••••••••••••••••••••••	······································			
	(e) Su	ich works to be lo	cated in	(Legal subdivision)	of Sec.
:		, R			
				eam?	
				(Yes or No)	
	(9) 17			int of return	
				, Tp (No. N. or S.)	

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before

September 28 , 19 59

WITNESS my hand this 27th day of July

19 29.

LEWIS A. STANLEY

STATE ENGINEER

	BAISTING RIGHTS and the journing unitations and conditions:
	The right herein granted is limited to the amount of water which can be applied to beneficial use
and	shall not exceed 0.25 cubic feet per second measured at the point of diversion from the
stre	am, or its equivalent in case of rotation with other water users, from Wylie Creek, spring and
e Pe	mervoir to be constructed under application No. R-33202, permit No. R- 2263
ياس	g 0.05 c.f.s. from spring and 0.20 c.f.s. from Wylie Creek.
•	The use to which this water is to be applied isirigation
	If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per
seco	nd or its equivalent for each acre irrigated and shall be further limited to a diversion of
not.	to exceed 22 acre feet per acre for each acre irrigated during the irrigation
200 4	on of each year; provided further that the right to the use of water is limited
to t	he period when the flow of water in the South Umpqua River is 60 c.f.s. or more
at i	te mouth,
••••	

and	shall be subject to such reasonable rotation system as may be ordered by the proper state officer.
	The priority date of this permit is July 20, 1959
	Actual construction work shall begin on or before September 22, 1960 and shall
ther	eafter be prosecuted with reasonable diligence and be completed on or before October 1, 1961
`	Complete application of the water to the proposed use shall be made on or before October 1, 19 62 .
	WITNESS my hand this 22nd day of September 1959
	Levia O. Stanley
	STATE ENGINEER

Application No. 33238

Permit No. **26283**

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON PERMIT

This instrument was first received in the office of the State Engineer at Salem, Oregon,

1959, at 1:00 o'clock: A M. on the 20 day of 1414

Returned to applicant:

September 22, 1959

Approved:

Recorded in book No. 71 Permits on page 25283

LEHIS A. STALLEY STATE ENGINEER

Drainage Basin No. 15

Fees