

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, A. L. Barker (Name of applicant) of P. O. Box 437 (Mailing address) State of Detroit, Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Spring (Name of stream), a tributary of Brietankush River

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second. 0.02 (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Domestic (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 15 ch. ft. N. and 14.5 ft. E from the corner of Sec. 1 (N. or S.) (E. or W.) (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the S. W. 1/4 N. W. 1/4 of Sec. 1, Tp. 10 S. R. 5 E, W. M., in the county of Marion (Give smallest legal subdivision) (N. or S.) (E. or W.)

5. The (Main ditch, canal or pipe line) to be (Miles or feet) in length, terminating in the (Smallest legal subdivision) of Sec. (N. or S.) R. (E. or W.), W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

10. (a) To supply the city of _____
_____ County, having a present population of _____
and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied See Remarks

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ _____
- 12. Construction work will begin on or before _____
- 13. Construction work will be completed on or before _____
- 14. The water will be completely applied to the proposed use on or before _____

A. X. Backer
(Signature of applicant)
Rosemary Backer

Certificate # 24345
File No. 28807

Remarks:

water is being used for 16 unit motel
sanitary facilities at Tackle Shop
and 17 space Trailer Park

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____

WITNESS my hand this _____ day of _____, 19_____

STATE ENGINEER

By

ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.02 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from unnamed spring

The use to which this water is to be applied is domestic use in motel and trailer park.

If for irrigation, this appropriation shall be limited to _____ of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 13, 1959

Actual construction work shall begin on or before September 22, 1960 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1961

Complete application of the water to the proposed use shall be made on or before October 1, 1962

WITNESS my hand this 22nd day of September 1959
Lewis A. Stanley
STATE ENGINEER

Application No. 33295
Permit No. 26312

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 13th day of August 1959 at 5:00 o'clock P. M.

Returned to applicant:

Approved:

September 22, 1959

Recorded in book No. 71 of 28912 Permits on page

LEWIS A. STANLEY STATE ENGINEER

Drainage Basin No. 2 page 504

Fees