

*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

f Eche. Ore	(Name of applicant)	
(Mailing addr	reac)	·····,
tate of Cregon	, do hereby make application for a permit to appropriate	the:
ollowing described public wat	ters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:	
If the applicant is a corp	poration, give date and place of incorporation	
1. The source of the prop	posed appropriation is Spring in Buccercreek (Name of stream)	
Velley	, a tributary of Umatilla River.	
2. The amount of water	which the applicant intends to apply to beneficial use is 1.00	******
whic feet ner second		
	(If water is to be used from more than one source, give quantity from each)	
**3. The use to which the	water is to be applied is IRRIGAL (OI) (Arrigation, power, mining, manufacturing, domestic supplies, e	tc.)
	<u></u>	
4. The point of diversion	n is located	
	(N. or S.) (E. or W.)	
THE THE	(Section or subdivision)	
Near the Northeast	corner of the Northwest Quarter of the Southwest	est
Being Located 2,625.3	19. Township 3 North, Range 28, E.W.M. 11. N. and 1,208, in the Error the S. W. corner of Sec. 19 (14 preferable, give distance and bearing to section corner) an one point of diversion, each must be described. Use separate sheet if necessary.	
Being Located 2,625.3	It. H and 1,208 h It. E from the S. W. corner of Sec. 19 (If preferable, give distance and bearing to section corner) an one point of diversion, each must be described. Use separate sheet if necessary)	
Being Located 2,625.3 (If there is more the being within the	It N and 1,208 h It E from the S. W. corner of Sec. 19 (If preferable, give distance and bearing to section corner) an one point of diversion, each must be described. Use separate sheet if necessary) of Sec. 19 , Tp. 3 N Give smallest legal subdivision)	
Being Located 2,625.3 (If there is more the being within the NW2 S (C. or W.)	It N and 1,208 h It E from the S. W. corner of Sec. 19 (If preferable, give distance and bearing to section corner) an one point of diversion, each must be described. Use separate sheet if necessary) of Sec. 19 , Tp. 3 N Give smallest legal subdivision)	
Being Located 2,625.3 (If there is more the being within the	It N and 1,208 h It E from the S. W. corner of Sec. 19 (If preferable, give distance and bearing to section corner) an one point of diversion, each must be described. Use separate sheet if necessary) of Sec. 19 , Tp. 3 N Give smallest legal subdivision)	, , , , , , , , , , , , , , , , , , , ,
Being Located 2,625.3 (If there is more the being within the	If N and 1,208 h It E from the S. W. corner of Sec. 19 (If preferable, give distance and bearing to section corner) an one point of diversion, each must be described. Use separate sheet if necessary) The second of Sec. 19 , Tp. 3 N (N or Second of Sec. 19) Fourty of Umatilla Main ditch, canal or pipe line) (Miles or feet)	· · · · · · · · · · · · · · · · · · ·
Being Located 2,625.3 (If there is more the being within the	If N and 1,208 b it E from the S. V. corner of Sec. 19 (If preferable, give distance and bearing to section corner) an one point of diversion, each must be described. Use separate sheet if necessary) an one point of diversion, each must be described. Use separate sheet if necessary) Of Sec. 19, Tp. 3 N (N or Security of Unatilla Main ditch, canal or pipe line) Of Sec. (Miles or feet) Of Sec. Tp. (Smallest legal subdivision)	· · · · · · · · · · · · · · · · · · ·
Being Located 2,625.3 (If there is more the being within the	If N and 1,208 h It E from the S. W. corner of Sec. 19 (If preferable, give distance and bearing to section corner) an one point of diversion, each must be described. Use separate sheet if necessary) The second of Sec. 19 , Tp. 3 N (N or Second of Sec. 19) Fourty of Umatilla Main ditch, canal or pipe line) (Miles or feet)	
Being Located 2,625.3 (If there is more the being within the	If N and 1,208 b it E from the S. V. corner of Sec. 19 (If preferable, give distance and bearing to section corner) an one point of diversion, each must be described. Use separate sheet if necessary) an one point of diversion, each must be described. Use separate sheet if necessary) Of Sec. 19, Tp. 3 N (N or Security of Unatilla Main ditch, canal or pipe line) Of Sec. (Miles or feet) Of Sec. Tp. (Smallest legal subdivision)	
Being Located 2,625.3 (If there is more the being within the	At N and 1,208 b It E from the S. V. corner of Sec. 19 (M preferable, give distance and bearing to section corner) an one point of diversion, each must be described. Use separate sheet if necessary) The second of Sec. 19, Tp. 3 N (N or Secontry of Unattilla to be (Miles or feet) (Smallest legal subdivision) of Sec. 7p. (Smallest legal subdivision) e proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS	
Being Located 2,625.3 (If there is more the being within the	At N and 1,208 h It B from the S. V. corner of Sec. 19 (M preferable, give distance and bearing to section corner) an one point of diversion, each must be described. Use separate sheet if necessary) The second of Sec. 19, Tp. 3 N. Give smallest legal subdivision) to be (Miles or feet) (Smallest legal subdivision) of Sec. , Tp. (Smallest legal subdivision) e proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS	ottom
Being Located 2,625.3 (If there is more the being within the	At N and 1,208 b It E from the S. V. corner of Sec. 19 (M preferable, give distance and bearing to section corner) an one point of diversion, each must be described. Use separate sheet if necessary) The second of Sec. 19, Tp. 3 N (N or Secontry of Unattilla to be (Miles or feet) (Smallest legal subdivision) of Sec. 7p. (Smallest legal subdivision) e proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS	
Deing Located 2,625.3 (If there is more the peing within the	(If preferable, give distance and bearing to section corner) an one point of diversion, each must be described. Use separate sheet if necessary) an one point of diversion, each must be described. Use separate sheet if necessary) of Sec. 19 , Tp. 3 N Give smallest legal subdivision) county of Unatilla to be (Smallest legal subdivision) of Sec. , Tp. (Smallest legal subdivision) of Sec. , Tp. (Smallest legal subdivision) perpoposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS feet, length on top feet, length at be it to be used and character of construction (Loose rock, expects, necessary)	
Being Located 2,625.3 (If there is more the being within the	It N and 1,208 h It E from the S. V. corner of Sec. 19 (If preferable, give distance and bearing to section corner) an one point of diversion, each must be described. Use separate sheet if necessary) The second of Sec. 19 , Tp. 3 N (N or Section of Sec. 19 , Tp. 3 N (N or Section of Sec. 19 , Tp. 3 N (N or Section of Sec. 19 , Tp. 3 N (N or Section of Sec. 19 , Tp. 3 N (N or Section of Sec. 19 , Tp. 3 N (N or Section of Sec. 19 , Tp. 3 N or Section of Sec. 19 , Tp. 3 N or Section of Sec. 19 , Tp. 19 N or Section of Sec. 19 , Tp. 19 N or Section of Sect	
Being Located 2,625.3 (If there is more the being within the	(If preferable, give distance and bearing to section corner) an one point of diversion, each must be described. Use separate sheet if necessary) an one point of diversion, each must be described. Use separate sheet if necessary) of Sec. 19 , Tp. 3 N Give smallest legal subdivision) county of Unatilla to be (Smallest legal subdivision) of Sec. , Tp. (Smallest legal subdivision) of Sec. , Tp. (Smallest legal subdivision) perpoposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS feet, length on top feet, length at be it to be used and character of construction (Loose rock, expects, necessary)	
Baing Located 2,625.3 (If there is more the being within the	At N and 1,208 h at E from the S. V. corner of Sec. 19 (18 preferable, give distance and bearing to section corner) an one point of diversion, each must be described. Use separate sheet if necessary) an one point of diversion, each must be described. Use separate sheet if necessary) of Sec. 19, Tp. 3 N (N or S county of Unatilla to be (Miles or feet) (Smallest legal subdivision) of Sec. , Tp. (Smallest legal subdivision) of Sec. , Tp. (Smallest legal subdivision) perpoposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS feet, length on top feet, length at be loved to be used and character of construction (Loose rock, consistent in over or around dam)	
Being Located 2,625.3 (If there is more the being within the	At N and 1,208 h at E from the S. V. corner of Sec. 19 (18 preferable, give distance and bearing to section corner) an one point of diversion, each must be described. Use separate sheet if necessary) an one point of diversion, each must be described. Use separate sheet if necessary) of Sec. 19, Tp. 3 N (N or S county of Unatilla to be (Miles or feet) (Smallest legal subdivision) of Sec. , Tp. (Smallest legal subdivision) of Sec. , Tp. (Smallest legal subdivision) perpoposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS feet, length on top feet, length at be loved to be used and character of construction (Loose rock, consistent in over or around dam)	
Being Located 2,625.3 (If there is more the being within the	At N and 1,208 h at E from the S. V. corner of Sec. 19 (18 preferable, give distance and bearing to section corner) an one point of diversion, each must be described. Use separate sheet if necessary) an one point of diversion, each must be described. Use separate sheet if necessary) At O Sec. 19, Tp. 3 N (N or Security of Unatilla to be Main ditch, canal or pipe line) (Smallest legal subdivision) of Sec. 7p. (Smallest legal subdivision) of Sec. 7p. (Smallest legal subdivision) per proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS feet, length on top feet, length at both of the be used and character of construction (Loose rock, concrete, new or around dam) gate (Timber, concrete, etc. number and size of openings)	

idgate. At hea	dgate: width on t	op (at wate	r line)	feet; width on botto
***************************************		40		feet fall per or
usand feet. 🦳			readgate: width on top (at w	4
	, •		feet; deptha	
•	feet fall		•	,
			.; size at intake,	in sainn ne
	•		•	
				difference in elevation between
ake and place	of use,	ft.	Is grade uniform?	Estimated capacit
	sec. ft. n of area to be ir	rigated, or 1	place of use	
Township North or South	Range E. or W. of Will-mette Meridian	Section	**Porty-acre Tract	Number Acres To Be (crigated
3 N	28 E	<u> 19</u>	N Wtot S Wt	
3N.	28 E	19	NET or Sat	46 A.
		-		
			•	
-				
	 			
		(If more spa	ce required, attach separate sheet)	
(a) Cl	aracter of soil	Sandy	Loam	
	•	Altalt	a and pasture	
wer or Minin			eveloped	,
			•	theoretical horsepow
			r power	
			(Head) feet.	· ·
(d) T	he nature of the u	orks by med	ans of which the power is to	be developed
(e) St	ich works to be lo	cated in	(Legal subdivision)	of Sec.
p. (No N. or	, R(No. E	, W.	. M .	
(f) Is	water to be retur	ned to any	stream?(Yes or No.)	
	so, name stream			. ·

(i) The nature of the mines to be served

STATE OF OREGON. County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

, cum,	not exceed 1.0 cubic feet per second measured at the point of diversion from
	its equivalent in case of rotation with other water users, from an unnamed spring.
-	<u>e</u>
T	use to which this water is to be applied is irrigation and supplemental irrigation
•	
•·····································	
	or irrigation, this appropriation shall be limited to
	its equivalent for each acre irrigated and shall be further limited to a liver ion
	o exceed 4 acre feet per acre for each acre irrigated during the irrigation
	f each year; provided further that the amount of water allowed hereir,
togethe	with the amount secured under any other right existing for the same looks
shall r	t exceed the limitation allowed herein, and shall be still for her bridge
y She	rovisions of the decree of the Dircuit Court for Umatilla County in Directions
	of Harry J. Andrews, et. al vs. R. G. and Hilda M. Saylor, dated Marco Il.
	e subject to such reasonable rotation system as may be ordered by the proper state officer.
Th Ac hereafte	e subject to such reasonable rotation system as may be ordered by the proper state officer. priority date of this permit is
Th Ac hereafte Co	e subject to such reasonable rotation system as may be ordered by the proper state officer. priority date of this permit isApril 30, 1976 al construction work shall begin on or beforeNovember 20, 1980 and sha be prosecuted with reasonable diligence and be completed on or before October 1, 1941 plete application of the water to the proposed use shall be made on or before October 1, 1941
Th Ac hereafte Co	e subject to such reasonable rotation system as may be ordered by the proper state officer. priority date of this permit is
Th Ac hereafte Co	e subject to such reasonable rotation system as may be ordered by the proper state officer. priority date of this permit is