



APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Roger W. Woodyard, of Route 1, Box 234, Clackamas, Oregon State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

- 1. The source of the proposed appropriation is Clackamas River, a tributary of ...
2. The amount of water which the applicant intends to apply to beneficial use is 0.02 cubic feet per second.
**3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located 1650 ft. South and 210 ft. West from the NW corner of Section #21, Township 2 South, Range 3 East of Willamette Meridian

being within the SE 1/4 NE 1/4 of Sec. 20, Tp. 2 South, R. 3 E, W. M., in the county of Clackamas

5. The Pipe line to be 300 in length, terminating in the SW 1/4 NW 1/4 of Sec. 21, Tp. 2 South, R. 3 E, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam ... feet, length on top ... feet, length at bottom ... feet; material to be used and character of construction

rock and brush, timber crib, etc., wasteway over or around dam

(b) Description of headgate

(c) If water is to be pumped give general description Pacific 1 1/2" BH Type LRB BB Centrifugal Pump Dia 5-5/8" Operated by 3 H.P. Motor Developing 45 lbs. Pressure.

*A different form of application is provided where storage works are contemplated
**Application for permits to appropriate water for the generation of electricity, with the exception of municipal use, must be made to the Hydroelectric Commission.

19. (a) To supply the city of

..... County, having a present population of
(Name of) and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied one

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$..... 500.00

12. Construction work will begin on or before

13. Construction work will be completed on or before Completed

14. The water will be completely applied to the proposed use on or before Immediately

x *Boyan Wilwoskyak*
(Signature of applicant)

Remarks: Being a new owner of this property I cannot find out exactly how long this system has been in operation. Former owner who owned property for a 8 year period used it for the length of time, and states it was on property when he purchased same--and advised the system of piping, etc. was in the ground when he purchased. Original owner landscaped and built original house in year of 1926 as near as I can determine from investigation.

Your office in June of last year advised the Pacific Title Insurance Company that a search of your records showed no previous water rights applied for.

Recently I had to install a new pump and overhaul motor to get system which was old and worn out, to operate.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the Engineer, with corrections on or before 19

WITNESS my hand this day of 19

STATE ENGINEER

By ASSISTANT

STATE OF OREGON, }
County of Marion, }

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.02 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Clackamas River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is

Actual construction work shall begin on or before and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19

Complete application of the water to the proposed use shall be made on or before October 1, 19

WITNESS my hand this day of 19

[Signature]
STATE ENGINEER

Application No. 33317

Permit No. 26356

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the day of 19 at o'clock M.

Returned to applicant.

Approved:

Recorded in book No. of

Permits on page 26356

STATE ENGINEER

Drainage Basin No. 2 page 6

Fees