

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Mrs. Earl P. Moore (Name of applicant) of P.O. Box 642, Gold Hill, (Mailing address) State of Oregon

do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is a spring, a tributary of Kanes Creek (Name of stream), a tributary of Rogue River

2. The amount of water which the applicant intends to apply to beneficial use is 0.01 c.f.s. cubic feet per second. (If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is domestic, including not to exceed the irrigation of 1/2 acre. (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 431 ft. N. and 1045 ft. E. from the W. corner of Section 22 (N. or S.) (E. or W.) (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW 1/4, SE 1/4, NW 1/4 of Sec. 22 Tp. 36 S. (Give smallest legal subdivision) (N. or S.)

R. 3 W. W. M., in the county of Jackson (E. or W.)

5. The pipeline to be 400 feet (Miles or feet) in length, terminating in the W 1/4, SE 1/4, NW 1/4 of Sec. 22 Tp. 36 S. (Smallest legal subdivision) (N. or S.)

R. 3 W. W. M., the proposed location being shown throughout on the accompanying map. (E. or W.)

DESCRIPTION OF WORKS

Diversion Works---

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

spring to be boxed in using small concrete box, with any surplus water flowing directly back to Kanes Creek. (Use rock, concrete, masonry, log and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate The above described pressure system to be located on top of small concrete storage tank - 6' x 6' x 2' (capacity 180 gallons).

(c) If water is to be pumped give general description 1 H.P. electric motor and 2 1/2 inch centrifugal pump - pressure system. (Size and type of pump)

\*A different form of application is provided where storage works are contemplated. \*\*Application for permits to appropriate water for the generation of electricity with the exception of municipalities must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) \_\_\_\_\_ feet; width on bottom \_\_\_\_\_ feet; depth of water \_\_\_\_\_ feet; grade \_\_\_\_\_ feet fall per one thousand feet.

(b) At \_\_\_\_\_ miles from headgate: width on top (at water line) \_\_\_\_\_ feet; width on bottom \_\_\_\_\_ feet; depth of water \_\_\_\_\_ feet; grade \_\_\_\_\_ feet fall per one thousand feet.

(c) Length of pipe, 400 ft.; size at intake, 1.5 in.; size at \_\_\_\_\_ 300 ft. from intake 1.0 in.; size at place of use \_\_\_\_\_ 1.0 in.; difference in elevation between intake and place of use, .5 ft. Is grade uniform? yes Estimated capacity \_\_\_\_\_ sec. ft.

8. Location of area to be irrigated, or place of use \_\_\_\_\_

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
36 S.	3 W.	22	W $\frac{1}{2}$ SE $\frac{1}{4}$ NW $\frac{1}{4}$	domestic

(If more space required, attach separate sheets.)

(a) Character of soil sandy loam.  
 (b) Kind of crops raised garden and lawn.

Power or Mining Purposes—

9. (a) Total amount of power to be developed \_\_\_\_\_

(b) Quantity of water to be used for power \_\_\_\_\_ sec. ft.

(c) Total fall to be utilized \_\_\_\_\_ feet.

(d) The nature of the works by means of which the power is to be developed \_\_\_\_\_

(e) Such works to be located in \_\_\_\_\_ of Sec. \_\_\_\_\_

Tp. \_\_\_\_\_, R. \_\_\_\_\_ W. M. \_\_\_\_\_

(f) Is water to be returned to any stream? \_\_\_\_\_

(g) If so, name stream and locate point of return \_\_\_\_\_

\_\_\_\_\_ Sec. \_\_\_\_\_ Tp. \_\_\_\_\_ R. \_\_\_\_\_

(h) The use to which power is to be applied is \_\_\_\_\_

(i) The nature of the mines to be served \_\_\_\_\_

10. (a) To supply the city of \_\_\_\_\_

\_\_\_\_\_ County, having a present population of \_\_\_\_\_  
(Name of) and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

(b) If for domestic use state number of families to be supplied one (1)

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 500.00
- 12. Construction work will begin on or before 1 year from date of issuance of permit.
- 13. Construction work will be completed on or before October 1, 1961
- 14. The water will be completely applied to the proposed use on or before October 1, 1962

*Mrs. Carl F. Moore*  
(Signature of applicant)

Remarks: \_\_\_\_\_

STATE OF OREGON, )  
                                  ) ss.  
County of Marion, )

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before \_\_\_\_\_ 19 \_\_\_\_\_

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 19 \_\_\_\_\_

STATE ENGINEER

By \_\_\_\_\_

ASSISTANT

PERMIT

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from a spring

The use to which this water is to be applied is domestic use of one family including the irrigation of not to exceed 1/2 acre lawn and garden.

If for irrigation, this appropriation shall be limited to \_\_\_\_\_ of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 1, 1918

Actual construction work shall begin on or before September 1, 1918 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1918

Complete application of the water to the proposed use shall be made on or before October 1, 1918

WITNESS my hand this 20th day of September, 1918

*Arthur H. Jones*  
STATE ENGINEER

Application No. 33348  
Permit No. 26369

PERMIT  
TO APPROPRIATE THE PUBLIC  
WATERS OF THE STATE  
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 8th day of September, 1918, at \_\_\_\_\_ o'clock \_\_\_\_\_ M.

Returned to applicant

Approved

Recorded in book No. 68889

Permits on file

STATE ENGINEER

Division of Water Resources

Fee