

*APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Paul D. Green (Name of applicant)

of Star Route, Dexter (Mailing address)

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Rattlesnake Cr., when available & M. Fk. Willamette R. to make up any deficiency, a tributary of M. Fk. Willamette R. - Willamette R.

2. The amount of water which the applicant intends to apply to beneficial use is 0.27 cubic feet per second.

**3. The use to which the water is to be applied is irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ... ft. and ... ft. from the corner of Creek - 3 chs. S. & 10 chs. W. River - 6 chs. S. & 12 chs. E. both from SE cor., Bristow DLC #67

being within the Creek - S.W. 1/4 Sec. 36 of Tp. 16 S. R. 2 W., W. M., in the county of Lane

5. The Portable to be in length, terminating in the of Sec. Tp. R. W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description

*A different form of application is provided where storage works are contemplated **Application for permits to appropriate water for the generation of electricity...

26373

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
18 S.	2 W.	36	SE $\frac{1}{4}$ SW $\frac{1}{4}$	2.9
			SW $\frac{1}{4}$ SE $\frac{1}{4}$	12.0
			SE $\frac{1}{4}$ SE $\frac{1}{4}$	6.6

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec

(Legal subdivision)

Tp., R., W. M.

(No N or S)

(No E or W)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

..... Sec. Tp., R., W. M.

(No N or S)

(No E or W)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of _____

_____ County, having a present population of _____

(Name of)

and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 500⁰⁰

12. Construction work will begin on or before April 1960

13. Construction work will be completed on or before June 1960

14. The water will be completely applied to the proposed use on or before Sept 1960

Paul Green
(Signature of applicant)

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____

WITNESS my hand this _____ day of _____, 19_____

STATE ENGINEER

By _____

ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.27 cubic feet per second measured at the point of diversion from the

stream, or its equivalent in case of rotation with other water users, from Rattlesnake Creek and Middle Fork Willamette River. Water to be diverted from Rattlesnake Creek when available and any deficiency in the available supply in Rattlesnake Creek is to be made up by diversion from Middle Fork Willamette River, providing that the total quantity diverted from both streams shall not exceed 1/80 c.f.s. for each acre irrigated.

The use to which this water is to be applied is irrigation.

If for irrigation, this appropriation shall be limited to 1/20th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 11, 1919

Actual construction work shall begin on or before November 10, 1919 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1920

Complete application of the water to the proposed use shall be made on or before October 1, 1920

WITNESS my hand this 20th day of September, 1919

Arthur J. Stanley
STATE ENGINEER

Application No. 33356
Permit No. 26373

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the _____ day of _____, 19____, at _____ o'clock _____ A. M.

Returned to applicant:

Approved:

Recorded in book No. _____ of _____ Permits on page _____

STATE ENGINEER

Drainage Basin No. 2 page 81 of 840

Fees