

*APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, John H. Williams (Name of applicant)
of Yulewater (Mailing address)
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

- 1. The source of the proposed appropriation is Mc Larns Creek (Name of stream), a tributary of Alsea River
- 2. The amount of water which the applicant intends to apply to beneficial use is 0.05 cubic feet per second. being .04 for power and .01 for domestic (If water is to be used from more than one source, give quantity from each)
- **3. The use to which the water is to be applied is Domestic & Power (Irrigation, power, mining, manufacturing, domestic supplies, etc.)
- 4. The point of diversion is located 650 ft. N and 240 ft. E from the SW corner of Sec 26 & 35 (Section or subdivision) (E. or W.)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the SE 1/4 - SW 1/4 SW 1/4 of Sec. 27 26, Tp. 13 S

- R. 10 W, W. M., in the county of Lincoln (E. or W.)
- 5. The 400 ft. pipe line to be 400 ft. in length, terminating in the SE 1/4 - SE 1/4 of Sec. 27, Tp. 13 S
- R. 10 W, W. M., the proposed location being shown throughout on the accompanying map. (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

- 6. (a) Height of dam _____ feet, length on top _____ feet, length at bottom _____ feet; material to be used and character of construction _____
- (b) Description of headgate _____
- (c) If water is to be pumped give general description 2" x 1" 3/4" Hydraulic Ram (See Remarks)

*A different form of application is provided where storage works are contemplated
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

10. (a) To supply the city of _____
County, having a present population of _____
(Name of) and an estimated population of _____ in 19____.

(b) If for domestic use state number of families to be supplied Three Families

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 150⁵⁰-
- 12. Construction work will begin on or before Oct. 15 - 1959
- 13. Construction work will be completed on or before July 30 - 1960
- 14. The water will be completely applied to the proposed use on or before Sept 1 - 1960

John H. Williams
(Signature of applicant)

Remarks: Our present supply is from a spring. This is insufficient. That is the reason for this application. The water at present runs from the spring into a supply tank 3ft in diameter by 10 ft long, and I wish to connect this supply to this system

Ram - Goulds # 5, 2" x 1", Fall 10ft.

STATE OF OREGON, }
County of Marion. } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____ 19____.

WITNESS my hand this _____ day of _____ 19____.

STATE ENGINEER

By _____

ASSISTANT

PERMIT

STATE OF OREGON,
County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.05 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from McCarns Creek.

The use to which this water is to be applied is operation of ram and domestic use of three families, being 0.04 c.f.s. for operation of ram and 0.01 c.f.s. for domestic use.

If for irrigation, this appropriation shall be limited to _____ of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 17, 1909

Actual construction work shall begin on or before November 23, 1909 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19

Complete application of the water to the proposed use shall be made on or before October 1, 19

WITNESS my hand this 20th day of November, 1909

Wm. A. Stanley
STATE ENGINEER

Application No. 23381
Permit No. 216380

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 17th day of September 1909, at 1:05 o'clock P. M.

Returned to applicant:

Approved:

Recorded in book No. 22289 of Permits on page

STATE ENGINEER

Drainage Basin No. 18 page 126

Fees: