STATE ENGINEER

## \*APPLICATION FOR PERMIT

## To Appropriate the Public Waters of the State of Oregon

	2mes G	Triec	077	
Yrairia	Springs	Trout	Farm,	Dayville,
tate of Oreg	7.0.17	do hereby make a	pplication for a p	ermit to appropriate the
	ublic waters of the Stat			
	1 .			•
If the applicant	is a corporation, give d	ate and place of in	corporation	••••••••••••••••
	,			^ ^
	<b>▲</b>		(Name of str	ued afrengs
onds and di	tches to be of phical of water which the appl	a tributary of	John Do	ing Rever
2. The amount	of water which the appl	icant intends to app	ply to beneficial u	se is 4, 5
rubic feet per second.	27 spring	to to be used from more than	12 ma st.	to Mosen H. Ed
	V (II walks hich the water is to be (	•	n one source, give fuantit	r from each)
$\wedge$	٠ 🙀 '	Fish	on, power, mining, menuite	cturing, domestic supplies, etc.)
			The same	i 1/
$\wedge$	diversion is located			Est from the 14 pe
orner of	ctim 3 -	· Jauns	<u>uh</u> 13 3	3 - Range 2;
•		-	•••••••••••••••••••••••••••••••••••••••	
		•		
	-	1		•••••••••••••••••••••••••••••••••••••••
0	(If preferable, giv	e distance and bearing to se	ction corner)	^ /
TE G	re is more than one point of divers	falls em mand be described	One segurate sheet if no	Tie ant of the do
eing within the NO	thurst of the	South foot	of Sec. 3	Titles of the do
R. 22 Е., W. M.		Grant	······································	•
(E. or W.)  5. The			to be	
	(Main ditch, canal or p	tpe line)		(Miles or feet)
	Bmallest le	of the J.E	- CF	(N. or S.)
	V. M., the proposed loca	tion being shown t	hroughout on the	eccompanyina man.
R. 27 E , v	and the second s	their coming thrown t		
R. 27 E , V				·
R	DESC	RIPTION OF WO		
Diversion Works—	7) on E DESC	RIPTION OF WO	RKS	feet, length at bottom
Diversion Works—  6. (a) Height o	DESC Tone	RIPTION OF WO	RKS	feet, length at bottom
Diversion Works—  6. (a) Height o	DESC Tone	RIPTION OF WO	RKS	
Diversion Works—  6. (a) Height o  feet;	DESC T) ON E of dam material to be used and	RIPTION OF WO	ruction	(Loose rock, concrete, masonry,
Diversion Works—  6. (a) Height o  feet;	DESC TOON E of dammaterial to be used and	RIPTION OF WO	ruction	(Loose rock, concrete, masonry,
Diversion Works—  6. (a) Height of feet;  rock and brush, timber crib, etc.  (b) Description	DESC T) ON E of dam material to be used and westeway over or around dam)	RIPTION OF WO	RKS  pruction  CLL  te, etc., number and size c	(Loose rock, concrete, masonry,
6. (a) Height o feet; cock and brush, timber crib, etc	DESC T) ON E of dam material to be used and	RIPTION OF WO	RKS  pruction  CLL  te, etc., number and size c	(Loose rock, concrete, masonry,

<sup>&</sup>quot;A different form of application is provided where storage works are contemplated.

ignta, At hea	dgate: width on t	op (at wate	r line)	feet; width on botton
		· · · · · · · · · · · · · · · · · · ·	feet; grade	
sand feet.			headgate: width on top (at water l	
			feet; depth of wat	
•				<i>Er</i>
	feet fall	•	•	
(c) Lengt	h of pipe,	ft	.; size at intake,in	ı.; size at f
n intake	in.;	size at place	of usein.; differ	rence in elevation betwee
ke and place	of use,	ft.	Is grade uniform?	Estimated capacity
	sec. ft.			
8. Locatio	n of area to be in	rigated, or	place of use	
Township North or South	Range E. er W. ef Willemette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
135	27E	_3_	northwest of the	Feale cult
			S.E.	Fish cult
			1) on the cost of the	Fish cult
			S.F	
· · · · · · · · · · · · · · · · · · ·			21 114	T.1.14
			SW 9	Tem Culled
			3#	
		<del></del>		
***************************************		<del> </del>		*
•				
	<u> </u>			
		· · · · · · · · · · · · · · · · · · ·		
				·
(a) C	haracter of soil		ace required, attach separate sheet)	
•	•			
- "	g Purposes			
9. (a) T	otal amount of po	wer to be d	eveloped	theoretical horsepow
(b) Q	wantity of water t	to be used fo	or powersec.	ft.
(c) T	otal fall to be util	ized	feet.	
			(Bood)  cans of which the power is to be do	enalonad
(0) 1	ne nature of the t			
			,	
			(Legal subdivision)	of Sec.
	, R. (No. 1			
(f) I:	water to be retu	rned to any	stream?(Yes or No)	*
(g) I	f 80, name stream	and locate	point of return	j
		_	, Tp(No. N. or S.)	_

County of Marion,  This is to certify that I have examined the foregoing application, together with the accoms aps and data, and return the same for application.  In order to retain its priority, this application must be returned to the State Engineer, with	561.	Domestic Supply—
en estimated population of		
(b) If for domestic use state number of families to be supplied  (Assert quantion II, II, II, and II in the case)  11. Estimated cost of proposed works, \$ 15,000.  12. Construction work will begin on or before G.C. 1,1959  13. Construction work will be completed on or before G.T. 1,1961  14. The water will be completely applied to the proposed use on or before G.T. 1,1961  (ATE OF OREGON, 1s. County of Marion, 1s.	saving a present population of	County, having
Atternation work will begin on or before C.I. 1, 1959  13. Construction work will be completed on or before C.I. 1, 1951  14. The water will be completely applied to the proposed use on or before C.I. 1, 1951  16. The water will be completely applied to the proposed use on or before C.I. 1, 1951  17. The water will be completely applied to the proposed use on or before C.I. 1, 1951  18. Construction work will be completely applied to the proposed use on or before C.I. 1, 1951  19. County of Marion, 1855  County of Marion, 1855  This is to certify that I have examined the foregoing application, together with the accomps and data, and return the same for 2 contact with the same for 2 contact with the accomps and data, and return the same for 2 contact with the returned to the State Engineer, with In order to retain its priority, this application must be returned to the State Engineer, with		
11. Estimated cost of proposed works, \$	tte number of families to be supplied	If for domestic use state nu
12. Construction work will be completed on or before C.I. 1, 1961  13. Construction work will be completely applied to the proposed use on or before C.I. 1, 1961  14. The water will be completely applied to the proposed use on or before C.I. 1, 1961    Construction work will be completely applied to the proposed use on or before C.I. 1, 1961    Construction work will be completely applied to the proposed use on or before C.I. 1, 1961    Construction work will be completely applied to the proposed use on or before C.I. 1, 1961    Construction work will be completely applied to the proposed use on or before C.I. 1, 1961    Construction work will be completely applied to the proposed use on or before C.I. 1, 1961    Construction work will be completely applied to the proposed use on or before C.I. 1, 1961    Construction work will be completely applied to the proposed use on or before C.I. 1, 1961    Construction work will be completely applied to the proposed use on or before C.I. 1, 1961    Construction work will be completely applied to the proposed use on or before C.I. 1, 1961    Construction work will be completely applied to the proposed use on or before C.I. 1, 1961    Construction work will be completely applied to the proposed use on or before C.I. 1, 1961    Construction work will be completely applied to the proposed use on or before C.I. 1, 1961   Construction work will be completely applied to the proposed use on or before C.I. 1, 1961   Construction work will be completely applied to the proposed use on or before C.I. 1, 1961   Construction work will be completely applied to the proposed use on or before C.I. 1, 1961   Construction work will be completely applied to the proposed use on or before C.I. 1, 1961   Construction work will be completely applied to the proposed use on or before C.I. 1, 1961   Construction work will be completely applied to the proposed use on or before C.I. 1, 1961   Construction work will be completely applied to the proposed use of the proposed use of the proposed use of		
13. Construction work will be completed on or before C. A. 1, 196/  14. The water will be completely applied to the proposed use on or before C. A. 1, 196/  [State Harmon of application]  Remarks:  TATE OF OREGON,   Ss. County of Marion,   Ss. Co	works,\$ 15,000.	imated cost of proposed works,
13. Construction work will be completed on or before C. A. 1, 196/  14. The water will be completely applied to the proposed use on or before C. A. 1, 196/  [State Harmonic Conference of C. 1, 196/  [State Harmonic Conference of C. 1, 196/  [State Harmonic Conference of Conference		
TATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompaps and data, and return the same for application must be returned to the State Engineer, with In order to retain its priority, this application must be returned to the State Engineer, with the accompany of the state of the state Engineer, with the accompany of the state Engineer of the sta	· · · · · · · · · · · · · · · · · · ·	
Remarks:  TATE OF OREGON,   ss.  County of Marion,   ss.  This is to certify that I have examined the foregoing application, together with the accompans and data, and return the same for		
TATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompass and data, and return the same for a conclusion.  In order to retain its priority, this application must be returned to the State Engineer, with	y applied to the proposed use on or before	t water win be completely app
TATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompass and data, and return the same for a conclusion.  In order to retain its priority, this application must be returned to the State Engineer, with	1 H. Po is 5 -00/	
TATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompass and data, and return the same for a conclusion.  In order to retain its priority, this application must be returned to the State Engineer, with	(Signature of applicant)	
TATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompass and data, and return the same for a conclusion.  In order to retain its priority, this application must be returned to the State Engineer, with		
TATE OF OREGON,    ss.     County of Marion,   This is to certify that I have examined the foregoing application, together with the accompass and data, and return the same for   considering		rks:
TATE OF OREGON,    ss.     County of Marion,   This is to certify that I have examined the foregoing application, together with the accompany and data, and return the same for   consideration		
TATE OF OREGON,    ss.     County of Marion,   This is to certify that I have examined the foregoing application, together with the accompass and data, and return the same for   considering		• .
TATE OF OREGON,   ss.  County of Marion,   This is to certify that I have examined the foregoing application, together with the accompans and data, and return the same for		***************************************
TATE OF OREGON,  ss.  County of Marion,  This is to certify that I have examined the foregoing application, together with the accompand and data, and return the same for the country of the same for th		
TATE OF OREGON,  ss.  County of Marion,  This is to certify that I have examined the foregoing application, together with the accompany and data, and return the same for		
TATE OF OREGON,  ss.  County of Marion,  This is to certify that I have examined the foregoing application, together with the accompand and data, and return the same for the country of the same for th		
TATE OF OREGON, ss.  County of Marion,  This is to certify that I have examined the foregoing application, together with the accompany and data, and return the same for application.  In order to retain its priority, this application must be returned to the State Engineer, with		
TATE OF OREGON, ss.  County of Marion,  This is to certify that I have examined the foregoing application, together with the accomnaps and data, and return the same for conclusion.  In order to retain its priority, this application must be returned to the State Engineer, with		<del></del>
TATE OF OREGON, ss.  County of Marion,  This is to certify that I have examined the foregoing application, together with the accomnaps and data, and return the same for concluding.  In order to retain its priority, this application must be returned to the State Engineer, with	-	·
TATE OF OREGON, ss.  County of Marion,  This is to certify that I have examined the foregoing application, together with the accompany and data, and return the same for application.  In order to retain its priority, this application must be returned to the State Engineer, with		
TATE OF OREGON, ss.  County of Marion,  This is to certify that I have examined the foregoing application, together with the accomnaps and data, and return the same for concluding.  In order to retain its priority, this application must be returned to the State Engineer, with		•
TATE OF OREGON, ss.  County of Marion,  This is to certify that I have examined the foregoing application, together with the accompany and data, and return the same for application.  In order to retain its priority, this application must be returned to the State Engineer, with		. 1
TATE OF OREGON, county of Marion,  This is to certify that I have examined the foregoing application, together with the accome can along the same for a completion.  In order to retain its priority, this application must be returned to the State Engineer, with		•
TATE OF OREGON, county of Marion, ss.  This is to certify that I have examined the foregoing application, together with the accompany and data, and return the same for an application.  In order to retain its priority, this application must be returned to the State Engineer, with		•
County of Marion,  This is to certify that I have examined the foregoing application, together with the accompany and data, and return the same for a completion.  In order to retain its priority, this application must be returned to the State Engineer, with		
County of Marion,  This is to certify that I have examined the foregoing application, together with the accompany and data, and return the same for the completion.		
In order to retain its priority, this application must be returned to the State Engineer, with		of Marion,
In order to retain its priority, this application must be returned to the State Engineer, with	examined the foregoing application, together with the accomp	is to certify that I have exam
In order to retain its priority, this application must be returned to the State Engineer, with	of orcalletian	lata, and return the same for
In order to retain its priority, this application must be returned to the State Engineer, with		
		der to retain its priority this
ions on or defore and a second		
	19.52.	before movement 14
WITNESS my hand this 23th day of Cotober, 19.5	th day of October , 19.59	NESS my hand this

By Walter N. Perry

STATE ENGINEER

ASSISTANT

## STATE OF OREGON, County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right here		nited to the amou	• .		to beneficial use
irom each sprin	nlent in case of ner applications as follows:	rotation with others No. R-33027 Nos. 1,2,3,4 7,8,9,10,11,	r water users, 1, permit No. 5,6,12,13,14,16,19,22 & 23	rom 27 springs R- 2295 ; be ,20 & 27; bein ; being 0.50 c	and ponds to be ing 0.10 c.f.s.
from spring No.  The use to wh	ich this water is	to be applied is		iish cuit	ure.
7.6				·	one cubic foot per
second or its equival			•		•
	5		474		
		•			
		•			•
•					
-					
-					
			•		
and shall be subject	•				*
•					
		·			and shall
thereafter be prose					
		•		made on or befor	7 · '
	•			, <b>19</b> :-	-
W1111255 m	y nana mo		$\Delta Z$		anley
					STATE ENGINEER
•				•	
	n the	egon,		d	O C
	E E	n, Or M.		7.	STATE ENGINEER page ZZD
6 7 9	STAT	Saler			<b>\$ТАТ</b>
23%	RS OF THE SOF OREGON	er at		·	
ion No. 33%	ORE Was	ngine of	::	k No.	<b>\</b>
No.	OF OF	ate E day	plıca	1 boo	n No.
Application No. 23402  Permit No. 26447  PERMIT	MATERS OF THE STATE OF OREGON  nstrument was first receive	he St	to ap	ded in	Basi
A <sub>I</sub>	NATERS OF THE STATE OF OREGON  This instrument was first received in the	office of the State Engineer at Salem, Oregon, on the 2 day of 1927, at 192	Returned to applicant:	Recorded in book No.	Drainage Basin No.
	7.	offic on th	Retu	H L	Drai