*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Robert E. Gaines	to of applicant)
Rt. 2 Box 231 Sherwood,	
State of Oregon , do her	reby make application for a permit to appropriate the
following described public waters of the State of Or	
	l place of incorporation
1. The source of the proposed appropriation is	Unnamed stream and Resevoir
	(Name of stream) stary of Willamette River
	stends to apply to beneficial use is 1/8
	od from more than one source, give quantity from each)
**3. The use to which the water is to be applied	is Irrigation (Brigation, power, mining, manufacturing, domestic supplies, etc.)
4. The point of diversion is located 100	ft. Na and 250 ft. La from the S. Wa.
corner of 13 Sec. 31 T. 3 S. R.	L W W M
	from the most N'ly NE corner
•	•
of Jos. C. Greer D.L.C.	•
of Jos. C. Greer D.L.C.	•
of Jos. C. Greer D. L. C.	and bearing to section corner)
of Jas. C. Greer D. L. C. (If preferable, give distance of the control of diversion, each at	and bearing to section corner) sust be described. Use separate sheet if necessary)
(If there is more than one point of diversion, each as being within the	and bearing to section corner) Must be described. Use separate sheet if necessary) of Sec. 31. , Tp. 35. , (M. or 5.)
(If there is more than one point of diversion, each more within the	and bearing to section corner) Must be described. Use separate sheet if necessary) of Sec. 31. , Tp. 35., (N. or S.)
(If there is more than one point of diversion, each more within the	and bearing to section corner) Must be described. Use separate sheet if necessary) of Sec. 31. , Tp. 35. , (M. or 5.)
(If there is more than one point of diversion, each me being within the	and bearing to section corner) must be described. Use separate sheet if necessary) of Sec. 31., Tp. 35., (N. or S.) CAMBA S. (Miles or feet)
(If there is more than one point of diversion, each me being within the	and bearing to section corner) Sust be described. Use separate sheet if necessary) of Sec. 31. , Tp. 35., (N or S.) (Miles or feet) of Sec. , Tp. (Miles or feet)
(If preferable, give distance of the preferable of the pr	and bearing to section corner) Sust be described. Use separate sheet if necessary) of Sec. 31. , Tp. 35., (N or S.) (Miles or feet) of Sec. , Tp. (Miles or feet)
(If there is more than one point of diversion, each more than one point in the country of diversion, each more than one point in the country of diversion, each more than one point of diversion and each more than one point of diversion and each more than one point of diversion, each more than one point of diversion and diversion and diversion and diversion and diversi	and bearing to section corner) Sust be described. Use separate sheet if necessary) of Sec. 31. , Tp. 35., (N or S.) (Miles or feet) of Sec. , Tp. (Miles or feet)
(If there is more than one point of diversion, each me being within the	and bearing to section corner) Summary to described. Use separate sheet if necessary) Of Sec. 31. , Tp. 35. (N. or S.) (M. or S.) (Miles or feet) (N. or S.) ing shown throughout on the accompanying map.
(If there is more than one point of diversion, each more than one point of diversion. R	and bearing to section corner) Sust be described. Use separate sheet if necessary) of Sec. 31. , Tp. 35. (N. or S.) (Miles or feet) of Sec. , Tp. (N. or S.) ing shown throughout on the accompanying map. ON OF WORKS length on top 110. feet, length at bottom
(If there is more than one point of diversion, each as being within the	and bearing to section corner) must be described. Use separate sheet if necessary) of Sec. 31. , Tp. 35. (N. or 8.) (Allies or feet) of Sec. , Tp. (N. or 8.) ing shown throughout on the accompanying map. ON OF WORKS length on top 110. feet, length at bottom ster of construction Dirt Fill (Loose tyck, concrete, masonry.
(If there is more than one point of diversion, each mode being within the 12 SW/4 SE/4 (Give smallest legal subdivision) R. 1 M, W. M., in the county of	and bearing to section corner) Size to described. Use separate short if necessary) L
(If there is more than one point of diversion, each me being within the	and bearing to section corner) must be described. Use separate sheet if necessary) of Sec. 31. , Tp. 35. (N. or S.) (Allies or feet) of Sec. , Tp. (N. or S.) ing shown throughout on the accompanying map. ON OF WORKS length on top 110 feet, length at bottom ster of construction Dirt Fill (Loose reck, concrete, masoury, III) (Ated iron pipe hot dipped in asphel (Thuber, concrete, ste., number and size of openings)
(If there is more than one point of diversion, each me being within the	and bearing to section corner) must be described. Use separate sheet if necessary) of Sec. 31. , Tp. 35. (N. or S.) (Allies or feet) of Sec. , Tp. (N. or S.) ing shown throughout on the accompanying map. ON OF WORKS length on top 110 feet, length at bottom ster of construction Dirt Fill (Loose reck, concrete, masoury, III) (Ated iron pipe hot dipped in asphel (Thuber, concrete, ste., number and size of openings)
(If there is more than one point of diversion, each me being within the 12 SW/4 SE/4 (Give smallest legal subdivision) R. 1 M. W. M., in the county of Clack (E. or W.) 5. The (Main ditch, canal or pipe line) in length, terminating in the (Emallest legal subdivision) DESCRIPTIO Diversion Works— 6. (a) Height of dam 9.9 feet, 1 72 feet; material to be used and character way around West end of Darock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate 15" corriginating and character with 2 metal cutoff collars a	and bearing to section corner) must be described. Use separate sheet if necessary) of Sec. 31. , Tp. 35. , (N. or 8.) (Allies or feet) of Sec. , Tp. , (N. or 8.) ing shown throughout on the accompanying map. ON OF WORKS length on top 110 feet, length at bottom ster of construction Dirt Fill (Loose reck, concrete, masoury.
(If there is more than one point of diversion, each mode being within the	and bearing to section corner) must be described. Use separate sheet if necessary) of Sec. 31. , Tp. 35.a. (N. or S.) (M. or S.) (M. or S.) (M. or S.) (M. or S.) ing shown throughout on the accompanying map. (N. or S.) ing shown throughout on the accompanying map. (N. or S.) ing shown throughout on the accompanying map. (N. or S.) ing shown throughout on the accompanying map. (N. or S.) ing shown throughout on the accompanying map. (N. or S.) ing shown throughout on the accompanying map. (N. or S.) (N. or S.)

^{*}A different form of application is provided where storage works are contemplated.
*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the reelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem.

gate. At head	dgate: width on	top (at water	line)	feet; width on bott
	feet; depth of u	ater	feet; grade	feet fall per o
sand feet.			eadgate: width on top (at wate	
	•		feet; depth of u	
•				·
	feet fal			
			size at intake,	•
			of use in.; di	
ke and place	of use,	ft. 1	s grade uniform?	Estimated capac
	sec. ft.			
8. Locatio		rrigatea, or p	lace of use	
Township North or South	Range 2. or W. of Willemette Meridian	. Section	Forty-acre Tract	Number Acres To Be Irrigated
3 S.	R. 1 W.	31	SE 1/4 SW 1/4	-10- 35
			NW14 SE1/4	0 =
,			SW 1/4 SE 1/4	78
				11 5 acr
				1.12 927
				· · · · · · · · · · · · · · · · · · ·
				
		· · · · · · · · · · · · · · · · · · ·		
		•		
	-	•		
	ļ		,i	
	1.0		-	
(a) C	naracter of soil	A 4	and Willamette Cla	y Loam
i		***************************************	ture , Row crop, Or	
	ind of crops raise g Purposes—	:d	ture, now crop, or	Chard
		ower to be de	veloped	theoretical horsepo
	, ,		powers	
		•	-	
			(Head)	
(d) T	he nature of the	works by med	ins of which the power is to b	e developed
•••••••••••••••••••••••••••••••••••••••		······································		•
(e) S	uch works to be	located in	(Legal subdivision)	of Sec.
	, R			
			stream?	•
	i so name streat	n and locate :	(Yes or No) point of return	,
. (g) It				
			, Tp(Ne. N. or S.	p 11

CH 1059 By Walter N. Perry

		IGHTS and the jouou ted is limited to the a	_		plied to beneficial use
and shall n	ot exceed	3 cubic feet p	er second me	easured at the point	of diversion from the
stream, or	its equivalent in c	case of rotation with (other water t	isers, from unnamed	stream and reser-
voir to	be constructed	d under application	on No. R-33	426, permit No.	R- 2298

The	use to which this	water is to be applied	is irrigat	ion.	
***************************************			<u></u>		

					of one cubic foot per
					oe further limited.
					cre irrigated
		season of each y			
reservo	ir to be const	ructed under perm	it No. R-2	298.	·
***************************************			·····		
			······		
***************************************			····································		
•••••					
and shall l	e subject to such	reasonable rotation s	ystem as may	be ordered by the p	roper state officer.
					and shall
	ŧ	ith reasonable diligen			
-	-				efore October 1 1962
WI	INESS my hand t	his 20th day) of	Funa A.	tailey
				TXIN IN A	STATE ENGINEER
		•	,		·
		the lon,	I	9	52
	ည္	d in Oreg			151 Grate Engineer page 76.4 Z
7.2	VUBI	eived lem, R.C.			51 39e/
42	HE I	t rec at Sa Ab		72	26151 T STATE ENGINEER 2 Page TURER
3	PERMIT DPRIATE THI RS OF THE S OF OREGON	£ 5 0 3		00 0	2 7
Ŋ.	CERI OF OR	: wa Ingir J of	ınt:	196 0k Ne	
ition No.	PI ROPH ERS OF	ment ate l day	plica	2D.	ge n Nc
Application No. 33427 Permit No. 26451	PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 20 day of Adder	Returned to applicant:	Approved: January, 20, 1960	Permits on page 26.15. IEMIS A. SIAMEN STATE Drainage Basin No. 2. page
Ar Pe	5 0	e 2	rned	Approved: Janua Records	iits c
		office of	getri.	4ppr R	Pern Oraii

Fees 15 2