DEGET WHO PROPRIED AND APPLICATION TO X 30556

STATE ENGINEER

SAPPLICATION FOR PERMIT

100		T) į	lp	DTO	pria	te	the	Public	Waters	of	the	State	of	Ore:	gon
	· /-	49.3			• • */ 1		1.5	h .i-/	ing a tr						٠.	

I, Robert von de Box 177 Reg	(Musso of ap	plicant)	
(Madaig	addres) do hereby :	make analisation for a	manulé de annoquiate de
owing described public t	waters of the State of Oregon	, Subject to exist	ING RIGHTS:
If the applicant is a c	orporation, give date and plac	ce of incorporation	
1. The source of the p	proposed appropriation isOS	borne Creek and	supplemental stor
	B. Reservoir, a tributary	· · · · · · · · · · · · · · · · · · ·	
	ter which the applicant intend	•	
		•	
oic feet per second	(If water is to be used from	more than one source, give quan	lity from each)
**3. The use to which t	he water is to be applied is	Supplemental I	rrigation
	South 89 57 Ea	st 424 Ft.	
4. The point of diver	sion is locatedft	ft	from the Botto
	BE ENEW of Sec.		
oci oj	(Section or	r subdivision.)	~ ~ ~ ,

		······································	••••••
	(H avaderable, give distance and bear	uring to section corner)	
(If there is mos	re then one pigint of diversion, each must be	described. Use separate sheet if	Modellaty)
ng within the	than one signs of diversion, each must be	described. Use separate sheet if	, Tp. (N. or 8.)
ng within the	re then one pigint of diversion, each must be	described. Use separate sheet if	
ng within the $\frac{1}{2}$, $\frac{1}{2$	than one signs of diversion, each must be	described. Use separate sheet if a of Sec. 35	, Tp
ng within the W. B. 1, W. M., in th 3. The Main	Three smallest legal subdivision) Le county of Jackson Canal (Main ditch, canel or pipe line)	described. Use separate sheet if a second of Sec. 35	nd one half mile
ng within the	Three smallest legal subdivision. Three smallest legal subdivision.) See county of Jackson Canal (Main ditch, canal or pipe line) E. N. W. L. X. N. L. L. Canal (Smallest legal subdivision)	described. Use separate sheet if a separate sh	nd one half mile (Miles or feet) 7p. 36 S (N or S.)
ng within the	Three smallest legal subdivision) Le county of Jackson Canal (Main ditch, canel or pipe line)	described. Use separate sheet if a separate sh	nd one half mile (Miles or feet) 7p. 36 S (N or S.)
ng within the	The than one signs of diversion, each must be the county of Jackson canal (Main dich, canel or pipe line) e N. W. X. N	described. Use separate sheet if it is of Sec. 35	nd one half mile (Miles or feet) 7p. 36 S (N or S.)
ng within the	Three smallest legal subdivision. Three smallest legal subdivision.) See county of Jackson Canal (Main ditch, canal or pipe line) E. N. W. L. X. N. L. L. Canal (Smallest legal subdivision)	described. Use separate sheet if it is of Sec. 35	nd one half mile (Miles or feet) 7p. 36 S (N or S.)
ng within the	The than one signs of diversion, each must be the county of Jackson canal (Main dich, canel or pipe line) e N. W. X. N	described. Use separate sheet if it is of Sec. 35	nd one half mile (Miles or feet) Tp. 36 S (N. or 8.)
ng within the	The than one signs of diversion, each must be the mallest legal subdivision) are county of Jackson canal (Main dich, canel or pipe line) e N. W. X. N. S. (Smallest legal subdivision) the proposed location being si	to be2 of Sec36 to be2 of Sec36 hown throughout on the Sec36 thoughout on the Sec36	nd one half mile (Miles or feet) Tp. 36 S (N. or S.) e accompanying map.
ng within the	Canal (Smallest legal subdivision) Re county of Jackson canal (Rain ditch, canel or pipe line) (Smallest legal subdivision) the proposed location being si DESCRIPTION Of feet, lengt	to be2 of Sec36 to be2 of Sec36 hown throughout on the Sec36 thoughout on the Sec36	nd one half mile (Miles or feet) Tp. 36 S (N. or S.) e accompanying map.
ng within the	Canal (Smallest legal subdivision) Re county of Jackson canal (Main ditch, canel or pipe line) (Smallest legal subdivision) the proposed location being si DESCRIPTION Of feet, lengt crial to be used and character of sway over or around dam)	to be 2.2 to be 36 for Sec. 36 hown throughout on the property of the sec. 36 hown throughout on the sec. 36 for sec. 36 hown throughout on the sec. 36 for sec. 36	nd one half mile (Miles or feet) Tp. 36 S (N or 8.) e accompanying map. feet, length at bottom (Loose rock, concrete, masonry
ng within the	Canal (Smallest legal subdivision) the county of Jackson canal (Main ditch, canel or pipe line) e N. W. X. NR (Smallest legal subdivision) the proposed location being si DESCRIPTION of feet, length subdivision of the proposed location being si canal (Smallest legal subdivision) the proposed location being si percentage of the proposed location being si constructed to be used and character of the proposed location demander of the proposed location being si constructed to be used and character of the proposed location demander of the proposed location being si constructed to be used and character of the proposed location demander of the proposed location being si constructed to be used and character of the proposed location demander of the proposed location being si constructed to be used and character of the proposed location demander of the proposed location being si constructed to be used and character of the proposed location demander of the proposed location being si constructed to be used and character of the proposed location demander of the proposed location being si constructed to be used and character of the proposed location demander of the proposed location being si constructed to be used and character of the proposed location demander of the proposed location being si constructed to be used and character of the proposed location demander of the proposed location being si constructed to be used and character of the proposed location being si constructed to be used and character of the proposed location being si constructed to be used and character of the proposed location being si constructed to be used and character of the proposed location being si constructed to be used and character of the proposed location being si constructed to be used and character of the proposed location being si constructed to be used and character of the proposed location being since the propose	to be 2.0 to be 36 to be 36 to be 15 works th on top 15 fronstruction 100s	nd one half mile (Miles or feet) Tp. 36 S (N. or 8.) e accompanying map. feet, length at bottom te rock (Loose rock, concrete, masonry
ng within the	Canal (Smallest legal subdivision) the county of Jackson canal (Main ditch, canel or pipe line) e N. W. X. NR (Smallest legal subdivision) the proposed location being si DESCRIPTION of feet, length subdivision of the proposed location being si canal (Smallest legal subdivision) the proposed location being si percentage of the proposed location being si constructed to be used and character of the proposed location demander of the proposed location being si constructed to be used and character of the proposed location demander of the proposed location being si constructed to be used and character of the proposed location demander of the proposed location being si constructed to be used and character of the proposed location demander of the proposed location being si constructed to be used and character of the proposed location demander of the proposed location being si constructed to be used and character of the proposed location demander of the proposed location being si constructed to be used and character of the proposed location demander of the proposed location being si constructed to be used and character of the proposed location demander of the proposed location being si constructed to be used and character of the proposed location demander of the proposed location being si constructed to be used and character of the proposed location demander of the proposed location being si constructed to be used and character of the proposed location being si constructed to be used and character of the proposed location being si constructed to be used and character of the proposed location being si constructed to be used and character of the proposed location being si constructed to be used and character of the proposed location being si constructed to be used and character of the proposed location being si constructed to be used and character of the proposed location being since the propose	to be 2.3 to be 36. to be 16. of Sec. 36. hown throughout on the property of construction 100.	nd one half mile (Miles or feet) Tp. 36 S (N. or 8.) e accompanying map. feet, length at bottom te rock (Loose rock, concrete, masonry
ng within the No. Be 1	Canal (Smallest legal subdivision) the county of Jackson canal (Main ditch, canel or pipe line) e N. W. X. NR (Smallest legal subdivision) the proposed location being si DESCRIPTION of feet, length subdivision of the proposed location being si canal (Smallest legal subdivision) the proposed location being si percentage of the proposed location being si constructed to be used and character of the proposed location demander of the proposed location being si constructed to be used and character of the proposed location demander of the proposed location being si constructed to be used and character of the proposed location demander of the proposed location being si constructed to be used and character of the proposed location demander of the proposed location being si constructed to be used and character of the proposed location demander of the proposed location being si constructed to be used and character of the proposed location demander of the proposed location being si constructed to be used and character of the proposed location demander of the proposed location being si constructed to be used and character of the proposed location demander of the proposed location being si constructed to be used and character of the proposed location demander of the proposed location being si constructed to be used and character of the proposed location demander of the proposed location being si constructed to be used and character of the proposed location being si constructed to be used and character of the proposed location being si constructed to be used and character of the proposed location being si constructed to be used and character of the proposed location being si constructed to be used and character of the proposed location being si constructed to be used and character of the proposed location being si constructed to be used and character of the proposed location being since the propose	to be 2.0 to be 36 to be 36 for Sec. 36 hown throughout on the 36 th on top 15 for construction 1005 construction 1005 construction for the 36 concrete etc. number and state opening for the 36 construction for t	nd one half mile (Miles or feet) Tp. 36 S (N. or 8.) e accompanying map. feet, length at bottom (Loose rock, concrete, masonry the ajustable ereck and 3 for
ng within the	Canal (Smallest legal subdivision) Le county of Jackson Canal (Smallest legal subdivision) Le county of Jackson Canal (Smallest legal subdivision) The proposed location being significant being significa	to be	nd one half mile (Miles or feet) Tp. 36 S (N. or S.) e accompanying map. feet, length at bottom (Loose rock, concrete, masonry the njustable ereck and 3 for
ng within the	Canal (Main dich, canel or pipe line) (Simaliest legal subdivision) (Canal (Main dich, canel or pipe line) (N.W. X. N. X. (Simaliest legal subdivision) the proposed location being si DESCRIPTION Of feet, length subdivision of the proposed location being si DESCRIPTION of feet, length subdivision of f	to be	nd one half mile (Miles or feet) Tp. 36 S (N. or S.) e accompanying map. feet, length at bottom (Loose rock, concrete, masonry the njustable ereck and 3 for
ersion Works— 6. (a) Height of dam and clay and brush, timber crib, etc., waster (b) Description of h 2" x 12" the canal (c) If water is to be	Canal (Smallest legal subdivision) Le county of Jackson Canal (Smallest legal subdivision) Le county of Jackson Canal (Smallest legal subdivision) The proposed location being significant being significa	to be	nd one half mil- (Miner S.) nd one half mil- (Miner S.) nd one half mil- (M. or S.) nd one half mil- (M. or S.) nd one half mil- (N. or S.) nd one half mil-

^{*}A different form of application is provided where storage works are contemplated.
*Application for permits to appropriate water for the generation of electricity with the exception of municipalities, must be made to the Bydroelectric Commission. Either of the above forms may be secured, without cost, together with justications by addressing the fitted Engineer, Salem.

177				
	Pipe Line-		nal sakama inggantallar aham	ged in size, stating miles f
			: N	feet; width on bot
		The second secon		feet fall per
oand feet.	Canal	remains san	e size, with prev	rision for overflow
				ter line)
***************************************	feet; width on b	ottom	feet; depth of	water
e	feet fal	I per one thousa	nd feet.	
(c) Lengtl	of pipe,	ft.; ei	ze at intake,	in.; size at
intake		size at place of	use in.; d	lifference in elevation betu
ke and place	of use,	ft. Is 9		Estimated capa
	sec. ft.		Sec. 30, T	
	Ranca	rrigated, or plac	e of use	
Township North or Bouth	S. or W. of Willemotte Merk.hip	Section.	Porty-sore Tract	Number Acres To Be Irrigated
36 S.	2 🗷	30	NM x NW	10
36 S	2 E	30	NE x NW	10
36 S	2 E	30	SW x NW	31
36 S	2E	30	SE x NW	19
36 s	2E	30	SW x NB	8
36 S	2E	30	NW x NE	14
36 5	?E	30	NW x SW	39
36 S	2 E	30	NE x SW	30 25
36s	2E	30	SE x SW	33
36 S	le	25	SE X NE	17
30 S	i.b	25	NE x SE	to.
		1	Tot	al 206 cres
(a) Cl	raracter of soil		quired, attach separate sheet)	
	•	•		ture
	g Purposes—		a 4	1
9. (a) To	otal amount of p	ower to be deve	loped	theoretical horsep
(b) Q	uantity of water	to be used for po	ower	sec. ft.
(c) To	otal fall to be ut	ilized	feet.	
			,	be developed
	<u>.</u>		<u> </u>	; ;
(e) S1	uch works to be	located in	(Legal subdivision)	of Sec.
	•	, W. M		
			eam?	
•		-	(Yes or No) nt of return	
	*	•		, R, (No E. or W.)
		,	Ma N or	t) (No Y or W)

	26477
10. (a) To supply the city of	4
County, having a present population of	22
d an estimated population of in 19	
(b) If for domestic use state number of families to be supplied	
(Assessed considered II. 43, 14, and 14 to 40 counts	
11. Estimated cost of proposed works, \$	
12. Construction work will begin on or before	
13. Construction work will be completed on or before	96k Oct 1 1961 Oct. 1, 1962
14. The water will be completely applied to the proposed use on or b	refore
V Plat can	de Skller
J. Hogel View	Distance of applicant)
Remarks: This application is supplementary	to ry application
# 24075, already on file. It is part of Rese	rvoir Permit # 1839
Lso on record. The nurpose of this application	* · · · · · · · · · · · · · · · · · · ·
water supply rights from the stream described h	
	•
nadequacy of existing supply.	•
	•
•	
No.	
STATE OF OREGON,)	
County of Marion,	•
This is to certify that I have examined the foregoing application	together with the accompanies
	• "
naps and data, and return the same for	
In order to retain its priority, this application must be returned t	o the State Engineer, with corre
	o the State Engineer, with corre
	o the State Engineer, with corre
tions on or before, 19, 19	
tions on or before, 19, 19	
tions on or before, 19, 19	
tions on or before, 19, 19	

7.

, ASSISTANT

cial use
rom the
305 .
······································
foot per
mited
during
No.
rther
ler any
ed
to the
more
at
er.
nd shall
L
, 19 ⁶²
GINEER
20
Ŋ
page
٨
3
No.
Basir
Drainage Basin No. 15. page 32C
Drais Fees