"Abstack the resident

To Appropriate the Public Waters of the State of Oregon

| | | d i mallari mater de co e o e e escenari e e e e e e e e e e e e e e e e e e e |
|--|--|--|
| P. 9. New 2001, Greate Pass | to the second second | ************************************** |
| ote of do hereb | y make application | for a permit to appropriate th |
| llowing described public waters of the State of Oreg | | |
| | P. A. S. | |
| If the applicant is a corporation, give date and pi | lece of incorporati | 98 |
| | .,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | |
| 1. The source of the proposed appropriation is | No Name | |
| | | (Name of stream) |
| , a tributa | | The second secon |
| 2. The amount of water which the applicant inter | ids to apply to ber | reficial use is |
| bic feet per second. | | ************************************* |
| **3. The use to which the water is to be applied is | om more than one source, Domestii e | give quantity from each) (water for a lodge and |
| three cabins) | (Brigation, power, ma | ning, manufacturing, demonstic supplies, etc.) |
| GILTE CAULDS) | · | |
| 4. The point of diversion is located ft. | and | ft from the |
| rner of South 310 East, 970 feet i | rom the North | est corner of the |
| (Beckles | or subdivision) | |
| Soston Placer Claim, government survey no. | 602, Section 3 | 5, Township 33 South, |
| | nealt stone 27" | x 12" x 9", marked |
| 3-3 SC-2 862. (If preferable, give distance and (if there is more than one point of diversion, each small | bearing to section corner) | short if noosenzy) |
| (If there is more than one point of diversion, each most ring within the Southeast 1/4 of the Southeast (Give smallest legal subdivision) | bearing to section corner) | short if noosenzy) |
| (If there is more than one point of diversion, each most ring within the Southeast 1/4 of the | bearing to section corner) be described. Use separate 18th 1/4 of Sec 3 | 5 , Tp. 33 South |
| (If there is more than one point of diversion, each sunit sing within the Southeast 1/h of the Southeast light subdivision) 9 West , W. M., in the county of Josephine (2 cw W.) 5. The Pipeline (Main ditch, canal or pipe itms) | bearing to section corner) be described. The separate sect. 1/4 of Sec | 1120 feet |
| (If there is more than one point of diversion, each sunit sing within the Southeast 1/h of the Southeast light subdivision) 9 West , W. M., in the county of Josephine (2 cw W.) 5. The Pipeline (Main ditch, canal or pipe itms) | bearing to section corner) be described. The separate sect. 1/4 of Sec | 1120 feet |
| (If there is more than one point of diversion, each sunit sing within the Southeast 1/h of the Care w.) 9 West , W. M., in the county of Josephine (2 or w.) 5. The Pipeline (Smallest legal subdivision) length, terminating in the Bortalist legal subdivision | bearing to section corner) be described. The separate to July of Sec | 1120 feet (Miles or feet) 7p. 33 South (N. or 8.) 1120 feet (Miles or feet) 7p. 33 South (N. or 8.) |
| (If there is more than one point of diversion, each most ing within the Southeast 1/k of the | bearing to section corner) be described. Use separate left. 1/4 of Sec to be shown throughous | 1120 feet (N. or 8.) Tp. 33 South (N. or 8.) 1120 feet (Nilles or feet) 7p. 33 South (N. or 5.) |
| (If there is more than one point of diversion, each small ing within the Southeast 1/k of the | bearing to section corner) be described. Use separate left. 1/4 of Sec to be shown throughous | 1120 feet (N. or 8.) Tp. 33 South (N. or 8.) 1120 feet (Nilles or feet) 7p. 33 South (N. or 5.) |
| (If there is more than one point of diversion, each small ring within the Southeast 1/k of th | bearing to section corner) be described. Use separate left. 1/4 of Sec to be shown throughous OF WORKS | 1120 feet (N. or s.) Tp. 33 South (N. or s.) 1120 feet (Miles er feet) 35 , Tp. 33 South (N. or s.) t on the accompanying map. |
| (if there is more than one point of diversion, each small ring within the Southeast 1/h of th | bearing to section corner) be described. Use separate left. 1/4 of Sec to be to be shown throughous OF WORKS gth on top | 1120 feet (Mors.) Tp. 33 South (Nors.) 1120 feet (Miles er feet) 35 |
| (if there is more than one point of diversion, each small ring within the Southeast 1/h of th | bearing to section corner) be described. Use separate left. 1/4 of Sec to be to be shown throughous OF WORKS gth on top | 1120 feet (N. or 5.) Tp. 33 South (N. or 5.) 1120 feet (Miles er feet) 35 |
| (if there is more than one point of diversion, each most sing within the Southeast 1/h of the | bearing to section corner) be described. Use separate left. 1/4 of Sec to be to be shown throughous OF WORKS gth on top | 1120 feet (M. or 8.) 1120 feet (M. or 8.) Tp. 33 South (N. or 8.) t on the accompanying map. feet, length at bottom |
| (If there is more than one point of diversion, each most eing within the Southeast 1/4 of the | to be to be shown throughout of WORKS gth on top | 1120 feet (N. or S.) 1120 feet (Rolles er feet) 35, Tp33 _South (N. or S.) t on the accompanying map. feet, length at bottom Concrete. (Loose rock, concrets, mason |
| (If there is more than one point of diversion, each most eing within the Southeast 1/h of Josephine (Early) 5. The Pipeline (Smallest legal subdivision to length, terminating in the Normalised legal subdivision (Smallest legal subdivision (Smallest legal subdivision (E. or W.) DESCRIPTION (I or W.) Ofeet; material to be used and character wasteway over top (the and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate None | bearing to section corner) be described. Use separate left. 1/4 of Sec to be to be shown throughous OF WORKS gth on top | 1120 feet (N. or S.) 1120 feet (Rolles er feet) 35, Tp33 _South (N. or S.) t on the accompanying map. feet, length at bottom Concrete. (Loose rock, concrets, mason |
| (Main dich, canal or pipe iline) a length, terminating in the least the (Amalest legal subdivision to the (Amalest legal subdivision to the proposed location being (E. ce W.) DESCRIPTION iversion Works— 6. (a) Height of dam | bearing to section corner) be described. Use separate left. 1/4 of Sec to be to be shown throughout OF WORKS gth on top | 1120 feet (N. or S.) 1120 feet (Rolles er feet) 35, Tp33 _South (N. or S.) t on the accompanying map. feet, length at bottom Concrete. (Loose rock, concrets, mason |
| (If there is more than one point of diversion, each most eing within the Southeast 1/4 of the | bearing to section corner) be described. Use separate left. 1/4 of Sec to be to be shown throughout OF WORKS gth on top | 1120 feet (N. or S.) 1120 feet (Rolles er feet) 35, Tp33 _South (N. or S.) t on the accompanying map. feet, length at bottom Concrete. (Loose rock, concrets, mason |
| (if there is more than one point of diversion, each small ring within the Southeast 1/k of Josephine (Example of the Southeast 1/k of t | bearing to section corner) be described. Use separate that 1/4 of Sec. 3 to be to be shown throughout OF WORKS gth on top 12 r of construction mber, concrete, etc. number | 1120 feet (N. or S.) 1120 feet (Ables or feet) 35 |



| | Ape Line- | 化二丙胺 化二十二烷烷 | | | | ed in size, stating miles fr |
|---|---|------------------|---|---|---|---------------------------------------|
| | ALL OF ALLOW HO | | | | | feet; width on botto |
| | | V | | • : | | 하시는 사람들이 하시 사람들이 살아 있다. |
| pend feet. | | | | | | feet fall per o |
| (b) At | | miles from he | radgate: width | on top | (at water | r line) |
| *************************************** | feet; width on b | ottons | **************** | . feet; d | epth of w | pater fe |
| • | feet fal | l per one thou | sand feet. | : | | • • • • • • • • • • • • • • • • • • • |
| (c) Length | of pipe, | 120 7.; | size at intake | y | 2 | in.; size at 1120 |
| intake | 2in.; | size at place | of use | ~~~~~ | in.; dif | ference in elevation betwe |
| ke and place | of use,200 | ft. I | s grade unifor | m? | No | Estimated capaci |
| | sec. ft. | | | | | |
| 8. Location | n of area to be i | irrigated, or pl | | | | , garden, in SW corne |
| Township North or South | Ratigo S. or V. of Williametto Moridian | Section | | -acre Tract | | Number Acres To Be Irrigated |
| 7 33 S | R 9 W | 35 | NE 1/4 ô | 7 SV 1 | / 4 | Domestic for Lodge, |
| | | 1 | | | | three cabins, & gard |
| | | , ' | | A | *************************************** | |
| | * 15265 | | | | | |
| | | ; | | | | |
| | | | <u> </u> | | | |
| · · · · · · · · · · · · · · · · · · · | | | | | . 1 | |
| | | | | | i . | |
| | | <u> </u> | <u> </u> | | | |
| • | | - | | | | |
| | | | | | `` | · |
| | | | | | | |
| | | | | | | |
| (a) Ch | | | e required, attach ser Loam | parate shee | - | |
| | aracter of soil. | •••• | *************************************** | | •••••••• | |
| | nd of crops raise g Purposes— | ed | Oar Gen | • | | |
| - | - · · | ower to be de | veloped | • | | theoretical horsepor |
| (b) Q | uantity of water | to be used for | power | | S(| ec. ft. |
| | otal fall to be ut | • | | | • | |
| | | | | | | developed |
| (6) 17 | ie nature of the | works og meu | nes of which th | ie powe | . 13 10 06 | |
| | | | | | ••••• | - |
| | | | | d subdivisio |) (as) | of Sec. |
| (No. N. or | , R | , W. | М. | | | |
| (f) Is | water to be ret | urned to any s | tream?(Yes | or No) | | |
| (g) If | so, name stream | n and locate p | point of return | | ······ | |
| ······································ | | , Sec | | Гр | | , R, W |
| | | | | | | |

| Muntchel or Describe Supply | |
|--|--|
| M. (a) To supply the ci | |
| · | denty, heritag a present population of |
| | · · · · · · · · · · · · · · · · · · · |
| (b) If for distinction | tes exists another of families to be supplied |
| | ASSESSED 4 |
| 11. Harimated cost of pro | pposed works, <u>1 / 000 =</u> |
| | oll begin as or before the remain |
| | |
| 병원 경험하는 사람들은 사람들은 기가 가지 않는 것이다. | |
| 14. The water shill be co | empletely applied to the proposed use on or before |
| | A/II Ost A |
| | sally (ftilesu) |
| | |
| Remarks: This wo | rk has been done for about twenty-four years. There has |
| er i de la destrucción de la definitación de la companya de la companya de la companya de la companya de la co | een a water right granted, as it is isolated. However, |
| | |
| | are selling several lots and want the water right legalized |
| | |
| 4 | |
| *************************************** | 7 |
| c c | |
| | |
| *************************************** | |
| *************************************** | |
| ************************************* | |
| *************************************** | |
| *************************************** | |
| | |
| | |
| ************************************** | |
| STATE OF OREGON, | |
| County of Marion, | |
| This is to certify that | I have examined the foregoing application, together with the accompany |
| maps and data, and return th | ne same for completion |
| | |
| In order to retain ite. | priority, this application must be returned to the State Engineer, with corr |
| | |
| tions on or dejore reorus | ry 23, 19.60. |
| | |
| WITNESS my hand the | is23rdday ofDecember, 1959 |
| | |
| · · · | FRIAEL |
| • | JAN 20 1980 HENTS A. STANLEY |
| | SOLVE BACKNEER |
| | 2/11/1/2 |

| The Later Expenses and the Later Control of the Lat |
|--|
|--|

Application No. 33491