

*Permit No. 265

APPLICATION FOR A PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

I, Geo. A. Hamilton
(Name of Applicant)

of Grants Pass, County of Josephine
(Postoffice)

State of Oregon, do hereby make application for a permit to appropriate
the following described public waters of the State of Oregon, subject to existing rights.

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Fruitdale Creek
(Name of stream)

2. The amount of water which the applicant intends to apply to beneficial use is one-half
 $\frac{1}{2}$ cubic feet per second.

3. The use to which the water is to be applied is Irrigation
(Irrigation, power, mining, manufacturing,
domestic supplies, etc.)

4. The point of diversion is located 85 2/3 rods south and 22 1/3 rods east of the
(Give distance and bearing to section corner)
north-west corner of Sec. 28

being within the SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Sec. 28, Tp. 36 South
(Give smallest legal subdivision) (No. N. or S.)

R. 5 West, W. M., in the County of Josephine, State of Oregon
(No. E. or W.)

5. The main ditch to be about one-
(Main ditch, canal or pipe line)
third miles in length, terminating in the SW $\frac{1}{4}$ of Sec. 21, Tp. 36S,
(Smallest legal subdivision) (No. N. or S.)

R. 5 W, W. M., the proposed location being shown throughout on the accompanying map.
(No. E. or W.)

6. The name of the ditch, canal or other works is

Description of Works

Diversion Works—

7. (a) Height of dam four feet, length on top ten feet, length at bottom
eight feet; material to be used and character of construction

(Loose rock, concrete,

Sacks of sand; wasteway over dam.
masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate wood; one opening 8 x 12.
(Timber, concrete, etc., number and size of openings)

*A different form of application is provided where an appropriation is to be made by the enlargement of existing works, or where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

Canal System—

8. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: Width on top (at water line).....feet; width on bottom.....feet; depth of water.....feet; grade.....feet fall per 1000 feet.

(b) At.....miles from headgate: Width on top (at water line).....feet; width on bottom.....feet; depth of water.....feet; grade.....feet fall per 1000 feet.

Fill in the Following Information Where the Water is Used for:

Irrigation—

9. The land to be irrigated has a total area of forty (40).....acres, located in each smallest legal subdivision, as follows: The South-West Quarter of the South-West Quarter of Sec. 21 in Township 36 South, Range 5 West of Willamette Meridian in Josephine County, State of Oregon.
(Give area of land in each smallest legal subdivision which you intend to irrigate)

(If more space required, attach separate sheet)

Power, Mining, Manufacturing or Transportation Purposes—

10. (a) Total amount of power to be developed.....horsepower.

(b) Total fall to be utilized.....feet.
(Head)

(c) The nature of the works by means of which the power is to be developed.....

(d) Such works to be located in.....of Sec.....
(Legal subdivision)

Tp....., R....., W. M.
(No. N. or S.) (No. E. or W.)

(e) Is water to be returned to any stream?.....
(Yes or No)

(f) If so, name stream and locate point of return.....

.....Sec., Tp., R....., W. M.
(No. N. or S.) (No. E. or W.)

(g) The use to which the power is to be applied is.....

(h) The nature of the mines to be served.....

Municipal Supply—

11. To supply the city of.....
.....County, having a present population of.....and an estimated
(Name of)
population of.....in 19.....

12. Estimated cost of proposed works, \$ 100 One hundred dollars.

13. Construction work will begin on or before.....As soon as Grant is allowed.

14. Construction work will be completed on or before One week

15. The water will be completely applied to the proposed use on or before.....
One week after notice of grant is received.

Duplicate maps of the proposed ditch or other works, prepared in accordance with the rules of the Board of Control, accompany this application.

Geo. A. Hamilton.

(Name of Applicant)

Signed in the presence of us as witnesses:

(1) Worth Hamilton Grants Pass, Oregon.
(Name) (Address of Witness)

(2) H. Tantlinger " " "
(Name) (Address of Witness)

Remarks: Fruitdale Creek goes dry before July first. There are about two acres irrigated in the SW 1/4 of NW 1/4 and NW 1/4 of SW 1/4 of Sec. 28, same township and Range and both are covered by water rights, I understand, but I will not conflict with them as I want water earlier than they for strawberries and garden.

Enclosed map is practically correct.

STATE OF OREGON,

County of Marion

} ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion, as follows:

Correction to Answer 9 and fees.

In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before May 26, 1910.

WITNESS my hand this 26 day of April, 1910.

John H. Lewis

PAC

State Engineer.

Application No. 646

Permit No. 265

PERMIT

To appropriate the public waters of the State of Oregon

Division No. 1 District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 21 day of April

1910, at 8:00 o'clock A.M.

Returned to applicant for correction

April 26, 1910

Corrected application received

April 28, 1910

Approved

Apr 28 1910

Recorded in Book No. 1 of Permits on

Page 265

John H Lewis

State Engineer

\$9.00

STATE OF OREGON,

County of Marion

} ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions:

The appropriation for irrigation purposes shall be limited to one-eightieth of one cu. ft. per sec. for each acre irrigated.

The amount of water appropriated shall be limited to the amount which can be applied to beneficial use and not to exceed one-half (1/2) cubic feet per second.

Actual construction work shall begin on or before April 28, 1911 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

April 28, 1912

Complete application of the water to the proposed use shall be made on or before

April 28, 1913

WITNESS my hand this 28th day of April, 1910

John H Lewis

State Engineer.

9