

RECEIVED
JAN 15 1933
STATE ENGINEER
SALEM, OREGON

Permit No. 26527

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, McKinley Grange No. 552,
(Name of applicant) Myrtle Point, Oregon.
of Mrs. Priscilla Mast, Secretary, Box 104 Sitkum Route,
(Mailing address)
State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is a spring on unnamed branch
(Name of stream)
Cherry Creek, a tributary of Cherry Creek.

2. The amount of water which the applicant intends to apply to beneficial use is 3/100
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is domestic supplies
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1338.0 ft. S and 353.0 ft. W from the SE
(N. or S.) (E. or W.)
corner of SE 1/4 of the SW 1/4 of Section 34, T. 27 S., R. 11 W. W. M. and 1 1/2
(Section or subdivision)
inch reference post stands 1325.4 ft. south and 375.3 W. of the same
point.
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the Lot 3
(Give smallest legal subdivision) of Sec. 3, Tp. 28 S.
(N. or S.)
R. 11 W., W. M., in the county of Good.
(E. or W.)

5. The pipe line
(Main ditch, canal or pipe line) to be 2200
(Miles or feet)
in length, terminating in the SE 1/4 of the SW 1/4 of Sec. 34, Tp. 27 S.
(Smallest legal subdivision) (N. or S.)
R. 11 W., W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—
6. (a) Height of dam none feet, length on top feet, length at bottom
 feet; material to be used and character of construction
(Loose rock, concrete, masonry)

Catchment basin at spring diverting water into 100 gal. tank at 60 ft.
rock and brush, timber crib, etc. wasteway over or around dam)

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description
(Size and type of pump)
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Municipal or Domestic Supply

26527

10. (a) To supply the city of _____
County, having a present population of _____
and an estimated population of _____ in 19 _____

(b) If for domestic use state number of families to be supplied _____
(Number questions H, G, H, and H in all cases)

- 11. Estimated cost of proposed works, \$ 1500.00
- 12. Construction work will begin on or before June 1, 1960
- 13. Construction work will be completed on or before Aug. 1, 1960
- 14. The water will be completely applied to the proposed use on or before Sept. 1, 1960

McKINLEY GRANGE NO. 582

Wm. Grant Willcox (authorized agent)

Remarks:

*Cherry Creek is a small park of about 200 acres and that
is in park at any one time
The outlet will be put in center of park
All water will be used in T. 27. R. 11. W. Sec. 34. S. E. 1/4. S. W. 1/4.*

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____ completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before March 25, 1960

WITNESS my hand this 25th day of January, 1960

LEWIS A. STANLEY

STATE ENGINEER

RECEIVED
JAN 25 1960
STATE ENGINEER

Walter N. Perry
Walter N. Perry

ASSISTANT

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.03 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from unnamed spring

The use to which this water is to be applied is domestic use in grange hall, one family dwelling and Cherry Creek public park, being 0.01 c.f.s. for each.

If for irrigation, this appropriation shall be limited to - - of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is January 13, 1960

Actual construction work shall begin on or before March 1, 1961 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1961

Complete application of the water to the proposed use shall be made on or before October 1, 1962

WITNESS my hand this 1st day of March 1960 [Signature] STATE ENGINEER

Application No. 33542
Permit No. 26527

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 13th day of January 1960 at 8:00 o'clock A. M.

Returned to applicant:

Approved:

March 1, 1960

Recorded in book No. 72 of
Permits on page 26527

LEWIS A. STANLEY
STATE ENGINEER

Drainage Basin No. 17 page 22H
Fees