

PAPER ACADEMIC DOE PRESENT

To Appropriate the Public Waters of the State of Oregon

I,	Gertrude Tucker known as Pearl Tucker
of	Reute #1, Box 636 B, Bandon
State o	do hereby make application for a permit to appropriate the
3.80	ng described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
•	f the applicant is a corporation, give date and place of incorporation
	(A+++)-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1
. 1	. The source of the proposed appropriation isCrooked Creek
	, a tributary of Pacific Ocean
2	. The amount of water which the applicant intends to apply to beneficial use is $\frac{5}{20}$
cubic fe	ect per second
**3	The use to which the water is to be applied is irrigation (Artisation, power, mining, manufacturing, domestic supplies, etc.)
4	. The point of diversion is located 456.5 ft. N and 110.2 ft. E from the NW
	of NE2 NE2 of Sec. 18, 7-29 S., R.14 V.W. (Rection or subdivision)
	reference pine stands 437 ft. North and 105 ft. dast of same
point	,
	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) of the SE1 of the SE1 of the SE1 of the SE1 (Give smallest legal subdivision) W. M. is the county of COOS
	w. W. M., in the county ofCaas.
	. The main pine line to be 840 ft. (Miles or feet)
	th, terminating in the NUL of the NEL of Sec. 18. Tp. 27 (N. or S.)
R. 14	W, W. M. the proposed location being shown throughout on the accompanying map.
	DESCRIPTION OF WORKS
	on Works—
, 0	i. (a) Height of dam feet, length on top feet, length at bottom
	feet; material to be used and character of construction (Loose rock, concrete, masonry)
	rush, timber crib, etc., wasteway over or around dam)
.(b) Description of headgate(Timber, concrete, etc., number and size of openings)
	c) If water is to be pumped give general description 2" split case centrifucal (Size and type of pump)
	bowered by 20 A. P. electric covor raising water 36 t.
Dumo	(filize and type of engine or motor to be used, total head water is to be lifted, etc.)

^{*}A different form of application is provided where storage works are contemplated.

^{**}Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Rydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem,

	de Pina Line	

gate. At hous	igate: width on t	op (at water li	Re)	feet; width on bottom
and the second of the second o	feet; depth of w	uiet	feet; grade	feet fall per on
and feet. (b) At		miles from hea	dgete: width on top (at u	pater line)
				of water fee
Recognition				
	feet fall			
(c) Length	of pipe,840.	ff.; s	rize at intake,	in.; size at
intake	in.;	size at place of	use 4 in.	difference in elevation between
ce and place	of use,36	ft. Is	grade uniform?	Estimated capacit
.5	sec. ft.			
8. Locatio		rrigated, or pla	ce of use	
Township	Range R. or W. of Willemotte Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
North or South	<u> </u>	1		
9 S.	14 V.	18	NAT AET	3.70
9 S.	14 W.	18	NET NET	0.95
	11.			
	•			
		,	· '	
		(If more space	required, ettech separate sheet)	
(a) C	haracter of soil	peat		
(b) K	ind of crops raise	d cranbe	rries	
	ng Purposes		•	
9. (a) T	otal amount of p	ower to be dev	eloped	theoretical horsepor
(b) G	uantity of water	to be used for	power	sec. ft.
(c) T	otal fall to be ut	ilized	fee	et.
			(to be developed
				or the second se
(e) S	Such works to be	located in	(Legal subdivision)	of Sec.
	, R(No		•	
			tream?(Yes or No)	
		•	***	
(9).4	,,,			
		C	m	, R, V.

es estimated population of	fn 19			•
" (b) If for domettle use state samb		e supplied		
	lefe (1, 43, 15, and 16 to 25 o		-	•
11. Estimated cost of proposed works, \$.	1.000			
12. Construction work will begin on or	elektrik i kalendari	1.960	in the second	
	and the second	2.4		••••••
13. Construction work will be complete				
14. The water will be completely applied	I to the proposed u	se on or before	Sept. 3	1962
	Dertrude		- P	0 L.
	Zurinae	Michelle (Signature	of applicant)	ru vu
	· · · · · · · · · · · · · · · · · · ·	•••••		
Remarks: The point of divers	ion, the pum	p. and. the.	pipe line	are
dentical with that shown on	water right	applicatio	n made pr	eviously
y H. R. Inks and Walter Tuck				
		,	······································	••••••••
<u></u>	<u> </u>		••••••••••••	······································
	•••••••••••••••••••••••••••••••••••••••			
	······································	·		•••••
•				,
		1.		
	•••••••	······································	••••••••	
	•••••••••			•

CATE OF OREGON,		1		
County of Marion,				
This is to certify that I have examine	d the foregoing ap	plication, toge	ther with the	accompanyi
aps and data, and return the same for			······································	
In order to retain its priority, this ap	plication must be r	eturned to the	State Enginee	r, with corre
ons on or before		. ,		
•		•	•	
	_			
WITNESS my hand this da	y of			, 19

	4	RIGHTS and the follow nted is limited to the an	•	*	!	to beneficial use
and shall	not exceed Q.	06 cubic feet pe	er second n	neasured a	t the point of d	iversion from the
stream, or	its equivalent in	case of rotation with o	ther water	users, fro	m Crooked Cr	eek
**************		***************************************	***************************************			
************	***************************************					
The	use to which this	water is to be applied	ie_irriga	tion of	cranberries	
		***************************************		· · · · · .		

If fo		ranberries appropriation shall be li	mited to	0.1	of	one cubic foot per
second or	its equivalent for	each acre irrigated81)	d shall t	e furthe	r limited to	a diversion of
not to e	exceed 0.75 acr	e-foot for each ac	re irriga	ted in a	ny 30 day per	iod and shall
be still	further limit	ed to a diversion	of not to	exceed	6 acre-feet r	er acre during
the irri	gation season	of each year; if f	or irriga	tion of	any other cro	p this approp-
riation	shall be limit	ed to 1/80th of on	e cubic	oot per	second or its	equivalent
for each	acre irrigate	ed and shall be fur	ther lim	ted to a	diversion of	not to exceed
2½ acre	feet per acre	for each acre irri	gated du	ing the	irrigation se	ason of each
year;		· · · · · · · · · · · · · · · · · · ·	·····			
			•			
and shall	be subject to such	reasonable rotation sys	item as ma	y be order	ed by the proper	state officer.
		his permit is				
Act	ual construction i	work shall begin on or	before	April	11, 1961	and shal
thereafter	be prosecuted w	ith reasonable diligence	and be co	mpleted or	ı or before Octob	ет 1, 19.61
Con	nplete application	of the water to the pro	posed use :	shall be me	ade on or before	October 1, 19. 62.
WI:	TNESS my hand t	his 11th day	of	April	, 19 60	<u>) </u>
		•	***************************************	5th	ria 4. Esta	inly
				· ,		BIAME ENGINEER
. 1	 	<u> </u>			5	: I
	ပ	This instrument was first received in the ice of the State Engineer at Salem, Oregon, the L.S. h. day of LKDLKH Y.	į			TANIEN STATE ENGINEER page 4 E
0.0	UBLI	em, C			. 0	TANLEY STATE ENGINEE Page 4E
55	STA	t rece it Sal it Sal			1960 72 2 6555	STAN
3 %	PERMIT DPRIATE THI RS OF THE S OF OREGON	s first			_	LEVIS A. STANLEY STATE EN 10. / 7 page
No.	ERI SIAT OF	t was Engin y of t	ınt:		11, k No	EVIS
Application No. 335/69. Permit No. 36559	PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	This instrument was first received in ice of the State Engineer at Salem, Or the LET hay of CROCKET HA.	turned to applicant:		April 11, 1960 Recorded in book No. 72. rmits on page	LFN ainage Basin No.
pplic ermit	APPI	the S	l to aj	'n	A ded i	Basi
A q	100	his i re of C, at	ımea	proved	lecor nits	nage

office of the State Engineer at Salem, Oregor on the LES the day of ANDWAR 19.60, at . S. Q. Q. o'clock . A. M.

Returned to applicant:

Approved:

Recorded in book No. 72 Permits on page

April 11, 1960

Drainage Basin No.

Fees

State Printing 96137