RECEIVED

To Appropriate the Public Waters of the State of Oregon

Stanfield, Oregon Chains adversed Chains adversed adversed adversed Chains adversed adversed adversed Chains adversed adversed adversed adversed adversed adversed Chains adversed concerts maked Chains adversed concerts and adversed ad	, Blanche Kennison	
Committee in the country of the profession is located 30. ft. 1. and 10. ft. 2. from the 31. The point of diversion is located 30. ft. 1. The point of diversion is located 30. ft. 1. The point of diversion is located 30. ft. 1. The point of diversion is located 30. ft. 1. The point of diversion is located 30. ft. 1. The point of diversion is located 30. ft. 1. The point of diversion is located 30. ft. 1. The point of diversion is located 30. ft. 1. The point of diversion is located 30. ft. 1. (It was a manufacturing domastic nupriles, etc.) (It can be a manufacturing to be applied is 1. The point of diversion is located 30. ft. 1. and 10. ft. 2. from the 31. or 1. and 10. ft. and 10. ft. 2. from the 31. or 1. and 10. ft. 2. from the 31. or 1. and 10. ft. 2. from the 31. or 1. and 10. ft. 2. from the 31. or 1. and 10. ft. 2. from the 31. or 1. and 10. ft. 2. from the 31. or 1. and 10. ft. 2. from the 31. and 31.	Stanfield, Gregon	d applicant)
If the applicant is a corporation, give date and place of incorporation	(Miniting address)	2.5 A 3.7 A 3.7
If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is	hate of, do hereb	by make application for a permit to appropriate th
1. The source of the proposed appropriation is	ollowing described public waters of the State of Oreg	on, Subject to existing rights:
1. The source of the proposed appropriation is	If the applicant is a corporation, give date and p	place of incorporation
2. The amount of water which the applicant intends to apply to beneficial use is which feet per second. (If water is to be used from new, this was source, are quantity from such) **3. The use to which the water is to be applied is ITTLEATION. (Projection, power, mining, manufacturing, demostic supplies, etc.) 4. The point of diversion is located 30 ft. (If water is and 10 ft. (If or w) from the of city of		
2. The amount of water which the applicant intends to apply to beneficial use is which feet per second. (If water is to be used from new, this was source, are quantity from such) **3. The use to which the water is to be applied is ITTLEATION. (Projection, power, mining, manufacturing, demostic supplies, etc.) 4. The point of diversion is located 30 ft. (If water is and 10 ft. (If or w) from the of city of	1. The source of the proposed appropriation is	Program Spring Prainage disch Con C
2. The amount of water which the applicant intends to apply to beneficial use is while feet per second. (If water is to be used from more than one source, are quantity from each) ***3. The use to which the water is to be applied is Irrication (brigation, power, mining, manufacturing, domestic nupplies, etc.) 4. The point of diversion is located 30 ft. 10 or 4) (If water is more than one point of diversion, each must be described. Use separate short if accessary) (If water is more than one point of diversion, each must be described. Use separate short if accessary) (If water is more than one point of diversion, each must be described. Use separate short if accessary) (If water is more than one point of diversion, each must be described. Use separate short if accessary) (If water is more than one point of diversion, each must be described. Use separate short if accessary) (If water is more than one point of diversion, each must be described. Use separate short if accessary) (If water is to be more point of diversion, each must be described. Use separate short if accessary) (If water is to be pumped give general described to section to the accompanying map. (If water is to be pumped give general description 15 4P Contritural (If water is to be pumped give general description 15 4P Contritural (If water is to be pumped give general description 15 4P Contritural (If water is to be pumped give general description 15 4P Contritural (If water is to be pumped give general description 15 4P Contritural (If water is to be pumped give general description 15 4P Contritural		
whice feet per second. (If water to to be used from more, than one source, give quantity from each) **3. The use to which the water is to be applied is	, a tributa	ry of
4. The point of diversion is located 30 ft and 10 ft from the of consent supplies, etc.) 4. The point of diversion is located 30 ft and 10 ft from the of consent supplies, etc.) 4. The point of diversion is located 30 ft and 10 ft from the of consent supplies, etc.) 4. The point of diversion is located 30 ft and 10 ft from the of consent supplies, etc.) 4. The point of diversion is located 30 ft and 10 ft from the of consent supplies, etc.) 4. The point of diversion is located 30 ft and 10 ft from the of consent supplies, etc.) 4. The point of diversion is located 30 ft and 10 ft from the of consent supplies, etc.) 4. Check supplies to supplies the supplies of consents the distribution of sec. 31 ft from the of consents supplies the supplies and supplies the consents supplies the consent	2. The amount of water which the applicant inte	nds to apply to beneficial use is
4. The point of diversion is located 30 ft and 10 ft from the of consent supplies, etc.) 4. The point of diversion is located 30 ft and 10 ft from the of consent supplies, etc.) 4. The point of diversion is located 30 ft and 10 ft from the of consent supplies, etc.) 4. The point of diversion is located 30 ft and 10 ft from the of consent supplies, etc.) 4. The point of diversion is located 30 ft and 10 ft from the of consent supplies, etc.) 4. The point of diversion is located 30 ft and 10 ft from the of consent supplies, etc.) 4. The point of diversion is located 30 ft and 10 ft from the of consent supplies, etc.) 4. Check supplies to supplies the supplies of consents the distribution of sec. 31 ft from the of consents supplies the supplies and supplies the consents supplies the consent	ubic feet per second.	
(Breferble, gree distance and long of large and larg		Tunication
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) eing within there of the SN and the SN and the subdivision of Sec. 51 Tp. 4. (R. e. w.) , W. M., in the county of Umatilla 5. The Pump out Main Ditch to be No Permanent Fipe (Main ditch, canal or pipe line) (Main ditch, canal or pipe line) a length, terminating in the Shown Above (mainstellegal subdivision) of Sec. 51 Tp. 4. (R. e. w.) , W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS fiversion Works— 6. (a) Height of dam feet, length on top feet, length at botto feet; material to be used and character of construction (Loose rock, concrete, mason ock and brush, tumber crib, etc. wasteway over or around dam) (b) Description of headgate Timber Sump (Timber, concrete, etc., number and size of openings) 7. Phase Electric Pump - Approx. 4 Ft. Liit	and the distribution of the design of the de	(Brigation, power, mining, manufacturing, domestic supplies, etc.)
eing within the state of the state (Give smallest legal subdivision) of Sec. 31 , Tp. 4. 295) (Bectlo	n or subdivision)
eing within the Se of the Se (Give smallest legal subdivision) of Sec. 31 , Tp. 4; (Give smallest legal subdivision) (N. or s.) (S. or W.) (S. or W.) (S. or W.) (Main ditch. canal or pipe line) (Malin ditch. canal or pipe line) (Malin ditch. canal or pipe line) (In length, terminating in the Shown Above (Smallest legal subdivision) (N. or s.) (R. or W.) (R		
eing within the Se of the Se (Give smallest legal subdivision) of Sec. 31 , Tp. 4; (Give smallest legal subdivision) (N. or s.) (S. or W.) (S. or W.) (S. or W.) (Main ditch. canal or pipe line) (Malin ditch. canal or pipe line) (Malin ditch. canal or pipe line) (In length, terminating in the Shown Above (Smallest legal subdivision) (N. or s.) (R. or W.) (R	(M preferable, give distance and	bearing to section corner)
(See W.) 5. The Pump out Main Ditch to be No Permanent Fipe (Main ditch, canal or pipe line) (Miles or feet) 1. Length, terminating in the Shown Above of Sec. 51 Tp. 41 (Nors) 1. Length, terminating in the proposed location being shown throughout on the accompanying map. 1. Length of dam feet, length on top feet, length at botto feet; material to be used and character of construction (Loose rock, concrete, mason ck and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate limber Sump (c) If water is to be pumped give general description 15 4P Centrituel (Size and type of pump) 5. Phase Electric Pump - Approx. 4 Ft. Lift	(If there is more than one point of diversion, each must	t be described. Use separate sheet if necessary)
(Main office or feet) 5. The Pump out Main Ditch to be No Permanent Fipe (Main office, canal or pipe line) (Miles or feet) a length, terminating in the Shown Above of Sec. 51 , Tp. 41 (Nors) (Smallest legal subdivision) (Nors) (Sec W.) DESCRIPTION OF WORKS fiversion Works— 6. (a) Height of dam feet, length on top feet, length at botto feet; material to be used and character of construction (Loose rock, concrete, mason ck and brush, tumber crib, etc., wasteway over or around dam) (b) Description of headgate limber Sump (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 15 4F Cantritural (Size and type of pump) 3 Phase Electric Pump - Approx. 4 Ft. Liit	eing within the ET of the Sa (Give smallest legal subdivision)	of Sec. 31 , Tp. 4
5. The Pump out Main Ditch to be No Permanent Fipe (Miles or feet) a length, terminating in the Shown Above of Sec. 31 , Tp. 45 (Mors) (Smallest legal subdivision) of Sec. 31 , Tp. 45 (Nors) (Nors) DESCRIPTION OF WORKS fiversion Works— 6. (a) Height of dam feet, length on top feet, length at botto feet; material to be used and character of construction (Loose rock, concrete, mason ck and brush, timber crib, etc. wasteway over or around dam) (b) Description of headgate Timber Sump (thinber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 15 4P Centrifu al (Size and type of pump) 5 Phase Electric Pump - Approx. 4 Ft. Liit		
The second state of the se	(a. a. a.)	,
DESCRIPTION OF WORKS New North Manufacture of construction (Loose rock, concrete, mason ck and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (c) If water is to be pumped give general description (Size and type of pump) (Size and type of pump) (Size and type of pump)		
DESCRIPTION OF WORKS fiversion Works— 6. (a) Height of dam feet, length on top feet, length at botto feet; material to be used and character of construction		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
6. (a) Height of dam feet, length on top feet, length at botto feet; material to be used and character of construction (Loose rock, concrete, mason ck and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate "imber Sump (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 15 4P Cantritural (Size and type of pump) 3 Phase Electric Pump - Approx. 4 Ft. List	2. 29% , W. M., the proposed location being (s. erw.)	g shown throughout on the accompanying map.
6. (a) Height of dam feet, length on top feet, length at botto feet; material to be used and character of construction (Loose rock, concrete, mason ck and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate "imber Sump (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 15 4P Cantritural (Size and type of pump) 3 Phase Electric Pump - Approx. 4 Ft. List	DESCRIPTION	OF WORKS
feet; material to be used and character of construction (Loose rock, concrete, mason ck and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate	fiversion Works—	•
(Loose rock, concrete, mason (b) Description of headgate Timber Sump (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 15 4P Centritural (Size and type of pump) 3 Phase Electric Pump - Approx. 4 Ft. List	6. (a) Height of dam feet, len	ngth on top feet, length at botton
(b) Description of headgate	feet; material to be used and characte	r of construction
(b) Description of headgate Timber Sump (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 15 4P Centrifuel (Size and type of pump) 3 Phase Electric Pump - Approx. 4 Ft. List		(Loose rock, concrete, masons
(c) If water is to be pumped give general description 15 4P Cantritural (Size and type of pump) 3 Phase Electric Pump - Approx. 4 Ft. List	ock and brush, timber crib, etc., wasteway over or around dam)	
(c) If water is to be pumped give general description 15 4P Cantritural (Size and type of pump) 3 Phase Electric Pump - Approx. 4 Ft. List	(b) Description of headgate	F mber, concrete, etc., number and size of openings)
7 Phase Electric Pump - Approx. 4 Ft. Liit		·
3 Phase Electric Pump - Approx. 4 Ft. List		(Circ and type of manual)
	3 Phase Electric Pump - Approx. 4 Ft. Lii	t

26564 Canal System or I	Nac T.C.	la Gamai =	yetem of Pipe Line	Envinting Tools
			f canal where materially chang	
alam tidak ili Mariatra			r lind)	
	The state of the s		feet; grade	
LITOURISTIC TEET		and the second second	headgate: width on top (at wate	
			feet; depth of u	
grade		_		
			; size at intake,	in.; size at
		•	of use in.; di	
			Is grade uniform?	•
	sec. ft.			
8. Location	n of area to be i	rrigated, or	place of use	
Township North or South	Range E. or W. of Williamotte Meridian	Section	Forty-acre Tract	Number Acres To Be I
444	R 29 E	31	22 acres in NE 4 SW	22. Астев
497	R29 E	- 31	s=4 sw4	32Acres
				54
-				
	•			4 .
		•		
	·		·	
(a) Cho	aracter of soil		Class I	
			'a f Sugar Peets	
Power or Mining	Purposes-		•	
9. (a) To	tal amount of po	wer to be de	eveloped	theoretical ho
(b) Qu	antity of water	to be used fo	r powerse	ec. ft.
			(Head) feet.	
(d) Th	e nature of the 1		ans of which the power is to be	
(e) Su	,		(Legal subdivision)	
Tp				
			stream?(Yes or No)	
			(Yes or No) point of return	
		, Sec	, Tp(No. N. or S.)	, R

	School or Domestic Supply— School To supply the city of	26561
	County, having a present population of	
	en estimates population of in 10.	1944 24 844 04 4 9 4 94 446 44 44 44 44 44 44 44 44 44 44 44 4
d my	(5) If for Compete was stale wamber of families to be supplied	•
14.1x	THE SECTION OF THE SE	
. 14 ° 51	11. Estimated cost of proposed works, \$ 250.00	
	1E. Construction work will begin on or before	1 .
	12. Construction work will be completed on or before	
	14. The water will be completely applied to the proposed use on or before.	June 1, 1980
-	Blanche	Kenis
	I JUANUAL	applicate)
7		- <u>- , , , , , , , , , , , , , , , , , ,</u>
alied Market Sc	Remarks:	
		·
*****		-
••••		
· .		·····
dje si		
. •••		
		
S	TATE OF OREGON, }	•
	County of Marion,	
	This is to certify that I have examined the foregoing application, toget	
π	aps and data, and return the same for	
		-
	In order to retain its priority, this application must be returned to the	State Engineer, with
t	ons on or before, 19	
-	WITNESS my hand this day of	, 19
		STATE EN
	Ву	

STATE OF OREGON,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

	ING RIGHTS and the following granted to limited to the				icial use
•	1.35 cubic feet				
•	ent in case of rotation with			`	
**************************************		***************************************			
•					**********
	ch this water is to be applie		•		
			•		
•	, this appropriation shall b				
•	nt for each acre irrigated				
-	42 acre feet per acre				
	ear; provided further				
	e amount secured under				
	the limitation allowe				
	-				
	,				
	<u> </u>		•	•	
<u></u>		·		<u></u>	
	o such reasonable rotation			•	
	ite of this permit is		4		
Actual construc	ction work shall begin on	or before	March 18, 196	<u>1</u>	and shall
thereafter be prosecu	ited with reasonable dilige	nce and be com	pleted on or befor	e October 1, 19	61.
Complete appli	ication of the water to the	proposed use sh	all be made on or	before October	1, 19.52
WITNESS my	hand this 18th d	ay of Harch	$\left(\begin{array}{c} 1 \\ 1 \end{array} \right)$	Stanley	-
			two U.	Mariley	
		•	•	**^'}	.NGINEER .
		4		- : : I	1
	in th		*	N EE R	O
BLIC	E o o			3 4 EY STATE ENGINEER	1
Application No. 33580 Permit No. 2656 PERMIT APPROPRIATE THE PUE	WATERS OF THE STATE OF OREGON nstrument was first receive the State Engineer at Salem 2.5.44 day of Jonesia	٠.	72	EY STATE	page 16 G
25 3 H	irst p		March 15, 1960	age 26561	
vo. 26. PERMIT	OF OREGON OF OREGON tent was first te Engineer at day of				
on N PE	OF O	ıcanı	eb.	138 /	No.
licati	Stat	app	Mar	page	asın
Application No. 33580 Permit No. 26564 PERMIT TO APPROPRIATE THE PUBLIC	WATERS OF THE STATE OF OREGON This instrument was first received in the office of the State Engineer at Salem, Oregon, on the	Returned to applicant:	proved: March 16, 19	Permits on page [137] S. 1	Drainage Basin No. Fe s s
JTC	This fice of the	i g	Approved	rmit	aina
	lfo uo	2 2	₹	P	ŭ š