with the first that the second of the second

rang roo (Life Heat)

*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

od Oregon	, do hereby make application for a permit to appropriate the
owing described public waters of	the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation	n, give date and place of incorporation
***************************************	<u> </u>
1. The source of the proposed of	appropriation is Curl Greek
	, a tributary of Luate River
2. The amount of water which	the applicant intends to apply to beneficial use is
ic feet per second	(If water is to be used from more than ope source, give quantity from each)
**3. The use to which the water	
	(irrigation, power, manuscruting, domestic supplies,
4. The point of diversion is lo	cated 36.6.33 ft. S and 390.34 ft. & from the Milk
ithe n & 1/4 Acotio	10 Townshi to 7 South Rays 45 East of 1/1)
VET OT YEAR IN THE PARTY OF THE	(Section or subdivision)
, A. D	1 . Little in a record - Alexander May Street
wersion will be moved	10 Toronship 1 South Rauge 45 East of 7K) (Boction or subdivision), A upstream as mirma progresses) Lee rima;
wersion will be move	d upotream as miring frogresses) Lee remas
	eterable, sive distance and bearing to section corner)
(If there is more than one po	efferable, give distance and bearing to section corner) oint of diversion, each must be described. Use separate sheet if necessary)
(If there is more than one po	efferable, give distance and bearing to section corner) oint of diversion, each must be described. Use separate sheet if necessary)
(If there is more than one point of the state of the stat	oint of diversion, each must be described. Use separate sheet if necessary) of Sec
(If there is more than one point of within the BW/4 SE/4) Office small of the county	oint of diversion, each must be described. Use separate sheet if necessary) of Sec
(If there is more than one point of within the BW/4 SE/4) Office small of the county	oint of diversion, each must be described. Use separate sheet if necessary) of Sec
(If there is more than one or ng within the BW/4 SE/4 (Give small (E. or W.) 5. The SA JE. (Main discipation, the SE/4)	to be (1 back 70.00 del for feet) to be (1 back 70.00 del feet) to be (1 back 70.00 del feet) f. Canal or pipe line) A SE/H of Sec. /5 , Tp. 7,5 (N. or S.)
(If there is more than one or ng within the BW/4 SE/4 (Give small (E. or W.) 5. The SA JE. (Main discipation, the SE/4)	oint of diversion, each must be described. Use separate sheet if necessary) of Sec
(If there is more than one or ng within the BW/4 SE/4 (Give small (E. or W.) 5. The SA JE. (Main discipation, the SE/4)	to be (1 back 70.00 del for feet) to be (1 back 70.00 del feet) to be (1 back 70.00 del feet) f. Canal or pipe line) A SE/H of Sec. /5 , Tp. 7,5 (N. or S.)
(If there is more than one points within the BW/4 SE/4) (Give shall be a county (E. or W.) 5. The SE/Main dive ength, terminating in the SE/4 45 E (E. or W.) W. M., the prop	eferable, give distance and bearing to section corner) oint of diversion, each must be described. Use separate sheet if necessary) of Sec
(If there is more than one point within the BW/4 SE/4 (Give strain the SE/4 (Give strain the County (E. or W.) 5. The Jack (Main diversely, terminating in the SE/4 (B. or W.) 45. E. W. M., the property of the SE/4 (E. or W.)	eferable, give distance and bearing to section corner) oint of diversion, each must be described. Use separate sheet if necessary) of Sec
(If there is more than one points within the BW/4 SE/4) (Give shall be to be	ceferable, give distance and bearing to section corner) olist of diversion, each must be described. Use separate sheet if necessary) of Sec
(If there is more than one points within the BW/4 SE/4 (Give small of the country S. The SE/4 (Main diversity) 5. The SA/4 (Main diversity) ength, terminating in the SE/4 #5 & W. M., the properties of Works— 6. (a) Height of dam 7 4.5 feet; material to be	to be (1 back 70.00 dec) be canal or pipe line) constant subdivision) to be (1 back 70.00 dec) constant subdivision) to be (1 back 70.00 dec) constant subdivision) to be (1 back 70.00 dec) constant subdivision) of Sec. /5 , Tp. 7.5 (Smallest legal subdivision) consed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS feet, length on top / feet, length at bottom e used and character of construction / Leak Land 20.6 k. Concrete, masonry
(If there is more than one points within the BW/4 SE/4 (Give small of the country S. The SE/4 (Main diversity) 5. The SA/4 (Main diversity) ength, terminating in the SE/4 #5 & W. M., the properties of Works— 6. (a) Height of dam 7 4.5 feet; material to be	construction of diversion, each must be described. Use separate sheet if necessary) of Sec

^{*}A different form of application is provided where storage works are contemplated.

^{**}Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, tegether with instructions by addressing the state Engineer, Salein, Oregon.

Manual III			- Mar. 3
Canal S	استعممه	Sec. 1982	ستوييستار و

l Bystein or P 7. (a) Glos		each point of	canal where materially change	d in size, stating miles from
			Hine)	,
<u> </u>	eat; depth of	pater	jest; grade	feet fall per on
	The state of the s	and the second s		
			radgate: width on top (at water	
			feet; depth of we	ster feet
	. The control of	ll per one thou		
filozof a salah			size at intake, 60	
intake3	in.	; size at place o	of use1.4 in.; diff	erence in elevation betwee
ke and place o	twe, 40a	ft. I	s grade uniform?	Estimated capacity
36	sec. ft. (See remark	us)	
8. Location	of area to be	irrigated, or pl	lace of use	
Township WALAMF	Range TE MERIDIAN	Section	Forty-acre Tract	Number Acres To Be Irrigated
			-	
			· .	
78	458	15	SE1/4 SE1/4	
			n & 1/4 SE/14	E problem
****			SW 114 NE114	
		10	58 1/4 NE1/4 NW/4 SE 1/4	Attigue of the
***************************************		12	111/4 76.74	en estate
<u>'</u>		(If more space	required, attach separate sheet)	-
(a) Charac	ter of soil		,	
(b) Kind o	f crops raised			
ver or Mining	Purposes—			
9. (a) Tota	ıl amount of p	ower to be dev	peloped	theoretical horsepowe
(b) Qua	ntity of water	to be used for	power sec	e. ft.
(c) Tota	al fall to be ut	ilized	(Head)	
			ns of which the power is to be d	eveloped
•••••		· ····· ······		
(e) Suci	h works to be i	ocated in	(Legal subdivision)	of Sec.
		, W. 1		•
			ream? [A 4.1) (Yet or No)	
(g) If s	o, name streat	n and locate w	oint of return William Lo. L	me Curk at pointed
				,
			, Tp. 75 (No. N. of S.)	
(h) The		convert to to the life i	4VVIEU 63	

	26604
A.E.	10. (a) In supply the day of
e e e e e e e e e e e e e e e e e e e	County, having a present population of
	and an estimated population of in 19 in 29
٠.	(b) If for domestic use state member of families to be supplied
wit.	(All the second states and second states are second states and second states are second states and second states are sec
	11. Estimated cost of proposed works, \$. 36,000.00
	12. Construction work will begin on or before
	15. Construction work will be completed on or before 105111-1953
	14. The water will be completely applied to the proposed use on or before 105/11/53
n and	Ban H Moork (Signature of applicant)
i Prod Like	
	Remarks: Item 4. As mining is completed on lower portions of
	Section 15 land, the pipeline will be moved bodily upstream and
	applications made from time to time for changes in point of diversion
	Item 7(c) The discrepancy in the capacity of the pipeline (36 cfs)
	and in the amount appropriated (50 cfs) is accounted for as follows:
: .	36 cfs will be run through the pipeline and used on Section 15 ground
	36 cfs will be run through the pipeline and used on Section 15 ground while the remaining 14 cfs will be used upstream near the head of the
	while the remaining 14 cfs will be used upstream near the head of the
	while the remaining 14 cfs will be used upstream near the head of the pipeline on Section 10 ground with direct appropriation through sluid
	while the remaining 14 cfs will be used upstream near the head of the pipeline on Section 10 ground with direct appropriation through sluid boxes, etc.
	while the remaining 14 cfs will be used upstream near the head of the pipeline on Section 10 ground with direct appropriation through sluid boxes, etc. The mining equipment to be used will include bulldozers, tractor
	while the remaining 14 cfs will be used upstream near the head of the pipeline on Section 10 ground with direct appropriation through sluid boxes, etc. The mining equipment to be used will include bulldozers, tractor drag lines, hydraulic giants and possibly dredges with some type of
	while the remaining 14 cfs will be used upstream near the head of the pipeline on Section 10 ground with direct appropriation through sluid boxes, etc. The mining equipment to be used will include bulldozers, tractor drag lines, hydraulic giants and possibly dredges with some type of
	while the remaining 14 cfs will be used upstream near the head of the pipeline on Section 10 ground with direct appropriation through sluid boxes, etc. The mining equipment to be used will include bulldozers, tractor drag lines, hydraulic giants and possibly dredges with some type of sluice boxes for washing gravel and recovering the gold.
	while the remaining 14 cfs will be used upstream near the head of the pipeline on Section 10 ground with direct appropriation through sluid boxes, etc. The mining equipment to be used will include bulldozers, tractor drag lines, hydraulic giants and possibly dredges with some type of sluice boxes for washing gravel and recovering the gold.
	while the remaining 14 cfs will be used upstream near the head of the pipeline on Section 10 ground with direct appropriation through sluid boxes, etc. The mining equipment to be used will include bulldozers, tractor drag lines, hydraulic giants and possibly dredges with some type of sluice boxes for washing gravel and recovering the gold.
	while the remaining 14 cfs will be used upstream near the head of the pipeline on Section 10 ground with direct appropriation through sluid boxes, etc. The mining equipment to be used will include bulldozers, tractor drag lines, hydraulic giants and possibly dredges with some type of sluice boxes for washing gravel and recovering the gold.
	while the remaining 14 cfs will be used upstream near the head of the pipeline on Section 10 ground with direct appropriation through sluid boxes, etc. The mining equipment to be used will include bulldozers, tractor drag lines, hydraulic giants and possibly dredges with some type of sluice boxes for washing gravel and recovering the gold.
	while the remaining 14 cfs will be used upstream near the head of the pipeline on Section 10 ground with direct appropriation through sluid boxes, etc. The mining equipment to be used will include bulldozers, tractor drag lines, hydraulic giants and possibly dredges with some type of sluice boxes for washing gravel and recovering the gold. STATE OF OREGON,
	while the remaining 14 cfs will be used upstream near the head of the pipeline on Section 10 ground with direct appropriation through sluid boxes, etc. The mining equipment to be used will include bulldozers, tractor drag lines, hydraulic giants and possibly dredges with some type of sluice boxes for washing gravel and recovering the gold.
	while the remaining 14 cfs will be used upstream near the head of the pipeline on Section 10 ground with direct appropriation through sluid boxes, etc. The mining equipment to be used will include bulldozers, tractor drag lines, hydraulic giants and possibly dredges with some type of sluice boxes for washing gravel and recovering the gold. STATE OF OREGON,] SE
	while the remaining 14 cfs will be used upstream near the head of the pipeline on Section 10 ground with direct appropriation through sluice boxes, etc. The mining equipment to be used will include bulldozers, tractor drag lines, hydraulic giants and possibly dredges with some type of sluice boxes for washing gravel and recovering the gold. STATE OF OREGON, County of Marion, ss.
	while the remaining 14 cfs will be used upstream near the head of the pipeline on Section 10 ground with direct appropriation through sluice boxes, etc. The mining equipment to be used will include bulldozers, tractor drag lines, hydraulic giants and possibly dredges with some type of sluice boxes for washing gravel and recovering the gold. STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying
	while the remaining 14 cfs will be used upstream near the head of the pipeline on Section 10 ground with direct appropriation through sluid boxes, etc. The mining equipment to be used will include bulldozers, tractor drag lines, hydraulic giants and possibly dredges with some type of sluice boxes for washing gravel and recovering the gold. STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyin maps and data, and return the same for completion.

Assistant

State of Oregon,

County of Marion.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

all be subject to such re The priority date of thi Actual construction we fiter be prosecuted with Complete application o	swater is to be applied sauch subject to the the sediment before appropriation shall be li	stem as may be on May 6, before May coposed use shall	rdered by the proper 1953 y 2, 1961 ed on or before .0c.	re October 60 100 100 100 100 100 100 100
power development	Division No. District No. This instrument was first received in the office of the State Engineer at Salem, Oregon, on the Land day of May.		ed in sections 1 and 2, cha	LETTS A STANLET STATE ENGINEER STATE ENGINEER Page Page