## SATURAL PROPERTY

## To Appropriate the Public Waters of the State of Oregon

1, Joe M. Ollin and E. Irene Ollis
A 1 Box 211 Cave Junction, Oregon
Siese of Oragon do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. The source of the proposed appropriation is Illinois
(Hame of streem)
The Control of the Co
2. The amount of water which the applicant intends to apply to beneficial use is
cubic feet per second.  (If water is to be used from more than one source, give quantity from each)
**3. The use to which the water is to be applied is
4. The point of diversion is located 2010 ft. N and 250 ft. from the (R or 8)
corner of Section 17 (Section or subdivision)
(If preferable, give distance and bearing to section corner)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the NB SK2 (Give smallest legal subdivision) of Sec. 17, Tp. (Olive smallest legal subdivision)
R. 8.4 , W. M., in the county of Josephine
5. The
in length, terminating in the (Smallest legal subdivision) of Sec. 10, 7p. (N. or S.)
R, W. M., the proposed location being shown throughout on the accompanying map.
DESCRIPTION OF WORKS
Diversion Works—
6. (a) Height of dam feet, length on top feet, length at bottom
feet; material to be used and character of construction (Loose rock, concrete, masonry
rock and brush, timber crib, etc., wasteway over or around dam)
(b) Description of headgate
(c) If water is to be pumped give general description  (Size and type of pump)
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

<sup>\*</sup>A different form of application is provided where storage works are contemplated.
\*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the varieties of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem

الأحديث سيستمينا	ret; depth of w	ster	10) . 6 . Jeffe Liste. 	feet fall p
			igade: width on top (et w	
	and the reger of the party of the			toater
*4				`\f
	Action to the second second		and the control of the first of the con-	in.; size at1320
				difference in elevation b
	/801		No.	Estimated ca
The state of the s				
	of area to be in	rrigated, or plac	e of use	
Sprintly Notes or South	Eange S. or V. of Vildrastic Medica	Section	Forty-sere Tract	Number Acres To Be Irri
39#5	8 7	17	neł seł	10
39 S	3 N	16	SW1 SW1	12
395	8 W	16	SEL SWL	6
312	<i>3</i> ~	/6	<u> </u>	
<u> </u>				5
				V
	·			
and the same and t				
			1	
(-) Ch		(If more space)	required, attach separate sheet)	. <u></u>
		•		
(b) Ki		edahh	و چې چه خو په وي کار کې د د د کې کې د د د د کې کې کې د د د د	ery e
		ower to be dev	eloped	theoretical hor
•			power	
			feei	
			(	o be developed
	•			Í
•	•			-
	•		(Legal subdivision)	
Tp(No. N. or		o. E. or W.)		• .
	water to be re	turned to any s	ream?(Yes or No)	
(f) I				

LEWIS A. STANLEY

WITNESS my hand this 2nd day of March 19 60

end shell stream, o	not exceed	s water is to be applied	other wate	measured at the er users, from .I.	point of di	version fr	rom tl
If f	for irrigation, this	appropriation shall be		100	of o	me cubic j	oot pe
		each acre irrigated			•		
		feet per year for					
		provided further in flow of the Illi					
		low of the Rogue Ri					
		e terms and conditi					
		Miscellaneous Rec					
	والمراجع والمراجع والمسترين						
·	***************************************			····			
ınd shall	be subject to such	ı reasonable rotation sy	stem as mo	ry be ordered by t	he proper s	state office	et.
•		this permit is		•		•	
•		work shall begin on or					
		ith reasonable diligenc	*,				
		of the water to the proteins day				October 1,	19
W I	INESS my nana i	inis day	of	Lewis	, 19 <sup>60</sup>	Žiotai	
		- -				STATE IN	INEER
		<u>2</u>		i i	: 4	: N	
Application No. 23.3.5.C. Permit No. 26610	PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the $L_L Z_L$ day of $Z_L Z_L Z_L Z_L$ .  1966., at $Z_L Z_L Z_L$ o'clock. $C_L$ $M$ .	Returned to applicant:	Approved: May 13, 1960	Recorded in book No. 72. of Permits on page 26610	LENIS A. STANLEY STATE ENGINEER	Drainage Basin No. 15 page 49