MAR 9 1950 DE PROMETALE SALEM PROMETER CATION POR PROMIT

Permit No. 26639

## To Appropriate the Public Waters of the State of Oregon

	ILSIGER BLUEBER		Carlo	1 /2	1 -
	D. B. Route, E Cottage Grove,		o of applicant)	a Dela	loga
	(Mailing address)	0.0800			. <i>V</i>
te of	One	do her	eby make applicati	on for a new	u Mit to announcies :
landan Januar					
July Get.	en hnous forteis o	f the State of Or	egon, SUBJECT TO	EXISTING	RIGHTS:
If the appli	cant is a corporatio	m, give date and	place of incorpora	tion	
					***************************************
	*****	***************************************			
L The sou	ce of the proposed	appropriation is	Coast Fa	zh A	Muller
			tary of	(Name of parent	) Company of the second
. Superior	<u> </u>				
2. The amo	unt of water which	the applicant in	tends to apply to be	neficial use	is 6.5 2 0.6
ic feet per sec	nd per	2012 =	0.0810	ć.	
		(M water is to be use	from more than one source	, give quantity fre	m each)
**3. The use	to which the water	is to be applied i	(Irrigation, power, n	2012	ani-
			(Irrigation, power, n	ining manufactur	ing, domestic supplies, etc.)
	*******************	*****************	× .	·····	
4. The poin	t of diversion is lo	cated 2850	Cor. or s.)  (Cor. or s.)  (Cor.)  (Cor.)  (Cor.)	90 ft. E	from the NV
er of L.	B. Beckner	D10	4.5 (C	(E. or	₩.)
11		(Bect	ion or subdivision)	ner loe	aled 117
SE /4	of See. 5	T215,	R3W,W	. M.)	•
		,	:		
	· • • • • • • • • • • • • • • • • • • •		<u>:</u>		
•	,				······
		*************************	6		1
	(If pro	eferable, give distance as	d bearing to section corner)		<b>)</b>
			,	e sheet if necessar	7
g within the 2			,	te sheet if necessar	7) 7) // 5
g within the 2	If there is more than one po	ent of diversion, each mu	,	e sheet if necessar	, Tp. (5)
g within the ?		ent of diversion, each mu	d bearing to section corner) of the described. Use separa if N. W. ii. iii. iii. Sec. iii. iii. of N. W. ii.	is sheet if necessar	y) ., Tp. (5 (N or S.)
g within the 2, week, W. (Rew.)	Core is more than one po	int of diversion, each man of the control of the co	to be described. Use separally, N.W. /// W. Z. S. S. S. S. S. W. /4 of N.W. /4		* .
5. The	there is more than one po	int of diversion, each must Control and Market Board legal subdivision) S	to be described. Use separa 1/9. N. W. 1/4.  W. 1/4. of N. W. 1/4.  to be	 	65:321
5. The	(Give small). M., in the county (Main dick	int of diversion, each manner of the state o	to be described. Use separa 1/9. N. W. 1/4.  W/4 of N. W. 1/4.  to be  of Sec.	) ( <u> </u>	tiles or feet)
5. The	(Give small). M., in the county (Main dick	int of diversion, each manner of the state o	to be described. Use separa 1/9. N. W. 1/4.  W/4 of N. W. 1/4.  to be  of Sec.	) ( <u> </u>	tiles or feet)
5. The	(Give small). M., in the county (Main dick	int of diversion, each manner of the state o	to be described. Use separa 1/9. N. W. 1/4.  W. 1/4. of N. W. 1/4.  to be	) ( <u> </u>	tiles or feet)
5. Thength, termina	(Give small. M., in the county of the county	ent of diversion, each man and the second man and the second seco	to be described. Use separately. Now 1/4 of NW/4.  to be of Sec. of Se	) ( <u> </u>	tiles or feet)
5. The mgth, termina (E. & W.)	(Give small.)  (Main discharge in the county of the county	int of diversion, each man and the second man and the second seco	to be described. Use separately, N.W. 14 of Sec	t on the acco	(N. or S.) mpanying map.
5. The	(Give small). M., in the county of the main discharge in the man, w. M., the proposition of dam	dert of diversion, each man and the second man and	to be described. Use separate y. N. W. 1/4 of N. W. 1/4 o	t on the acco	Tiles or feet)  Tp. (N or S)  mpanying map.
5. The	(Give small). M., in the county of the main discharge in the man, w. M., the proposition of dam	dert of diversion, each man and the second man and	to be described. Use separate y. N. W. 1/4 of N. W. 1/4 o	t on the acco	Tiles or feet)  Tp. (N or S)  mpanying map.
5. The	(Give small). M., in the county of the main discharge in the man, w. M., the proposition of dam	dert of diversion, each man and the second man and	to be described. Use separate y. N. W. 1/4 of N. W. 1/4 o	t on the acco	Tiles or feet)  Tp. (N or S)  mpanying map.
5. The	(Give small. M., in the county of the county	dest of diversion, each man and the second man and the second sec	to be described. Use separately. W. 1/4 of NW	t on the acco	Tiles or feet)  Tp. (N or S)  mpanying map.
5. The  ngth, termina (E. ex W.)  ersion Works— 6. (a) Heigi	(Give small. M., in the county of the county	dent of diversion, each man and the second s	to be described. Use separate in the interpretation of Sec. with ef NW4.  to be of Sec. miles of Sec	t on the acco	mpanying map.  et, length at botton
5. The  ngth, termina (E. or W.)  rrsion Works— 6. (a) Heigi	(Give small. M., in the county of the county	dent of diversion, each man and the second s	to be described. Use separate in the interpretation of Sec. with ef NW4.  to be of Sec. miles of Sec	t on the acco	mpanying map.  et, length at botton
S. The	(Give small. M., in the county of the county	dent of diversion, each man in the state of diversion, each man in the state of the	to be described. Use separately. W. 1/4 of NW	t on the acco	mpanying map.  et, length at botton
5. The	(Give small (Give	dest of diversion, each man and the state of diversion and the state of the state o	to be described. Use separate y. N. W. 14 of N. W. 15 of Sec	t on the acco	mpanying map.  et, length at botton
5. The  ngth, termina  (E. or W.)  rrsion Works— 6. (a) Heigi  (b) Descript  (c) If water	(Give small. M., in the county of the county	dent of diversion, each man in the state of diversion, each man in the state of the	to be described. Use separate in the interpretation of Sec. with ef NW4.  to be of Sec. miles of Sec	t on the acco	(N. or S.)  mpanying map.  et, length at botton  coose rock, concrete, masonr

Canal System or P	0.00000000	sch point of	canal where materially change	I in size, stating miles !
	Take the second		line)	
			jest; grade	
thousand foot	As a Color of the	Light and Confidence	eadgate: width on top (at water	
			feet; depth of we	
grade			e Billion in the Company	
(c) Length	of pipe, SO	2 ft.	size at intake, 4	in.; size at
from intake		nize at place	of use 2 7 3 " in.; diff	erence in elevation bet
			Is grade uniform?	
	sec. ft.			
8. Location	n of area to be ir	rigated, or p	lace of use	
Township North or South	Range 2. or W. of Willemotte Hertsten	Section	Forty-acre Tract	Number Acres To Be Irrigate
21 south	3 west	9	SW1/4 of NW1/4	6=
21 south	3 west	9	SE 1/4 of NW 1/4	0 3
	'			,
		· · · · · · · · · · · · · · · · · · ·		
			. ,	
	7:			
		· .		-
(a) C	naracter of soil	7 ~	on required, attach separate sheet)	
•	•		internes Tatro	
Power or Minin		م <b>ن</b> مرور دیشت		The Control of the Co
9. (a) To	otal amount of po	ower to be d	eveloped 5 H	theoretical horse
(b) Q	uantity of water	to be used fo	r powerse	ec. ft.
(c) To	otal fall to be uti	lized 1. Co	Check 26 feet.	
(d) T	he nature of the	works by me	cans of which the power is to be	developed
· .	·	·		<del> </del>
(e) S	uch works to be l	ocated in	(Legal subdivision)	of Sec.
	, R(No.	_	•	
		,	stream?	
		n and locate	point of return	
(g) I	j so, name <b>strea</b> n	n una iocate	point of recurr	***************************************

By Walter N. Perry

STATE ENGINEER

ASSISTANT

This is to certify that I have examined the fore ECT TO EXISTING RIGHTS and the following

	,		
나를 받는 기술이 들었다. 그 학자 그 나는 다			•
n, or its equivalent in case of rotation u	oith other u	ater users, from Coast	Fork Willamette
			***************************************
The use to enhich this enginer is to be any	nlied ie	irrigation	
	<b>, , , , , , , , , , , , , , , , , , , </b>		
If for irrigation, this appropriation shal	l be limited		of one cubic foot per
d or its equivalent for each acre irrigated	and shall	1 be further limited	to a diversion of
to exceed 22 acre feet per acre	e for each	acre irrigated duri	rg the irrigation
son of each year,		,	
	-, ·.	•	
•	••••••		
1	************		
	,		
	·····		
hall be subject to such reasonable rotati	on system a	s may be ordered by the p	roper state officer.
The priority date of this permit is	March 9, 1960		
			and shal
•			
72.1		use shall be made on or o	ejore October 1, 19. 19.
WITNESS my hand this 13 th	day of	may them and	, 1999
	*****	DWA 1	Sall Sall
	The use to which this water is to be applied or its equivalent for each acre irrigated to exceed 2½ acre feet per acresson of each year,  thall be subject to such reasonable rotation. Actual construction work shall begin after be prosecuted with reasonable dill Complete application of the water to the same acresson of the water to the complete application of the water to the same acressors.	If for irrigation, this appropriation shall be limited dor its equivalent for each acre irrigated and shall to exceed 2½ acre feet per acre for each son of each year,  The priority date of this permit is  Actual construction work shall begin on or before after be prosecuted with reasonable diligence and to Complete application of the water to the proposed	The use to which this water is to be applied isirrigation

Application No. 33705

Permit No. 26639

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon,

19 60, at 6:00 o'clock A. M. on the 9th day of March

Returned to applicant:

Recorded in book No. 72 May 13, 1960

Approved:

Permits on page 266.89

LEWIS A. STANLEY STATE ENGINEER

N Drainage Basin No.

State Printing 98137