Permit No. 266-12

STATE ENGINEER SALENCES OF The State of Oregon

I. Wilford Fitch	
	o of applicant)
of Boaver Oregon	***************************************
State of Oregon do her	eby make application for a permit to appropriate the
선 사용하다 시민에서 가장이 많은 내가 가는 것이 되었다. 그는 그는 그 분들한 말이 하는 것이다.	
following described public waters of the State of On	
If the applicant is a corporation, give date and	place of incorporation
사용하다 전에 실어되었다. 1980년 - 1982년 - 1984년 1987년 - 1987년 1	
1. The source of the proposed appropriation is	Moon Creek
	tary of Big Nestuces River
2. The amount of water which the applicant in	sends to apply to beneficial use is2275
cubic feet per second.	from more than one source, give quantity from each)
**3. The use to which the water is to be applied i	
	(Brigation, power, mining, manufacturing, domestic supplies, etc.)
***************************************	
4. The point of diversion is located -269,60	ftS and 788,0 ftE from the
Between sections 20 and 20 mm 2	(E. or W.)
corner of Between sections 29 and 30 Tyr. 3	is a subdivision)
	· · · · · · · · · · · · · · · · · · ·
(If preferable, give distance as	ad bearing to section correspond
(If there is more than one point of diversion, each me	ast be described. Use separate sheet if necessary)
being within the WW. SW. (Give smallest legal subdivision)	of Sec, Tp, (N. ers.)
R. Salla , W. M., in the county of Tillamook	
5. Theipe_line (Main ditch, canal or pipe line)	2000 81
(Main ditch, canal or pipe line)	(Miles or feet)
n length, terminating in the SB: Mill (Smallest legal subdivision)	of Sec. ?? , Tp,
R	(N. or S.)
(E. or W.)	system ittroughout on the accompanying map.
	N OF WORKS
Diversion Works—	•
6. (a) Height of dam None feet, le	ength on top feet, length at bottom
feet; material to he used and charact	er of construction (Loose rock, concrete, masonry,
year, management of about and charact	(Loose rock, concrete, masonry,
ock and brush, timber crib, etc., wasteway over or around dam)	
(b) Description of headgate	
-	Timber, concrete, etc., number and size of openings)
(c) If water is to be pumped give general descr	
•	(Size and type of pump)
(Size and type of engine or motor to be use	d ed. total head water is to be lifted. etc.)
	· · · · · · · · · · · · · · · · · · ·

Canal System or P 7. (a) Give		each point of	count where meterially cha	nged in size, stating miles f
高超 医多种病毒酸酶 等	かる せい しょきかし	与抗性的 海绵 化二酸剂	· 16.6)	
thousand feet.	leet; depth of s	pater	feet; grade	feet fall per
(b) At	ak a imajan administra	miles from h	eadgate: width on top (at w	ster line)
			feet; depth o	f water f
gradą		Bertoli (1815)		•
			; size at intake,4"	•
			of use3.1. in.;	
		ft.	Is grade uniform?yes	Estimated capa
	sec. ft. of area to be	irrigated, or 1	slace of use	)
Township Morth or Youth	Hangto B. or W. of Willemotte Meridian	. Geoties	Ferty-acre Tract	Number Acres To Be Irrigated
3 S	8 W	29	NW SW	14.6
<u> </u>		*	neł swł	9.1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		11	SE! NW!	7.3
				Total 31.0 Ecrea
-				
		<u></u>		
		<del>                                     </del>	7	
		<u> </u>		
-		<del> </del>		
	<u> </u>			
	1.	(If more spa	ce required, attach separate sheet)	
		•		
(b) Kir Power or Mining	nd of crops rais Purposes—	ed	<b>. 45</b> 5	
		power to be de	eveloped	theoretical horsepo
(b) Qu	antity of water	r to be used fo	r power	sec. ft.
(c) To	tal fall to be ut	::lized	(Hond) feet.	
(d) Th	e nature of the	works by me	ans of which the power is to	be developed
		·····		
			(Legal subdivision)	of Sec
Tp. (No. N. or S				
(f) Is			Stream?(Yes of No)	
7. L **	ers manna etwan	m and locate	point of return	

ASSISTANT

The use to u	valent in case of	is to be applied isi	ater users, from Moon rrigation  to 1/80th 1 be further limited	Creek  of one cubic foot pe
			acre irrigated duri	
season of eac	h year,			
	:			<u> </u>
		•	s may be ordered by the p	oroper state officer.
The priority Actual cons thereafter be pro-	y date of this per struction work s secuted with rea application of the	mit ishall begin on or before	March 10, 1900  May 13, 1901  be completed on or before use shall be made on or	and sha