

STATE ENGINEER CAPITATION FOR PRIMITE SALEM CRISCOM To Appropriate the Public Waters of the State of Oregon

The source of the proposed appropriation is LULLENGIA MANAGED TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation. 1. The source of the proposed appropriation is LULLENGIA MANAGED TO EXISTING RIGHTS: 1. The source of the proposed appropriation is LULLENGIA MANAGED TO EXISTING RIGHTS: 1. The source of the proposed appropriation is LULLENGIA MANAGED TO EXISTING RIGHTS: 2. The amount of souter which the applicant intends to apply to beneficial use is nubble feet per second. 2. The second of the proposed appropriation is located to apply to beneficial use is nubble feet per second. 3. Of water is to be applied is LOCATED TO EXISTING RIGHTS: 4. The point of discretion is located 12 i.g. ft. S. and 800 ft. E. w. from the N.W. Corner of S. L. S. M.	I RAYMOND P. LAIRD
these of Otto Make spile waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, glos date and place of incorporation 1. The source of the proposed appropriation is LULL WILL MANA 2. The amount of water which the applicant intends to apply to beneficial use is subject feet per second. 2. The amount of water which the applicant intends to apply to beneficial use is subject feet per second. 2. The use to which the water is to be applied is 3. The use to which the water is to be applied is 4. The point of diversion is located 12 i.g. ft. 3. and 800 ft. 5. from the N.M. former of Lutter 15 i.M. 2. words or management and applied in the subject of the subject is a subject of the subject in th	Creavell Organ RAZ Bas 553
of the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is CULL and the advance of incorporation 2. The amount of water which the applicant intends to apply to beneficial use is unbic feet per second. 3. Of the water is to be applied is the second property of the point of diversion is located. If the second property is the second property is the second property of the second property is the second property in the second property in the second property is the second property in the second property in the second property is the second property in the second property in the second property is the second property in the second property in the second property is the second property in the second property in the second property is the second property in the second property in the second property is the second property in the second property in the second property is the second property in the second property in the second property is the second property in the second property in the second property is the second property in the second property in the second property is the second property in the second property in the second property is the second property in the se	
If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is LUML with the country of the second of water which the applicant intends to apply to beneficial use is subjected per second. 2. The use to which the water is to be applied is the second of	and the Thirty Congression and a first series of the contraction of th
2. The source of the proposed appropriation is CULL AND	
2. The amount of water which the applicant intends to apply to beneficial use is ubic feet per second. 2. Ob (If water is is in the many flat approach growing another from each) 2. The use to which the water is to be applied is (If water is in located 1909 ft	If the applicant is a corporation, give date and place of incorporation
2. The amount of water which the applicant intends to apply to beneficial use is mable feet per second. 2. Ob (If water is in the west form more than ap access, give quantity from each) **3. The use to which the water is to be applied is (Investigation, mining, membershape, demands reported applied is 4. The point of diversion is located 19 i.g. ft	\mathcal{M}
2. The emount of water which the applicant intends to apply to beneficial use is made feet per second. 2. Of (If water is to be applied is 4. The point of diversion is located 12 0.0 ft. If and \$20 ft. If the point of diversion is located 12 0.0 ft. If and \$20 ft. If the point of diversion is located 12 0.0 ft. If and \$20 ft. If the point of diversion is located 12 0.0 ft. If and \$20 ft. If the point of diversion is located 12 0.0 ft. If and \$20 ft. If the point of diversion is located 12 0.0 ft. If and 15 ft. If the point of diversion is located 12 0.0 ft. If the point of diversion is located 12 0.0 ft. If the point of diversion is located 12 0.0 ft. If the point of diversion is located 12 0.0 ft. If the point of the po	1. The source of the proposed appropriation is SULLIAMELLE MULY MIX.
2. The emount of water which the applicant intends to apply to beneficial use is subic feet per second. 2. Of (If water is to be used from many thin app more, give quantity from each) **3. The use to which the water is to be applied is (Intending forms, mining, manufacturing, demonstrange, d	A Mough , a tributary of
4. The point of diversion is located 19 i.g. ft. S. and 800 ft. E. from the N.W. (Brown of Section	2. The amount of water which the applicant intends to apply to beneficial use is
4. The point of diversion is located 19 0.9 ft. S. and 800 ft. E. from the N.W. (Really of the state of diversion is located 19 0.9 ft. S. and 150 ft. E. from the N.W. (Really of the state of diversion) Other of Letter 15 1 Ma. 2 100 ft. S. and 150 ft. E. from the N.W. (Really of the state of diversion) (If there is more than one point of diversion, such must be described. Use separate sheet if security) (If there is more than one point of diversion, such must be described. Use separate sheet if security) (If there is more than one point of diversion, such must be described. Use separate sheet if security) (If there is more than one point of diversion, such must be described. Use separate sheet if security) (If there is more than one point of diversion, such must be described. Use separate sheet if security) (If there is more than one point of diversion, such must be described. Use separate sheet if security) (If there is more than one point of diversion is more than one point of sec. IS S.M. IS S.M	ubic feet per second. 2.06
4. The point of diversion is located 19 0.9 ft. S. and 800 ft. E. from the N.W. Orner of Section 15. Med. 100 ft. S. and 750 ft. W. from the N.W. Gastles or makestage. 15. Med. 15. Med. 2. 2550 ft. S. a. 2200 ft. E. from the N.W. (It predictable, give distance and bearing to meeting control of the section corner) (If there is more than one point of diversion, with most to described. Use separate about it measures?) (If there is more than one point of diversion, with most to described. Use separate about it measures?) (If there is more than one point of diversion, with most to described. Use separate about it measures?) (If on 2.) (If on 3.)	*3. The use to which the water is to be applied is Ingation
(If grederable, give distance and hearing to mortion corner) (If there is more than one point of diversion, each must be described. The superate short if necessary) (If there is more than one point of diversion, each must be described. The superate short if necessary) (If there is more than one point of diversion, each must be described. The superate short if necessary) (If there is more than one point of diversion, each must be described. The superate short if necessary) (If there is more than one point of diversion, each must be described. The superate short if necessary) (If there is more than one point of diversion, each must be described. The superate short if necessary) (If there is more than one point of diversion, each must be described. The superate short if necessary) (If there is the more than one point if diversion, each must be described. The superate short if necessary) (If there is the more than one point if diversion and beautiful to describe diversion is necessary) (If there is to be pumped give general description of the superate short if necessary) (If the short is to be pumped give general description of the superate short if necessary) (If the short if necessary)	
(If grederable, give distance and hearing to mortion commer) (If there is more than one policy of diversion, each must be described. The separate short if accountry) (If there is more than one policy of diversion, each must be described. The separate short if accountry) (Cifere mailiest legal supplyinden) (R. Q. or W.) (R.	4. The point of diversion is lacated 19 00 ft. 5 and 800 ft. E. from the N.V.
(If grederable, give distance and hearing to mortion commer) (If there is more than one policy of diversion, each must be described. The separate short if accountry) (If there is more than one policy of diversion, each must be described. The separate short if accountry) (Cifere mailiest legal supplyinden) (R. Q. or W.) (R.	Section 15, May 600 Lt S and 750 kt W Korn to
(If grederable, give distance and bearing to meritan commer) (If there is mere than one policy of diversion, each most be described. Use separate there if necessary) peing within the MENE :	(Bestilla or middlerings)
(If there is more than one point of divertion, each must be described. Use separate sheet if necessary) (City mealing within the MINE 2	
R. Z. W. M., in the county of Z. S. W. M., canal or pipe line) 5. The	the N. W. Com of Section 15.
R. Z. W. M., in the county of Z. S. W. M., canal or pipe line) 5. The	(If preferable, give distance and bearing to section corner)
C. ce W.) 5. The	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
R. Z. W. M., in the county of Z. S. W. M., canal or pipe line) 5. The	being within the NENE 2016 and SWNN SWNE of Sec. 15 874 , Tp. 185
5. The	R. 2 W., W. M., in the county of Lane
n length, terminating in the	
DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, work and brush, timber crib, etc., westerny over or sevend dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings)	
DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber criti, etc., wasteway giver or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 4 2 20 10 (Size and type of pump)	
Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 4" 20 70 ft. (Size and type of pump)	(E. er W.)
6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber criti, etc., wasteway ever or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 4" 20 70 ft. (Size and type of pump)	
feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., westerns over or several description (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description (Size and type of pump)	
(b) Description of headgate	
(b) Description of headgate	(Loose rock, concrete, masor
(c) If water is to be pumped give general description 4" /21 >11 ft. (Since and type of pump)	
(c) If water is to be pumped give general description 4" 21716 (Since and type of pump) [Charles G.E. Marty.	(b) Description of headgate(Timber, concrete, stc., number and size of openings)
(c) If water is to be pumped give general description 4" 21 711 for (Size and type of pump) [Constant G. Marty 7 (Size and type of pump) (Size and type of pump) (Size and type of sorting or motor to be used total head water is to be lifted etc.)	
(ditte and type of species or motor to be used total head water is to be lifted etc.)	(c) If water is to be pumped give general description 4 (Sime and type of pump)
	10 Santal GE Me to t

dgete. At hec	dgate: width on	top (at water	r line)	feet; width on botton
	feet; depth of	water	feet; grade	feet fall per on
usand feet. (b) At		miles from I	readgate: width on top (at wat	er line)
			feet; depth of	10 miles
	feet fa			
			.; size at intake,	
			of usein.; d	
ake and place	e of use,	ft.	Is grade uniform?	Estimated capacit
	sec. ft. on of area to be	irrigated, or	place of use	
Township	Branco E. er V. er	1	Forty-acre Tract	Number Acres To Be Irrigated
Warth or South	Willemette Mentden	Section	Jud-sett trict	
19	2 W	15	N.W. got NVL	12.5
18	24	15	Swigot May	2.
13.	2 62	12.	NE 406 NO. 4	· , 5* · ·
18	24	15	SE GOLALL	24 (
13	2.42	15	su 4 06 NI	3.1
j s	246	15	NW 4 21 311 4	12 "
18	211	15	NE 406 510 4	4.0
18	200	15	NEL WELL	7.0
. / \$	241	16	VN 416 VF 14	4.6
/×	24'	16	SH JUST NEW	11.3
/}	3 n	16.	3 x 4 06 N x 4	
	200	16	NASA SE	
73	2 42	14	ace required, attach constrate sheet)	
(a) C	haracter of soil	chelse	1 ,	195°
(b) K	Cind of crops rai	sed Dott	tore in a Gafa	forkey
ower or Minir	ng Purposes-	. /	<i>l l</i> .	
9. (a) T	otal amount of	power to be d	eveloped	theoretical horsepou
(b) G	Quantity of wate	er to be used fo	or power	sec. ft.
(c) T	otal fall to be u	itilized	feet.	·
		,	eans of which the power is to	be developed
(a) (- 1	•••••••	of Can
			(Logal subdivision)	of Sec.
	, R			
(f) 1	s water to be re	turned to any	stream?(Yes or No)	
(g) 1	if so, name stre	am and locate	point of return	
		, Sec	, Tp(No. N. or S	, R, W
			be applied is	

	2667
M. (a) To simply the itey of	
Country, Justing & placests population of	4 DV - 000 - 1 1844 - 1844 - 1844 - 1845 - 1845 - 1845 - 1845 - 1845 - 1845 - 1845 - 1845 - 1845 - 1845 - 1
(5) 24 for domissile use store number of families to be supplied	
And the Branch Branch Branch	-
11. Estimated cost of proposed works, \$ 1,500	
12. Construction work will begin on or before May 1, 1961	· · · · · · · · · · · · · · · · · · ·
18. Construction work will be completed on or before May 1, 1962	Z
14. The water will be completely applied to the proposed use on or before	
Rayon I of t	
Repair of 1	of applicant)
	i i i i i i i i i i i i i i i i i i i
establish the other sites and have use of fight 1, 1963.	101 412 3000
establish the atter atter and have not	Con application
Aspt 1, 1963.	······································
	,
	······································
STATE OF OREGON.	
County of Marion,	•
This is to certify that I have examined the foregoing application, together	ther with the accompanuis
en-lotion	
	• _
In order to retain its priority, this application must be returned to the	State Engineer, with corre
tions on or before May 9 , 19 60	
WITNESS my hand this 8th day of March	1960

SUBJECT TO EXISTING RIGHTS and the following limitations and conditions: The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 2.06 cubic feet per second measured at the point of diversion from the								
•	And the second				•	•		
stream, or	its equivalent in	case of rotation with o	ther wate	r users, from	lamette River	••••••		

***************************************	*************************							
The	use to which this	water is to be applied	is irrig	a ti en				
	***************************************				`			
						,		
		appropriation shall be l			of one cubi			
		each acre irrigated						
not to	exceed 21 sere	feet per sore for	esch sc	ere irrigated dur	ing the irrig	ation		
season	of each year,		***********		•••••	•••••		
			.,					
•••••••				· · · · · · · · · · · · · · · · · · ·				
***************************************	***************************************				······································			
	*	. `						
***************************************	·					•		
and shall	be subject to such	reasonable rotation sy	stem as m	ay be ordered by the	proper state of	icet.		
The	priority date of t	his permit is		May 10, 1960				
Act	ual construction t	work shall begin on or	before	June 6, 1961		and shall		
thereafter	be prosecuted w	ith reasonable diligenc	e and be o	completed on or befo	re October 1, 19.	62		
		of the water to the pro		· ·				
	TNESS my hand t	6th		June	,19			
				Livie a.	Hanley			
	÷		·		april.	engineer		
,			I		.	.		
	υ	in th regon		:	U)	>		
N	JBL.I	ived m, O			679	e S		
20	E PU STA	Sale Sale		0 6	199	page 81		
33	PERMIT DPRIATE THI RS OF THE S OF-OREGON	first grat		66 66	DOOK NO. 2667			
No.	PERMIT OPRIATE THE RS OF THE OF-OREGOI	was ngin	nt:	9	K NO	Ŋ		
ition No.	PHONERS OF	ment ate B day	plica	dun.	ge	n No		
Application No. 33677. Permit No. 2/66.79	PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF-OREGON	he St	3 g		aed no	Basi		
A ₁	ĝ	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the A.C. day of McAchery 19.00, at 1.00 o'clock.	Returned to applicant:	Approved: June 6, 1900	Recorded in book No. Permits on page LATE AND SE	Drainage Basin No. Fees		
		offic of the Cart	Retu	App	Pen	Drai		