

APRIO 1950 CD

*APPLICATION FOR PREMIT

To Appropriate the Public Waters of the State of Oregon

COREC	ing address)		-
te ofOregon	do hereby m	ake application for a p	ermit to appropriate the
owing described publi	ic waters of the State of Oregon,	SUBJECT TO EXIST	NG RIGHTS:
If the applicant is	s corporation, give date and place	of incorporation	
1. The source of th	se proposed appropriation is	ing	
	, a tributary c		
	water which the applicant intends		
	0.01 ft.		
	th the water is to be applied is		ty non each
3. The use to which	in the water is so or approva a	(Brigation, power, mining, manu	facturing, domestic supplies, etc.)
	version is located 1562 ft. I		
••••••••••••••••••••••••••••••••••••••			
	(If preferable, give distance and bear	ring to section corner)	
		•	seconary)
eing within the	s more than one point of diversion, each must be	described. Use separate sheet if a	
14W , W. M., i	s more than one point of diversion, each must be	described. Use separate sheet if a	
14W , W. M., i	to more than one point of diversion, each must be WESSE (Give smallest legal subdivision) in the county of CURTY Co. pipeline	of Sec. 8	, Tp. 36S
14W , W. M., i	s more than one point of diversion, each must be ##1581 (Give smallest legal subdivision) in the county of Curry Co. pipeline (Italia ditch. canal or pipe line)	of Sec. 8	7p. 368 (N. or S.)
t. 14W , W. M., i 5. The	is more than one point of divertion, each must be welcked (Otre smallest legal subdivision) in the county of Curry Co. pipeline (Stain ditch, canal or pipe line) state (Smallest legal subdivision)	of Sec. 8 to be 2 of Sec. 8	50 ft. (N. or S.) 50 ft. (Miles or feet) (N. or S.)
1. 14W , W. M., i 5. The	s more than one point of diversion, each must be ##1581 (Give smallest legal subdivision) in the county of Curry Co. pipeline (Italia ditch. canal or pipe line)	of Sec. 8 to be 2 of Sec. 8	50 ft. (N. or S.) 50 ft. (Miles or feet) (N. or S.)
1. 14W , W. M., i 5. The	is more than one point of divertion, each must be welcked (Otre smallest legal subdivision) in the county of Curry Co. pipeline (Stain ditch, canal or pipe line) state (Smallest legal subdivision)	of Sec. 8 to be 2 of Sec. 8	50 ft. (N. or S.) 50 ft. (Miles or feet) (N. or S.)
5. The	(Cive smallest legal subdivision) in the county of CURTY Co. pipeline (stain ditch, canal or pipe line) at the SWASE (smallest legal subdivision) M., the proposed location being significant of the stain of the	to be	50 ft. (Miles or feet) Tp. 36 S (N or S.) e accompanying map.
1. 14W , W. M., i (2. a. w.) , W. M., i (2. a. w.) , W. M., i (2. a. w.) , W. (2. a. w.) Diversion Works— 6. (a) Height of	(Cive smallest legal subdivision) in the county of CURTY Co. pipeline (Main ditch, canal or pipe line) at the SWISE! (Emallest legal subdivision) M., the proposed location being significant of the pipeline of the proposed location being significant of the proposed location of the proposed loca	to be 2 of Sec. 8 to be 2 nown throughout on the WORKS th on top 10 ft.	50 ft. (Miles or feet) Tp. 36 S (N or S.) e accompanying map.
5. The	(Cive smallest legal subdivision) in the county of CURTY Co. pipeline (stain ditch, canal or pipe line) at the SWASE (smallest legal subdivision) M., the proposed location being significant of the stain of the	to be 2 of Sec. 8 to be 2 nown throughout on the WORKS th on top 10 ft.	50 ft. (Miles or feet) Tp. 36 S (N or S.) e accompanying map.
14W , W. M., is compared to the second tength, terminating in the second tength, terminating in the second tength of the second tength	more than one point of diversion, each must be WISE! (Give smallest legal subdivision) in the county of CUFFY Co. pipeline (Main ditch, canal or pipe line) at the SWISE! (Smallest legal subdivision) M the proposed location being sl DESCRIPTION O dam 1.0 ft. feet, length material to be used and character of	to be 2 to be 8 fown throughout on the WORKS th on top 10 ft.	50 ft. (Miles or feet) 7p. 36 8 (N or S.) e accompanying map. feet, length at bottomand rock (Loose rock, concrete, mason
14W , W. M., is a second of the second of th	more than one point of diversion, each must be WISE! (Give smallest legal subdivision) in the county of CUFFY Co. pipeline (Main ditch, canal or pipe line) at the SWISE! (Smallest legal subdivision) M the proposed location being sl DESCRIPTION O dam 1.0 ft. feet, length material to be used and character of	to be 2 to be 8 fown throughout on the WORKS th on top 10 ft.	50 ft. (Miles or feet) 7p. 36 8 (N or S.) e accompanying map. feet, length at bottomand rock (Loose rock, concrete, mason
5. The	(Give smallest legal subdivision) in the county of CUTTY Co. pipeline (stain ditch, canal or pipe line) at the SWISE! (Esmallest legal subdivision) M the proposed location being sl DESCRIPTION O dam 1.0 ft. feet, length material to be used and character of westerney over or around dam) of headgate One inch plas	to be 2 to be 2 frown throughout on the WORKS th on top 10 ft. of construction Bart	50 ft. (Miles or feet) 7p. 36 8 (N or S.) e accompanying map. feet, length at bottom the and rock (Loose rock, concrete, mason
R. 14W , W. M., i 5. The	is more than one point of diversion, each must be WISE! (Give smallest legal subdivision) in the county of Curry Co. pipeline (Main ditch, canal or pipe line) in the SWISE! (Emailest legal subdivision) M., the proposed location being sl DESCRIPTION O dam 1.0 ft. feet, length material to be used and character of wasteway over or around dam) of headgate Qne inch plass ed with screen	to be 2 to be 2 found throughout on the Second throughout on the Seco	50 ft. (Miles or feet) 7p. 36 S (N or S.) e accompanying map. feet, length at bottom and rock (Loose rock, concrete, mason
5. The	(Give smallest legal subdivision) in the county of CUTTY Co. pipeline (stain ditch, canal or pipe line) at the SWISE! (Esmallest legal subdivision) M the proposed location being sl DESCRIPTION O dam 1.0 ft. feet, length material to be used and character of westerney over or around dam) of headgate One inch plas	to be 2 to be 2 found throughout on the Second throughout on the Seco	50 ft. (Miles or feet) 7p. 36 S (N or S.) e accompanying map. feet, length at bottom and rock (Loose rock, concrete, mason

^{*}Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem,

i Bystem or i	Pipe Line-		•	
5 6 3				ged in size, stating miles from
				feet; width on bottom
sand feet.	feet; depth of u	pater	feet; grade	feet fall per one
(b) At		miles from hea	dgate: width on top (at wat	er line)
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	feet; width on b	ottom	feet; depth of	water feet
	feet fal			250
			ize at intake,	in.; size at ft
n intake	1n. in.,	size at place of		ifference in elevation between
ke and place	e of use	ft. Is	grade uniform?	Estimated capacity
.01	ser it			•
8. Locatio		irrigated, or pla	ce of use	
Township North or South	Range E. or W. of Willemotte Meridian	Spetton	Forty-scre Tract	Number Acres To Be Irrigated
36 8	14W -	Sec. 8	nw isbi	Domestic
36 S	14W	Sec. 8	sw i sei	Domestic
			•	
		•		
	e .			
(a) (haracter of soil		required, attach separate sheet)	* .
	•			
	ng Purposes-			
9. (a) 1	Total amount of	power to be det	veloped	theoretical horsepou
(b) (Quantity of wate	er to be used for	power	sec. ft.
			(Head) feet.	
(d)	The nature of th	e works by mea	ns of which the power is to	be developed
(e)	Such works to b	e located in	(Legal subdivision)	of Sec
Гр(No. N.	, R	W, W.	М.	
******			itream?(Yes or No)	
(g)	If so, name stre	am and locate p	point of return	
		٠,٠	.	, R, W

This is typical small water system utilizing a spring which arises on a local farmers pasture land. The area where dam will be constructed will be fenced to prevent stock intrust. The one inch line will flow to a 3000 gal. concrete tank inside Boyl's property and from there on to the house. The spring arise on a moderate South slope which continues MEXACKARGENERIAL with intermittant benches to the County Road. STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyage and data, and return the same for	County, having a present population of the 18. In 18. Comments were state number of families to be supplied to the supplied construction work will begin on or before to the supplied to the proposed works, \$ \$1000 Construction work will be completed on or before Tuly 1, 1962 Construction work will be completed on or before Tuly 1, 1962 The water will be completely applied to the proposed use on or before Tuly 1, 1962 This is typical small water system utilizing a spring which arises on a local farmers pasture land. The area where the mas will be constructed will be fenced to prevent stock intrusion as one inch line will flow to a 3000 gal, concrete tank inside the property and from there on to the house. The spring arise on a moderate South slope which continues TEXMEXAMENTARIES with intermittant benches to the County Road. OF OREGON, as the complete of the county that it have examined the foregoing application, together with the accompanying is to certify that I have examined the foregoing application, together with the accompanying is to certify that I have examined the foregoing application, together with the accompanying the certification of the country results and return the same for the country results.	micipal or Demastic Supply—	26704
Country, having a present population of dem esthered population of (b) If for demestic use siste number of families to be supplied. (b) If for demestic use siste number of families to be supplied. (c) If for demestic use siste number of families to be supplied. (d) If for demestic use siste number of families to be supplied. (e) If for demestic use siste number of families to be supplied. (e) If for demestic use siste number of families to be supplied. (f) If the supplied cost of proposed use on or before and the supplied to the proposed use on or before. (f) If the supplied cost of proposed use on or before and the supplied to the proposed use on or before. (f) If the supplied cost of proposed use on or before are supplied. (f) If the supplied cost of proposed use on or before are supplied to the proposed use on or before. (f) If the supplied cost of proposed use on or before. (f) If the supplied co	Comments are state number of families to be supplied One (Interest population of proposed works, \$ \$1000 Interestion work will begin on or before One One Interestion work will be completed on or before Interestion work will be completed on or before The water will be completely applied to the proposed use on or before This is typical small water system utilizing a spring which arises on a local farmers pasture land. The area where the am will be constructed will be fenced to prevent stock intrusion the one inch line will flow to a 3000 gal. concrete tank inside topic property and from there on to the house. The spring arise in a moderate South slope which continues EXECUTATION with maternittant benches to the County Road. OF OREGON, yet Marion, is is to certify that I have examined the foregoing application, together with the accompanying is a control of the state Engineer, with correct to retain its priority, this application must be returned to the State Engineer, with corrected to the State Engineer of the State Eng	D. (a) To much the city of	
the contraction work will begin on or before July 1, 1960 11. Estimated cost of proposed works, \$ \$1000 12. Construction work will begin on or before July 1, 1962 13. Construction work will be completed on or before July 1, 1962 14. The water will be completely applied to the proposed use on or before July 1, 1962 15. The water will be completely applied to the proposed use on or before July 1, 1962 16. The water will be constructed will be fenced to prevent stock intrust which arrises on a local farmers pasture land. The area where dam will be constructed will be fenced to prevent stock intrust on a moderate South slope which continues *** *** *** *** *** *** *** *** *** *	is is to certify that I have examined the foregoing application, together with the accompanyit is to certify that I have examined the foregoing application, together with the accompanyit is to certify that I have examined the foregoing application, together with the accompanyit is to certify that I have examined the foregoing application, together with the accompanyit is application must be returned to the State Engineer, with correct to retain its priority, this application must be returned to the State Engineer, with correct to retain its priority, this application must be returned to the State Engineer, with correct to retain its priority, this application must be returned to the State Engineer, with correct to retain its priority, this application must be returned to the State Engineer, with correct to retain its priority, this application must be returned to the State Engineer, with correct to retain its priority, this application must be returned to the State Engineer, with correct to retain its priority, this application must be returned to the State Engineer, with correct to retain its priority, this application must be returned to the State Engineer, with correct to retain its priority, this application must be returned to the State Engineer, with correct to retain its priority, this application must be returned to the State Engineer, with correct to the state Engineer is the correct to the state and the		
(b) If for demestic use state member of families to be supplied (Construction work will begin on or before July 1, 1960) 11. Entirection work will begin on or before July 1, 1962 12. Construction work will be completed on or before July 1, 1962 13. Construction work will be completely applied to the proposed use on or before July 1, 1962 14. The water will be completely applied to the proposed use on or before July 1, 1962 15. This is typical small water system utilizing a spring which arises on a local farmors pasture land. The area where dam will be constructed will be fenced to prevent stock intrusting one inch line will flow to a 5000 gal. concrete tank inside the moderate South slope which continues EXECUTABLE with intermittant benches to the County Road. The of Orregon, the County Road.	if for demestic use state number of families to be supplied Construction work will begin on or before July 1, 1960 Construction work will be completed on or before July 1, 1962 Construction work will be completed on or before July 1, 1962 The water will be completely applied to the proposed use on or before July 1, 1962 Complete on a local farmers hasture land. The area where the nas will be constructed will be fenced to prevent stock intrusion one inch line will flow to a 3000 gal, concrete tank inside myle property and from there on to the house. The spring arises in a moderate South slope which continues INTEXEXECUTABLE with intermittant benches to the County Road. OF OREGON, as we will have examined the foregoing application, together with the accompanying date, and return the same for order to retain its priority, this application must be returned to the State Engineer, with corrected to the State Engineer with the corrected to the State Engineer wi		
11. Estimated cost of proposed works, \$ \$1000 12. Construction work will begin on or before July 1, 1962 13. Construction work will begin on or before July 1, 1962 14. The water will be completely applied to the proposed use on or before July 1, 1962 14. The water will be completely applied to the proposed use on or before July 1, 1962 15. This is typical small water system utilizing a spring which arises on a local farmers hasture land. The area where dam will be constructed will be fenced to prevent stock intrust the one inch line will flow to a 3000 gal. concrete tank inside the property and from there on to the house. The spring arise on a moderate South slope which continues EXAMINATE with intermittant benches to the County Road. STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompange and data, and return the same for	Simple demestic use state number of similies to be supplied [Annual Continue of the Continue of State Engineer, with correction to continue of the same of the complete of the proposed use on or before [Annual Continue of the Complete of the proposed use on or before of the water will be completely applied to the proposed use on or before. [Annual Continue of the Continue of th	d an extinated population of in 16	
11. Estimated cost of proposed works, \$ \$1000 12. Construction work will begin on or before July 1, 1962 13. Construction work will be completed on or before July 1, 1962 14. The water will be completely applied to the proposed use on or before July 1, 1962 15. The water will be completely applied to the proposed use on or before July 1, 1962 16. The water will be completely applied to the proposed use on or before July 1, 1962 17. Assured Remarks: This is typical small water system utilizing a spring which arises on a local farmers pasture land. The area where dam will be constructed will be fenced to prevent stock intrust The one inch line will flow to a 5000 gal. concrete tank inside the property and from there on to the house. The spring arises on a moderate South slope which continues EXECUTABLEMENTARIES with intermittant benches to the County Road. STATE OF OREGON, Sec. County of Marion, County	construction work will begin on or before July 1, 1960 Construction work will begin on or before July 1, 1962 The water will be completely applied to the proposed use on or before July 1, 1962 Facility July 1, 1962	(b) If for domestic use state number of families to be supplied	On•
II. Construction work will begin on or before July 1, 1982 July 1, 1982 14. The water will be completely applied to the proposed use on or before July 1, 1982 Jack S. Land. July 1, 1982 July	Construction work will begin on or before July 1, 1968 Construction work will be completed on or before The water will be completely applied to the proposed use on or before July 1, 1968 July 1	(Author guestian B, et, S, and N fa of man)	·
M. Construction work will begin on or before July 1, 1962 14. The water will be completely applied to the proposed use on or before July 1, 1962 Lawk S. Lawk Greenward This is typical small water system utilizing a spring which arises on a local farmers hasture land. The area where dam will be constructed will be fenced to prevent stock intrus The one inch line will flow to a 3000 gal. concrete tank inside Boyle property and from there on to the house. The spring ari on a moderate South slope which continues MEXICALEMENTATES with intermittant benches to the County Road. STATE OF OREGON. County of Marion. This is to certify that I have examined the foregoing application, together with the accompangue and date, and return the same for	Construction work will begin on or before July 1, 1968 Construction work will be completed on or before The water will be completely applied to the proposed use on or before July 1, 1968 July 1	11. Estimated cost of prophest sporks \$	
13. Construction work will be completed on or before July 1, 1962 14. The water will be completely applied to the proposed use on or before July 1, 1962	Construction work will be completed on or before The water will be completely applied to the proposed use on or before Figure Sections Figu	July 1, 1960	
14. The water will be completely applied to the proposed use on or before Company of maplement of maplemen	This is typical small water system utilizing a spring high arises on a local farmers pasture land. The area where the am will be constructed will be fenced to prevent stock intrusions one inch line will flow to a 3000 gal. concrete tank inside the property and from there on to the house. The spring arise in a moderate South slope which continues EXMENATEMENT with intermittant benches to the County Road. OF OREGON, you Marion, is it to certify that I have examined the foregoing application, together with the accompanying data, and return the same for corder to retain its priority, this application must be returned to the State Engineer, with corrected to retain its priority, this application must be returned to the State Engineer, with corrected to retain its priority, this application must be returned to the State Engineer, with corrected to retain its priority, this application must be returned to the State Engineer, with corrected to the state Engineer.	July 1, 1	1962
This is typical small water system utilizing a spring which arises on a local farmers pasture land. The area where dam will be constructed will be fenced to prevent stock intrusting property and from there on to the house. The spring arise on a moderate South slope which continues MAXIMATIMATE with intermittant benches to the County Road. STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanance and data, and return the same for	This is typical small water system utilizing a spring with: This is typical small water system utilizing a spring high arises on a local farmers pasture land. The area where the am will be constructed will be fenced to prevent stock intrusion he one inch line will flow to a 3000 gal. concrete tank inside myle property and from there on to the house. The spring arise in a moderate South slope which continues EXCLARMINATE with intermittant benches to the County Road. OF OREGON, by of Marion, is is to certify that I have examined the foregoing application, together with the accompanying it is to certify that I have examined the foregoing application, together with the accompanying data, and return the same for order to retain its priority, this application must be returned to the State Engineer, with corrected to retain its priority, this application must be returned to the State Engineer, with corrected to the state Engineer and th	13. Construction work will be completed on or before	July 1, 1962
This is typical small water system utilizing a spring which arises on a local farmers pasture land. The area where dam will be constructed will be fenced to prevent stock intrust. The one inch line will flow to a 3000 gal. concrete tank inside the property and from there on to the house. The spring arise on a moderate South slope which continues THIMINIMAL with intermittant benches to the County Road. STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompany maps and data, and return the same for	This is typical small water system utilizing a spring beth: The area where the same for the continues and the accompanyis is to certify that I have examined the foregoing application, together with the accompanyis of the returned to the state Engineer, with corrected to retain its priority, this application must be returned to the State Engineer, with corrected to retain its priority, this application must be returned to the State Engineer, with corrected to the State Engineer.	14. The water will be completely applied to the proposed use on or before	re
This is typical small water system utilizing a spring which arises on a local farmers pasture land. The area where dam will be constructed will be fenced to prevent stock intrust. The one inch line will flow to a 3000 gal. concrete tank inside the property and from there on to the house. The spring arise on a moderate South slope which continues THIMINIMAL with intermittant benches to the County Road. STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompany maps and data, and return the same for	This is typical small water system utilizing a spring beaks: In a constructed will be fenced to prevent stock intrusion the one inch line will flow to a 3000 gal. concrete tank inside by see property and from there on to the house. The spring arise in a moderate South slope which continues EXECUTABLE with intermittant benches to the County Road. OF OREGON, as a continue of the		-
This is typical small water system utilizing a spring which arises on a local farmers pasture land. The area where dam will be constructed will be fenced to prevent stock intrust. The one inch line will flow to a 3000 gal. concrete tank inside the property and from there on to the house. The spring arise on a moderate South slope which continues THIMINIMAL with intermittant benches to the County Road. STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompany maps and data, and return the same for	This is typical small water system utilizing a spring high arises on a local farmers pasture land. The area where the am will be constructed will be fenced to prevent stock intrusion he one inch line will flow to a 3000 gal. concrete tank inside by see property and from there on to the house. The spring arise in a moderate South slope which continues water at with intermittant benches to the County Road. OF OREGON, as a see that it have examined the foregoing application, together with the accompanying a set to certify that I have examined the foregoing application, together with the accompanying a set to retain its priority, this application must be returned to the State Engineer, with corrected to retain its priority, this application must be returned to the State Engineer, with corrected to retain its priority, this application must be returned to the State Engineer, with corrected to the state Engineer.	Jacob 3 h	avis
This is typical small water system utilizing a spring which arises on a local farmers pasture land. The area where dam will be constructed will be fenced to prevent stock intrust. The one inch line will flow to a 3000 gal. concrete tank inside the property and from there on to the house. The spring arise on a moderate South slope which continues THIMINIMAL with intermittant benches to the County Road. STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompany maps and data, and return the same for	This is typical small water system utilizing a spring high arises on a local farmers pasture land. The area where the am will be constructed will be fenced to prevent stock intrusion he one inch line will flow to a 3000 gal. concrete tank inside by see property and from there on to the house. The spring arise in a moderate South slope which continues water at with intermittant benches to the County Road. OF OREGON, as a see that it have examined the foregoing application, together with the accompanying a set to certify that I have examined the foregoing application, together with the accompanying a set to retain its priority, this application must be returned to the State Engineer, with corrected to retain its priority, this application must be returned to the State Engineer, with corrected to retain its priority, this application must be returned to the State Engineer, with corrected to the state Engineer.	Pera 1 411	10A(131.0
which arises on a local farmers pasture land. The area where dam will be constructed will be fenced to prevent stock intrus The one inch line will flow to a 3000 gal. concrete tank insid Boyle property and from there on to the house. The spring ari on a moderate South slope which continues ************************************	and will be constructed will be fenced to prevent stock intrusion the one inch line will flow to a 3000 gal. concrete tank inside the one inch line will flow to a 3000 gal. concrete tank inside the property and from there on to the house. The spring arise in a moderate South slope which continues ************************************	This is typical small water system uti	
dam will be constructed will be fenced to prevent stock intrust. The one inch line will flow to a 3000 gal. concrete tank inside Boyle property and from there on to the house. The spring art on a moderate South slope which continues ************************************	am will be constructed will be fenced to prevent stock intrusion he one inch line will flow to a 5000 gal. concrete tank inside by separate property and from there on to the house. The spring arise in a moderate South slope which continues ************************************		The area where th
The one inch line will flow to a 3000 gal. concrete tank inside Boyle property and from there on to the house. The spring art on a moderate South slope which continues INTERNATIONAL with intermittant benches to the County Road. STATE OF OREGON, County of Marion, Iss. This is to certify that I have examined the foregoing application, together with the accompany and data, and return the same for	the one inch line will flow to a 3000 gal. concrete tank inside by is property and from there on to the house. The spring arise in a moderate South slope which continues ***EXAMINATION** With intermittant benches to the County Road.** OF OREGON,		***************************************
Deyle property and from there on to the house. The spring arm a moderate South slope which continues **EXALXANTIMATE** with intermittant benches to the County Road. STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanage and data, and return the same for	order to retain its priority, this application must be returned to the State Engineer, with corrections as moderate sauth from there on to the house. The spring arise is a correct to retain its priority, this application must be returned to the State Engineer, with corrections as moderate same for corder to retain its priority, this application must be returned to the State Engineer, with corrections as moderate and the foregoing application to the State Engineer, with corrections are considered.		
on a moderate South slope which continues accompanies with intermittant benches to the County Road. STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanies and data, and return the same for	order to retain its priority, this application must be returned to the State Engineer, with corre	The one inch line will flow to a 3000 gal. cor	ncrete tank inside
Intermittant benches to the County Road. STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanaps and data, and return the same for	order to retain its priority, this application must be returned to the State Engineer, with corre	Boyle property and from there on to the house.	. The spring arise
Intermittant benches to the County Road. STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanaps and data, and return the same for	order to retain its priority, this application must be returned to the State Engineer, with corre	on a moderate South slope which continues	CEXESCENCE with
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompa	OF OREGON, ss. y of Marion, is is to certify that I have examined the foregoing application, together with the accompanying data, and return the same for		<u> </u>
STATE OF OREGON, St. County of Marion, This is to certify that I have examined the foregoing application, together with the accompa	OF OREGON, ss. y of Marion, is is to certify that I have examined the foregoing application, together with the accompanying data, and return the same for		
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompa	OF OREGON, ss. y of Marion, is is to certify that I have examined the foregoing application, together with the accompanying data, and return the same for		
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompa	OF OREGON, ss. y of Marion, is is to certify that I have examined the foregoing application, together with the accompanying data, and return the same for		
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompa	OF OREGON, ss. y of Marion, is is to certify that I have examined the foregoing application, together with the accompanying data, and return the same for		
STATE OF OREGON, St. County of Marion, This is to certify that I have examined the foregoing application, together with the accompa	OF OREGON, ss. y of Marion, is is to certify that I have examined the foregoing application, together with the accompanying data, and return the same for		•
STATE OF OREGON, St. County of Marion, This is to certify that I have examined the foregoing application, together with the accompa	OF OREGON, ss. y of Marion, size is to certify that I have examined the foregoing application, together with the accompanying data, and return the same for application must be returned to the State Engineer, with correspondent to retain its priority, this application must be returned to the State Engineer, with correspondents.	•	
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompa	OF OREGON, ss. y of Marion, sis is to certify that I have examined the foregoing application, together with the accompanying data, and return the same for sorder to retain its priority, this application must be returned to the State Engineer, with corre		
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompa	OF OREGON, y of Marion, is is to certify that I have examined the foregoing application, together with the accompanying data, and return the same for		
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompa	OF OREGON, y of Marion, is is to certify that I have examined the foregoing application, together with the accompanying data, and return the same for		
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompa maps and data, and return the same for	order to retain its priority, this application must be returned to the State Engineer, with corre		
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompa maps and data, and return the same for	order to retain its priority, this application must be returned to the State Engineer, with corre		
County of Marion, This is to certify that I have examined the foregoing application, together with the accompa maps and data, and return the same for	y of Marion, is is to certify that I have examined the foregoing application, together with the accompanying data, and return the same for		
This is to certify that I have examined the foregoing application, together with the accompa	is is to certify that I have examined the foregoing application, together with the accompanying data, and return the same for	es.	
maps and data, and return the same for	order to retain its priority, this application must be returned to the State Engineer, with corre	County of Marion,	
	order to retain its priority, this application must be returned to the State Engineer, with corre	This is to certify that I have examined the foregoing application, tog	ether with the accompanyi
•	order to retain its priority, this application must be returned to the State Engineer, with corre	maps and data, and return the same for	
ALT WILLY THE EVENTS AND PLANE TO ALTON MADE TO PROPERTY OF THE PROPERTY OF TH			,
	or oejore		- .

STATE ENGINEER

SUBJECT TO EXISTING The right herein g				plied to beneficial use
and shall not exceed	Q.01cubie	feet per second 1	measured at the point	of diversion from the
stream, or its equivalent				
		ν .		family
				of one cubic foot per
If for irrigation, the second or its equivalent				
Second or see equivalent	•			
<u></u>		•		
		····		
				•
			,	
				· · · · · · · · · · · · · · · · · · ·
• •		*		
and shall be subject to	· ·			
The priority date	of this permit is		April 19, 1960	
			June 6, 1961	
thereafter be prosecute				
Complete applica			- 0	before October 1, 19 63.
WITNESS my h	and this 6th	day of	June)	Lilanten
	•		1 XIVY P4 21	STATE ENGINEER
			· · · · · · · · · · · · · · · · · · ·	\ . : : #
ပ	in the regon		2	SINTER
THE K C.	eived lem, O	W.	83	5704 LAY STATE ENGINEER
T THE P	st rec		90	5
io. 33 PERMIT PERMIT RES OF THE	OF OREGON ent was first te Engineer at	Jock	. 194 No.	196
Vo PEI RS OI	OF O vent u ite En	aay o	s aum	Jan. 13.
Application No. 33ff6 Permit No. 36704 PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE	naturum he Sta	S. to app	oroved: June 6. 1960 Recorded in book No. 2.	I I
A TO A	OF OREGON This instrument was first received in the office of the State Engineer at Salem, Oregon,	on the day of	Approved:	Permits on page
	offi	Ret 196	Apı	P