THNEER

## \*APPLICATION FOR PERSON

## To Apprepriate the Public Waters of the State of Oregon

The diversion is known areak and not from	n location as Sprin
(If preferable, give divinace and bearing to section corner)	
(12 preferable, give distance and bearing to section corner)	
(12 preferable, give distance and bearing to section corner)	
(M preferable, give distance and bearing to section corner)	
(If preferable, give distance and bearing to section corner)	
(If there is more than one point of diversion, each must be described. Use separate s	sheet if necessary)
ring within the 10	
	(N. or 5.)
14 V , W. M., in the county of Curry	•
5. The Pipe line to be	332 ft
(Main ditch, conal or pipe line)	(Miles or feet)
length, terminating in the Shalf SW 1 of 3E of Sec	9 <b>, <sub>Tp. 30 3</sub></b>
(Smallest legal subdivision)	(N. or S.)
	on the accompanying map.
(X. er W.)	
DESCRIPTION OF WORKS	, J J F
version Works—	
• •	
6. (a) Height of dam feet, length on top	
6. (a) Height of dam feet, length on top	feet, length at botto
	feet, length at botto
6. (a) Height of dam feet, length on top	feet, length at botto
6. (a) Height of dam feet, length on top feet; material to be used and character of construction	feet, length at botto
6. (a) Height of damfeet, length on top	feet, length at botto
6. (a) Height of damfeet, length on top	CLoose rock, concrete, mason  2 side Walls 6" deep
6. (a) Height of damfeet, length on topfeet; material to be used and character of constructionfeet; material to be used and character of constructionfeet; material to be used and character of constructionfeet, wasteway over or around dam)  (b) Description of headgate	CLoose rock, concrete, mason  2 side Walls 6" decy  r and size of openings)
6. (a) Height of damfeet, length on topfeet; material to be used and character of construction	(Loose rock, concrete, masor  2 side Valls 6" decy  and size of openings)
6. (a) Height of damfeet, length on top	Cloose rock, concrete, mason  2 side Walls of decy  r and size of openings)

<sup>\*</sup>A different form of application to provided where storage works are contemplated.

<sup>&</sup>quot;Application for permits to appropriate tester for the generation of electricity, with the exception of municipalities, must be made to the Sydroelectric Commission. Either of the above forms may be secured, without east, together with instructions by addressing the State Engineer, Salem,

2671	•			
al System or 1	Pipe Line			
		each point of c	and where materially change	ed in size, stating miles from
dgate. At head	igate: width on	top (at water l	lac)	feet; width on bottom
	feet; depth of u	oster	feet; grade	feet fall per one
usand feet. (b) At		miles from he	adgate: width on top (at wate	7 line)
	feet; width on b	ottom	feet; depth of u	p <b>ater</b> feet;
de	feet fal	I per one thous	and feet.	
				in.; size at 91 ft.
				fference in elevation between
				Estimated capacity
	•	See Remar	9	
		irrigated, or pl	ace of use	
Township North or South	Reage 2. or V. of Villemete Morting	- Conting and	Forty-acre Tract	Number Acres To Be Irrigated
36 S	(14 W	9	SW SW SE NE	None.Just House us
			7	
· •				
· · · · · · · · · · · · · · · · · · ·				
J		-		
<del>,</del>	<del> </del>		·	
·····				
•	·			
*		<del> </del>		
			-	
	1	(If more space	required, attach separate sheet)	
(a) C	haracter of soil	Rock &	Sand	
(b) K	ind of crops rais	sed	ion e	
ower or Minin	• •	,		
		•	•	theoretical horsepowe
		·	power	sec. ft.
(c) T	otal fall to be u	tilized	feet.	
(d) T	he nature of the	works by mea	ns of which the power is to b	e developed
٠		74-92-		
			(Legal subdivision)	oj sec.
	, R. (N			
			tream?(Yes or No)	
-	•		point of return	* * * *
•••••••		, Sec	, Tp(Ne. N. or S.	, R, W.
(h) '	The use to which	power is to be	applied is	

## STATE OF OREGON,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

all not exceed	0.01	cubic feel	per second	i measus	ed at the	point of	diversion	from
, or its equivalen	it in case of	rotation wit	h other wa	ter users	, from!	mmanod	eroek	
				4				
77 / 200 / v 000 000 h 2 v 0 v 0 0 00 v 4 2 0 00 00				a S				
*******************	******************		*****************					
The use to which	this water i	s to be appli	ed is _dom	estic v	se of o	to remili	<b>Z</b>	
**************			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		· · · · · · · · · · · · · · · · · · ·		·····	
	*		•					
			19	_			of one out	ic for
If for irrigation,								
l or its equivalen	t for each acr	re <del>irr</del> igated .						
	*************	***************************************				·		
					·.			: 
***************************************								
•								
		, <b></b>						
·			······	<u> </u>				
•								
:		•						
	••••••		***************************************					
	······································				···			**********
hall be subject to	such reason	able rotation	ı system as	may be	ordered b	y the prop	er state (	fficer.
The priority dat	e of this per	mit is	April	28, 19	60			. <b></b>
Actual construc	tion morb sh	all heain on	or héfore	J	une 6,	1961		and
		-						_
after be prosecu								
Complete appli	ation of the	water to the	proposed t	use shall	be made	on or befo	rre Octob	er 1, 1
WITNESS my	rand this	6th	day of			o A.	60	¢.
					1-6	• 1	J. 12.	· ·

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 28 th day of April

1960., at . A . R.C. o'clock ..... R. M.

Returned to applicant:

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

PERMIT

Application No. 33914
Permit No. 24219

Drainage Basin No. 15 page 727

LIMIS A. STATEN

Permits on page .....

viune o. 1960

Approved: