

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Donald L. Payne, of the City of Astoria, Oregon, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Willamette River, a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 2 cubic feet per second.

3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located 840 ft. N and 2610 ft. SE from the corner of Sec. 31, T. 14 S., R. 7 W., W.M.

being within the SW 1/4, SE 1/4 of Sec. 31, Tp. 14 S., R. 7 W., W. M., in the county of Linn

5. The pipe line to be in length, terminating in the SE 1/4, SE 1/4 of Sec. 31, Tp. 14 S., R. 7 W., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description 25 Hp Electric

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1200 ft.; size at intake, 6 in.; size at 1200 ft. from intake 8 in.; size at place of use 6 and 4 in.; difference in elevation between intake and place of use, 18 ft. Is grade uniform? yes Estimated capacity, 2 (two) sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
13 S	W	31	NE 1/4 SE 1/4	14
13 S	W	31	SE 1/4 SE 1/4	34
13 S	W	32	SW 1/4 SW 1/4	14
14 S	W	6	NE 1/4 NE 1/4	10

(If more space required, attach separate sheet)

(a) Character of soil Willamette and Amity Silt Loam with a small portion of Dayton Silt Loam.

(b) Kind of crops raised Pasture and field corn

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

20. (a) To supply the city of _____

_____ County, having a present population of _____

(name of)

and an estimated population of _____ in 19 _____

(b) If for domestic use state number of families to be supplied _____

(Indicate questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 10,000.00 _____

12. Construction work will begin on or before June 1, 1960 _____

13. Construction work will be completed on or before June 10, 1960 _____

14. The water will be completely applied to the proposed use on or before June 10, 1960 _____

Donald I. Bayne
(Signature of applicant)

Remarks: *Corrections in ink by Lewis A. Atchley in presence of applicant, May 24, 1960.*

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19 _____

WITNESS my hand this _____ day of _____, 19 _____

STATE ENGINEER

By _____ ASSISTANT

PERMIT

STATE OF OREGON,

County of Marion,

} ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.88 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Willamette River.

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 16, 1960

Actual construction work shall begin on or before May 24, 1961 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1962

Complete application of the water to the proposed use shall be made on or before October 1, 1963

WITNESS my hand this 24th day of May

Lewis A. Stanley STATE ENGINEER

Application No. 33957

Permit No. 26722

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 24th day of May 1960, at 3:50 o'clock P. M.

Returned to applicant:

Approved:

May 24, 1960

Recorded in book No. 73 of 25722 Permits on page

LEWIS A. STANLEY STATE ENGINEER

Drainage Basin No. 2 page 64H

Fees