CERTIFICATE NO. 2/54

Permit No. 2673

APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

Lexington County of Morrow	1,	Lawrence A Palme	r.			
do hereby make application for a permit to appropriate the source of the State of Oregon, subject to existing rights: If the applicant is a corporation, give date and place of incorporation. 1. The source of the proposed appropriation is. 1. The amount of water which the applicant intends to apply to beneficial use is. 1. The amount of water which the applicant intends to apply to beneficial use is. 1. The use to which the water is to be applied is. 1. Trigation 1. The use to which the water is to be applied is. 1. Trigation 1. The point of diversion is located. 1. The proposed appropriation is located. 1. The proposed by the state of the state of the section of the section of the libro. 1. Twenty-five E. W. M., in the county of the libro. 1. Twenty-five E. W. M., in the county of the libro. 1. The manner of the ditch, canal or pive libro. 1. The proposed location being shown throughout on the accompanying map. 2. The name of the ditch, canal or other works is. 1. The name of the ditch, canal or other works is. 1. The name of the ditch, canal or other works is. 1. The name of the ditch, canal or other works is. 1. The name of the ditch, canal or other works is. 1. The name of the ditch, canal or other works is. 1. The name of the ditch, canal or other works is. 1. The name of the ditch, canal or other works is. 1. The name of the ditch, canal or other works is. 1. The name of the ditch, canal or other works is. 1. The name of the ditch, canal or other works is. 1. The name of the ditch, canal or other works is. 1. The name of the ditch, canal or other works is. 1. The name of the ditch, canal or other works is. 1. The name of the ditch, canal or other works is. 1. The name of the dit		Lexington	(Name of Applic	ant)	Morrow	
do hereby make application for a permit to appropriate the		(Postoffice)	, Ce	ounty of		
1. The source of the proposed appropriation is						
1. The source of the proposed appropriation is. Name of stream) , tributary of Columbia River , tributary of Columbia River 2. The amount of water which the applicant intends to apply to beneficial use is. Cubic feet per second. 3. The use to which the water is to be applied is. Irrigation Gritsation power, mining, manufacturing the second of the supplied, etc.) 4. The point of diversion is located. N 45° W 33 chains from the Southeast corner of 1 (Give distance and bearing to section corner) 20 Tp 1 S R 25 E. 1.1. (Give analiest legal subdivision) Twenty-five 2 W. M., in the county of LOTTOW. (No. E or W.) 5. The Main ditch, canal or pipe line) Main ditch, canal or pipe line) night, terminating in the Sign of the Nut (Sign analytistist) of Sec. 20 , Tp. 1.3 , R. 25 E (No. N. or S.) M., the proposed location being shown throughout on the accompanying map. 6. The name of the ditch, canal or other works is. DESCRIPTION OF WORKS TVERSION WORKS— 7. (a) Height of dam. five feet, length on top twenty-five feet, length at botton feet; material to be used and character of construction. Choose reck, concept Concept, two foot wide (Thinber concept, stc., number and size of openings)	llowing d	escribed public waters of the	State of Oregon, s	ubject to existing	rights:	
	If the	applicant is a corporation, g	ive date and place	of incorporation	 	·
2. The amount of water which the applicant intends to apply to beneficial use is	1. Th	e source of the proposed app	ropriation is	W il	low Creek	
2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second. 3. The use to which the water is to be applied is (Irrigation (Irrigation, power, mining, manufacturing) meetic supplies, etc.) 4. The point of diversion is located. N 43° W 33 chains from the Southeast corner of 3 20 Tp 1 S R 25 E.V.L. (Give distance and bearing to section corner) 20 Tp 1 S R 25 E.V.L. (Give mining within the NV of the SE of the subdivision) Twenty-five E, W. M., in the county of Lorrow (No. E. or W.) Inain ditch canal or pipe line) Main ditch, canal or pipe line) of Sec. 20 , Tp 1.3 , R. 25 E (No. N. or S.) (Mo. N. or S.) Mathematics is all subdivision) M., the proposed location being shown throughout on the accompanying map. 6. The name of the ditch, canal or other works is DESCRIPTION OF WORKS IVERSION WORKS— 7. (a) Height of dam. DESCRIPTION OF WORKS (Loose rock, concreted) (Loose rock, concreted) (Loose rock, concreted) (Timber, concrete, etc., number and size of openings)					•	
cubic feet per second. 3. The use to which the water is to be applied is			, tributary of		<u>*</u>	
3. The use to which the water is to be applied is	2. The	e amount of water which t	the applicant inten	ds to apply to ber	reficial use is	0.35
4. The point of diversion is located N 43° W 33 chains from the Southeast corner of 3 (Give distance and bearing to section corner) 20 Tp 1 S R 25 E.W. E. (Give distance and bearing to section corner) 20 Tp 1 S R 25 E.W. E. (Give distance and bearing to section corner) 20 Tp 1 S R 25 E.W. E. (Give distance and bearing to section corner) 20 Tp 1 S R 25 E.W. E. (Give distance and bearing to section corner) 20 Tp 1 S R 25 E.W. E. (Give distance and bearing to section corner) 20 Tp 1 S R 25 E.W. E. (Give distance and bearing to section corner) 20 Tp 1 S R 25 E.W. E. (Give distance and bearing to section corner) 20 Tp 1 S R 25 E.W. E. (Give distance and bearing to section corner) 20 Tp 1 S R 25 E.W. E. (Give distance and bearing to section corner) 20 Tp 1 S R 25 E.W. E. (Give distance and bearing to section corner) 20 Tp 1 S R 25 E.W. E. (Give distance and bearing to section corner) 20 Tp 1 S R 25 E.W. E. (No. N. or S.) 20 Tp 1 S R 25 E.W. E. (No. N. or S.) 21 South (No. E. or W.) 22 Tp 1 S R 25 E.W. E. (No. N. or S.) 23 Twenty five E. (No. N. or S.) 24 Twenty five E. (No. N. or S.) 25 The Main ditch. canal or pipe line) 25 The Main ditch. canal or pipe line) 26 The name of the ditch, canal or pipe line) 27 (No. E. or W. E. O. O. Sec. 20 Tp 1 S.R. 25 E. (No. N. or S.) 28 Twenty five E. W. E. (No. N. or S.) 29 The pipe of the N.W. E. (No. N. or S.) 20 Tp 1 S R 25 E.W. E. (No. N. or S.) 20 Tp 1 S R 25 E.W. E. (No. N. or S.) 20 To 1 S R 25 E.W. E. (No. N. or S.) 20 Tp 1 S R 25 E.W. E. (No. N. or S.) 20 Tp 1 S R 25 E.W. E. (No. N. or S.) 20 Tp 1 S R 25 E.W. E. (No. N. or S.) 20 Tp 1 S R 25 E.W. E. (No. N. or S.) 21 South (No. E. or W.) 22 Tp 1 S R 25 E.W. E. (No. N. or S.) 23 Type five E. W. M. M. in the county of Sec. W. N. or S.) 24 The pipe five distance and bearing to section corner in the county of Sec. 20 The N. O. N. or S.) 25 Twenty five distance and bearing to section corner in the county of Sec. 20 The N. O. N. or S.) 26 The pipe five distance and bearing to section corner i					e tan	
4. The point of diversion is located. N 43° W 35 chains from the Southeast corner of a 20 Tp 1 S R 25 N.W.E. (Give distance and bearing to section corner) 20 Tp 1 S R 25 N.W.E. (Give analter teal subdivision) Twenty-five E, W. M., in the county of Lorrow (No. E or W.) 5. The Main ditch, canal or pipe line) mgth, terminating in the SNA of the NNA (Smallest legal subdivision) Main ditch, canal or pipe line) mgth, terminating in the SNA of the NNA (Smallest legal subdivision) Main ditch, canal or pipe line) Math ditch, canal or pipe line) Math ditch, canal or pipe line) Math ditch, canal or pipe line) More of the line (No. N. or S.) (No. E or W.) Math ditch, canal or pipe line) More of the line (No. N. or S.) (No. E or W.) Math ditch, canal or pipe line) Math ditch, canal or pipe line) More of the line (No. N. or S.) (No. E or W.) More of the line (No. N. or S.) (No. E or W.) More of the line (No. N. or S.) (No. E or W.) More of the line (No. N. or S.) (No. E or W.) More of the line (No. N. or S.) (No. E or W.) More of the line (No. N. or S.) (No. E or W.) More of the line (No. N. or S.) (No. E or W.) More of the line (No. N. or S.) (No. E or W.) Math ditch, canal or pipe line) Math ditch, canal or pipe line) Math ditch, canal or pipe line) More of the line (No. N. or S.) Mo	3. The	e use to which the water is to	o be applied is	Irrigat (Irriga	ion tion, power, minin	g, manufacturing
4. The point of diversion is located. N 43° W 33 chains from the Southeast corner of some section corner) 20 Tp 1 S R 25 N.W.N. (Give distance and bearing to section corner) 10 Tp 1 S R 25 N.W.N. (Give smallest legal subdivision) Twenty-five P. W. M., in the county of No. N. or S.) The Main ditch canal or pipe line) 10 Main ditch, canal or pipe line) 11 Main ditch, canal or pipe line) 12 Main ditch, canal or pipe line) 13 Main ditch, canal or pipe line) 14 Main ditch, canal or pipe line) 15 The Main ditch, canal or pipe line) 16 Main ditch, canal or pipe line) 17 Main ditch, canal or pipe line) 18 Main ditch, canal or pipe line) 19 Main ditch, canal or pipe line) 10 Main ditch, canal or pipe line) 10 Main ditch, canal or pipe line) 10 Main ditch, canal or pipe line) 11 Main ditch, canal or pipe line) 12 Main ditch, canal or pipe line) 13 Main ditch, canal or pipe line) 14 Main ditch, canal or pipe line) 15 Main ditch, canal or pipe line) 16 Main ditch, canal or pipe line) 17 Main ditch (Smallest legal subdivision) 18 Main ditch, canal or pipe line) 18 Main ditch, c			, r		· · · · · · · · · · · · · · · · · · ·	
ing within the NW4 of the SE4 of Sec. Twenty Tp. 1 South (Give smallest legal subdivision) Twenty-five E, W. M., in the county of Lorrow (No. E. or W.) 5. The Main ditch is to be 0.68 miles it Main ditch, canal or pipe line) mgth, terminating in the SW4 of the NW4 (Smallest legal subdivision) M, the proposed location being shown throughout on the accompanying map. 6. The name of the ditch, canal or other works is SVERSION WORKS IVERSION WORKS— 7. (a) Height of dam. five feet, length on top twenty-five feet, length at botton—five feet; material to be used and character of construction. (Loose rock, concret Concrete, wasteway over top of dam (Loose rock, concret Cimber, concrete, etc., number and size of openings)			, N 43° W 33 c	nains from the	Southeast	commer of S
ing within the NW4 of the SE4 of Sec. Twenty , Tp. 1 South (Give smallest legal subdivision) Twenty-five E, W. M., in the county of Lorrow (No. E. or W.) 5. The main ditch is to be 0.68 miles is miles in the Se4 of the NW4 of Sec. 20 , Tp. 1.8 , R. 25 E (Smallest legal subdivision) 6. The name of the ditch, canal or other works is DESCRIPTION OF WORKS TVERSION WORKS— 7. (a) Height of dam. five feet, length on top twenty-five feet, length at botton five feet; material to be used and character of construction. Concrete, wasteway over top of dam (Loose rock, concret Concrete, wasteway over or around dam) (b) Description of headgate Concrete, one foot deep, two feet wide (Timber, concrete, etc., number and size of openings)			(Give	distance and bearing	to section corner)	
Twenty-five E, W. M., in the county of Lorrow (No. E. or W.) 5. The main ditch is to be 0.68 miles is main ditch, canal or pipe line) Main ditch, canal or pipe line) Main ditch, canal or pipe line) (Smallest legal subdivision) (Mo. N. or S.) (No. E. or W.) M., the proposed location being shown throughout on the accompanying map. 6. The name of the ditch, canal or other works is	ina avithi			Sec. Twenty		l South
(No. E or W.) 5. The	ing www.	(Give smallest legal	subdivision)		(N	o. N. or S.)
Main ditch, canal or pipe line) ngth, terminating in the Swa of the water and of Sec. 20 , Tp. 1.S., R. 25 E (Smallest legal subdivision) (No. N. or S.) (No. E. or W. of M., the proposed location being shown throughout on the accompanying map. 6. The name of the ditch, canal or other works is			ity of Rorre	<u>OW</u>		
ngth, terminating in the SH of the NW of Sec. 20 , Tp. 1.S., R. 25 E (No. N. or S.) (No. E. or W. of M., the proposed location being shown throughout on the accompanying map. 6. The name of the ditch, canal or other works is				•	() 68	
(Smallest legal subdivision) (Add. A. of B.)	5. Th	ee		to be	0.00	mues v
DESCRIPTION OF WORKS IVERSION WORKS— 7. (a) Height of dam		Main ditch, canal	l or pipe line)			
DESCRIPTION OF WORKS IVERSION WORKS— 7. (a) Height of dam feet, length on top twenty-five feet, length at bottom -five feet; material to be used and character of construction (Loose rock, concret Concrete, wasteway over top of dam Isonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate Concrete, one foot deep, two feet wide (Timber, concrete, etc., number and size of openings)		$egin{array}{lll} exttt{Main ditch, canal} \ & exttt{ninating in the} & exttt{SW$}^{1}_{\overline{A}} ext{ of th} \ & ext{} \end{array}$	or pipe line) $0 \text{NW}_{4}^{1} \qquad of S$		p. 1 S,	R. 25 E
DESCRIPTION OF WORKS IVERSION WORKS— 7. (a) Height of dam feet, length on top twenty-five feet, length at bottom five feet; material to be used and character of construction (Loose rock, concret Concrete, wasteway over top of dam Isonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate Concrete, one foot deep, two feet wide (Timber, concrete, etc., number and size of openings)	ngth, tern	Main ditch, canal $ninating \ in \ the \ rac{SW_{-1}^1}{4} \ ext{of th} $ (Smallest leg	or pipe line) $\frac{1}{4} = of S$ (a) subdivision)	ec, T	p. 1 S., (No. N. or S.)	R. 25 E
DESCRIPTION OF WORKS IVERSION WORKS— five feet, length on top twenty-five feet, length at bottom feet; material to be used and character of construction. Concrete, wasteway over top of dam asonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate Concrete, one foot deep, two feet wide (Timber, concrete, etc., number and size of openings)	ngth, $tern$	Main ditch, canal ninating in the $\frac{SW_A^1}{4}$ of the (Smallest leg proposed location being shown	or pipe line) $\frac{S}{4}$ of S (real subdivision) a throughout on the	ec20, To	p. 1 S., (No. N. or S.)	R. 25 E (No. E. or W.
five feet, length on top twenty-five feet, length at bottom five feet; material to be used and character of construction (Loose rock, concret Concrete, wasteway over top of dam asonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate Concrete, one foot deep, two feet wide (Timber, concrete, etc., number and size of openings)	M, M ,	Main ditch, canal ninating in the $\frac{S \mathbb{W}_4^1}{4}$ of the (Smallest leg proposed location being shown e name of the ditch, canal	or pipe line) Stal subdivision) throughout on the or other works is.	ec, To	p1 S, (No. N. or S.) ap.	R. 25 E (No. E. or W.
five feet, length on top twenty-five feet, length at bottom five feet; material to be used and character of construction (Loose rock, concret Concrete, wasteway over top of dam asonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate Concrete, one foot deep, two feet wide (Timber, concrete, etc., number and size of openings)	M, M ,	Main ditch, canal ninating in the $\frac{S \mathbb{W}_4^1}{4}$ of the (Smallest leg proposed location being shown e name of the ditch, canal	or pipe line) Stal subdivision) throughout on the or other works is.	ec, To	p1 S, (No. N. or S.) ap.	R. 25 E (No. E. or W.
feet; material to be used and character of construction. (Loose rock, concret Concrete, wasteway over top of dam asonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate Concrete, one foot deep, two feet wide (Timber, concrete, etc., number and size of openings)	ngth, $term$ T . M ., the Th	Main ditch, canal ninating in the $\frac{\mathbb{S}\mathbb{W}_{4}^{1}}{\mathbb{S}}$ of the (Smallest leg proposed location being shown to name of the ditch, canal	or pipe line) Solution of Solution of Solution of Solution on the solution or other works is.	ec20, To	p1 S, (No. N. or S.) ap.	R. 25 E (No. E. or W.
feet; material to be used and character of construction. (Loose rock, concret Concrete, wasteway over top of dam asonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate Concrete, one foot deep, two feet wide (Timber, concrete, etc., number and size of openings)	ngth, tern V. M., the 1 6. Th	Main ditch, canal ninating in the SWA of the (Smallest leg proposed location being shown to name of the ditch, canal DE	or pipe line) Solution of Solution of Solution of Solution on the solution or other works is.	ec20, To	p1 S, (No. N. or S.) ap.	R. 25 E (No. E. or W.
Concrete, wasteway over top of dam asonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate Concrete, one foot deep, two feet wide (Timber, concrete, etc., number and size of openings)	ngth, term 1. M., the 1 6. Th	Main ditch, canal ninating in the Swa of the (Smallest leg proposed location being shown e name of the ditch, canal DE Works—	or pipe line) Wall Subdivision Of S	ec	p1 S, (No. N. or S.) ap.	R. 25 E (No. E. or W.
(b) Description of headgate Concrete, one foot deep, two feet wide (Timber, concrete, etc., number and size of openings)	ngth, term 6. Th iversion 7. (a)	Main ditch, canal ninating in the $\frac{S \sqrt[4]{4}}{4}$ of the (Smallest leg proposed location being shown the name of the ditch, canal Morks— DE Works— $\frac{1}{2}$ Height of dam.	or pipe line) or NW4 of S cal subdivision) or throughout on the or other works is. SCRIPTION OF V	ec. 20 , To accompanying m VORKS n top twenty-f	pl S, (No. N. or S.) ap. ive feet, len	R. 25 E (No. E. or W.
(b) Description of headgate Concrete, one foot deep, two feet wide (Timber, concrete, etc., number and size of openings)	ongth, term one M., the factor of the facto	Main ditch, canal ninating in the $\frac{S \sqrt[4]{4}}{4}$ of the (Smallest leg proposed location being shown the name of the ditch, canal Morks— DE Works— $\frac{1}{2}$ Height of dam.	or pipe line) or NW4 of S cal subdivision) or throughout on the or other works is. SCRIPTION OF V	ec. 20 , To accompanying m VORKS n top twenty-f	pl S, (No. N. or S.) ap. ive feet, len	R. 25 E (No. E. or W.
(b) Description of headgate Concrete, one foot deep, two feet wide (Timber, concrete, etc., number and size of openings)	ngth, term 6. Th IVERSION 7. (a)	Main ditch, canal ninating in the Swa of the (Smallest leg proposed location being shown e name of the ditch, canal DE Works— 1 Height of dam five	sed and character of S	ec	ive feet, len	R. 25 E (No. E. or W.
	iversion 7. (a,	Main ditch, canal ninating in the SWA of the (Smallest leg proposed location being shown to name of the ditch, canal DE Works— DE Works— Sive five feet; material to be use to concrete, wasteway over	sed and character of top of dam	ec	p. 1 S., (No. N. or S.) ap. ive feet, len	R. 25 E (No. E. or W.
	ngth, term 7. M., the f 6. Th IVERSION 7. (a, —five	Main ditch, canal ninating in the SWA of the (Smallest leg proposed location being shown to name of the ditch, canal DE Works— The proposed location being shown to name of the ditch, canal DE works— The proposed location being shown to name of the ditch, canal DE works— The proposed location being shown to name of the ditch, canal DE works— The proposed location being shown to name of the ditch, canal DE works— The proposed location being shown to name of the ditch, canal DE works— The proposed location being shown to name of the ditch, canal DE works— The proposed location being shown to name of the ditch, canal DE works— The proposed location being shown to name of the ditch, canal DE works— The proposed location being shown to name of the ditch, canal DE works— The proposed location being shown to name of the ditch, canal DE works— The proposed location being shown to name of the ditch, canal DE works— The proposed location being shown to name of the ditch, canal DE works— The proposed location being shown to name of the ditch, canal DE works— The proposed location being shown to name of the ditch, canal DE works— The proposed location being shown to name of the ditch, canal DE works— The proposed location being shown to name of the ditch, canal DE works— The proposed location being shown to name of the ditch, canal DE works— The proposed location being shown to name of the ditch, canal DE works— The proposed location being shown to name of the ditch, canal DE works— The proposed location being shown to name of the ditch, canal DE works— The proposed location being shown to name of the ditch, canal DE works— The proposed location being shown to name of the ditch, canal DE works— The proposed location being shown to name of the ditch, canal DE works— The proposed location being shown to name of the ditch, canal DE works— The proposed location being shown to name of the ditch, canal DE works— The proposed location being shown to name of the ditch, canal DE works— The proposed locatio	sed and character of top of dam Concrete, one	ec. 20 , To accompanying me works VORKS n top twenty-for construction.	ive feet, len (Loc	R. 25 E (No. E. or W.
	ngth, term 7. M., the f 6. Th IVERSION 7. (a, —five	Main ditch, canal ninating in the SWA of th (Smallest leg proposed location being shown e name of the ditch, canal DE Works— five feet; material to be us Concrete, wasteway over and brush, timber crib, etc., wasteway Description of headgate	sed and character of top of dam Concrete, one (Timber, conce	accompanying maccompanying mac	ive feet, len (Loc wo feet widensize of openings	R. 25 E (No. E. or W.

Canal System—	en e	
8. (a) Give	e dimensions at each point of canal where materially changed in size,	stating miles
from headgate.	At headgate: Width on top (at water line)feet; wi	dth on bottom
	feet; depth of waterfeet; gradefe	et fall per one
thousand feet.		
(b) At	miles from headgate. Width on top (at water line)	
	feet; width on bottomfeet; depth of water	feet
grade	feet fall per one thousand feet.	
		77.3
e.		
DITT IN	THE FOLLOWING INFORMATION WHERE THE WATER IS USEI) FOR:
	THE FORMOWING INFORMATION WHEN THE WITTEN TO COLUMN	
IRRIGATION—	20 07	leented in one
	to be irrigated has a total area of 28,07 acres,	
smallest legal sui	division, as follows: (Give area of land in each smallest legal subdivision which you i	ntend to irrigate)
	18.14 acres in the NET of SWA	
	1.54 acres in the NV_4^1 of the SV_4^1 1.21 acres in the SV_4^1 of the NV_4^1	
		::
	7.18 acres in the SV4 of NV4	
. , ,	All in Section 20 Tp 1 S R 25 E.W.L.	
· · · · · · · · · · · · · · · · · · ·		
4		
		**
	(If more space is required, attach separate sheet)	
Power, Mining,	MANUFACTURING, OR TRANSPORTATION PURPOSES—	
10. (a) Tot	al amount of power to be developedtheoretic	al horsepower
(b) Tot	cal fall to be utilizedfeet.	
(c) The	(Head) nature of the works by means of which the power is to be developed	
(d) Sau	ah anorka to he located in of Sec.	. 1
(a) Suc	ch works to be located in	
(No. N. or S.	(No. E. or W.)	
(e) Is	water to be returned to any stream? (Yes or No)	
	so, name stream and locate point of return	·
	, Sec. , Tp. , R. , (No. N. or S.) , R. , (No. E. or	W N

(h) The nature of the mines to be served.....

	26 73(b)
UNICIPAL SUPPLY—	
11. To supply the city of	······································
(Name of)	ent population of, and an
in 1	191
(Answer questions	12, 13, 14, and 15 in all cases)
12. Estimated cost of proposed works, \$	8 300 00
	efore Jan 1, 1916
	on or beforeJan 1, 1917
15. The water will be completely applied	d to the proposed use on or beforeJan 1, 1919
Duplicate maps of the proposed ditch or catter water Board, accompany this applicati	L A Palmer
	(Name of applicant)
	Lexington, Or.
Signed in the presence of us as witnesses	•
T TO BE	Tarabara Cur
W G Scott (Name)	(Addrass of witness)
(Name)	(Address of witness)
Remarks:	
	··· ·
$\{TATE\ OF\ OREGON, \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \$	
This is to certify that I have examined th	he foregoing application, together with the accompanying
naps and data, and return the same for cor	rection or completion, as follows:
	- 13 - 14 & 15
In order to retain its priority, this ag	pplication must be returned to the State Engineer, with
orrections, on or beforeNov 6	, 191_5
WITNESS my hand this	day of
	John H Lewis
	John H Lowis RJS State Engineer.

Application	No	455 1
Permit No	26	73

PERMIT

TO APPROPRIATE
THE PUBLIC WATERS OF
THE STATE OF OREGON

	Division No. 2 District No.	
	This instrument was first received	
	in the office of the State Engineer at	
	Salem, Oregon, on the 6	
e especial de la companya de la comp	day of October , 191 ,	5
	at 10:30 o'clock A m.	en e
60 00 84 0 0 0 0 0 0 0 0 M 0	Returned to applicant for correction Oct 7 1915	
**************************************	Corrected application received	
	<i>Approved:</i> Oct 25 1915	
And the second s	Recorded in Book No. 10 of	en e
	Permits, on Page 2573 John H Lewis	
	1 map RS 7.21 / State Engineer.	(8)
	the second second second second second	and the second of the second o
STATE OF OREGON.	lac	
County of Marion	, J	
	on system as may be ordered by the pr	
$\varphi_{i}(x) = -\frac{1}{2} \varphi_{i}(x) + \frac{1}{2} \varphi_{i}(x) +$	ropriated shall be limited to the amo	and the second s
ficial use and not to exceed	Q.35 cubic feet per s	econd, or its equivalent in case of
rotation. The priority date of t	this permit is	1915
	shall begin on or before	
To prest	ed with reasonable diligence and be co	
ana shau thereafter be prosecut		1917
Complete application of th	e water to the proposed use shall be	made on or before
	October	1, 1918
WITNESS my hand this	25th day of	October, 1915
	John	H Lewis
	John subject to the limitation of franchise/as provided hapter 213, Laws of 1915.	H Lewis State Engineer.