RECEIVED MAR 1 0 1960

*APPLICATION FOR PERMIT

STATE ENGINEER SALE TO Appropriate the Public Waters of the State of Oregon

Linear advisors Bodies Change advisors Cha	
if the applicant is a corporation, give date and place of incorporation Nay 6, 1915; Augusta, Maine 1. The source of the proposed appropriation is Spring Area (Remo of stream) ———————————————————————————————————	
If the applicant is a corporation, give date and place of incorporation May 6, 1915; Augusta, Maine 1. The source of the proposed appropriation is Spring Area (Remote of stream) ———————————————————————————————————	riate th
1. The source of the proposed appropriation is Spring Area 1. The source of the proposed appropriation is Spring Area 1. The amount of water which the applicant intends to apply to beneficial use is 0.04 1. The amount of water which the applicant intends to apply to beneficial use is 0.04 1. The use to which the water is to be applied is Irrigation and Domestic Christian, power, mining, monotherung, consents applied is Christian, power, mining, monotherung, consents applied in Christian, power, mining, consents applied in Christian, power, mining, monotherung, consents applied in Christian, power, mining, monotherung, consents applied in Christian, power, mining, monotherung, consents applied in Christian, power, mining, consents applied in Christian, power, mining, consents applied in Christian, power, mining, consents applied in Christian, power, m	
1. The source of the proposed appropriation is	
2. The amount of water which the applicant intends to apply to beneficial use is	
2. The amount of water which the applicant intends to apply to beneficial use is	
**3. The use to which the water is to be applied is	
4. The point of diversion is located 258 ft. N. and 2306 ft. W. from the ner of NR of Section 5, T78, R488, W. (Rection or subdivision) (If preferable, sire distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) ing within the SWANE (Greenmallest legal subdivision) 48B W. M., in the county of Baker (It or w.) 5. The Pipe Line (buried) to be 3241.3 feet (Man otta, canal or pipe line) (In the county of the c	
4. The point of diversion is located .258 ft	
The properties of the country of Baker (Rection of subdivision) (Rec	plies, etc.)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) ing within the SHANEA of Sec. 5 , Tp. 75 (Gere smallest legal subdivision) 48E , W. M., in the county of Baker (Main ditch, canal or pipe line) to be 3241.3 feet (Main ditch, canal or pipe line) of Sec. 4 , Tp. 75 (Insulest legal subdivision) 48E , W. M., the proposed location being shown throughout on the accompanying (a. e. w.) DESCRIPTION OF WORKS (version Works— 6. (a) Height of dam feet, length on top feet, length feet; material to be used and character of construction (Looss rock, con the and brush, tumber crite, etc., westerway over or around dam) (b) Description of headgate (Timber, concreves, etc., number and size of openings)	_ SF
(If yesterable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) ing within the	e <u>SE</u>
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) ing within the SWANEA of Sec. 5 Tp. 7S (Give smallest legal subdivision) 48E (W. M., in the county of Baker (E. or W.) 5. The Pipe Line (buried) to be 3241.3 feet (Main disch, canal or pipe line) (Ratice or sect) length, terminating in the Lot 4 of Sec. 4 Tp. 7S (Smallest legal subdivision) 48E , W. M., the proposed location being shown throughout on the accompanying (E. or W.) DESCRIPTION OF WORKS (version Works— 6. (a) Height of dam feet, length on top feet, length feet; material to be used and character of construction (Loose rock, construction of headgate (Timber, concrete, etc., number and size of openings)	
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) Ing within the SW_\text{1}\te	
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) Ing within the SW_\text{1}\te	
ing within the SWINEL (Gree smallest legal subdivision) 48E , W. M., in the county of Baker (E. or W.) 5. The Pipe Line (buried) to be 3241.3 feet (Main duch, canal or pipe line) (Main duch, canal or pipe line) length, terminating in the Lot 4 (Smallest legal subdivision) 48E , W. M., the proposed location being shown throughout on the accompanying (E. or W.) DESCRIPTION OF WORKS iversion Works— 6. (a) Height of dam feet, length on top feet, length feet; material to be used and character of construction (Loose rock, construction of headgate (Timber, concrete, etc., number and size of openings)	······································
ing within the SWINEL (Gree smallest legal subdivision) 48E , W. M., in the county of Baker (E. or W.) 5. The Pipe Line (buried) to be 3241.3 feet (Main duch, canal or pipe line) (Main duch, canal or pipe line) length, terminating in the Lot 4 (Smallest legal subdivision) 48E , W. M., the proposed location being shown throughout on the accompanying (E. or W.) DESCRIPTION OF WORKS iversion Works— 6. (a) Height of dam feet, length on top feet, length feet; material to be used and character of construction (Loose rock, construction of headgate (Timber, concrete, etc., number and size of openings)	•••
48E , W. M., in the county of Baker (E. or W.) 5. The Pipe Line (buried) to be 3241.3 feet (Main duch, canal or pipe line) (Main duch, canal or pipe line) length, terminating in the Lot 4 (Smallest legal subdivision) 48E , W. M., the proposed location being shown throughout on the accompanying (E. or W.) DESCRIPTION OF WORKS iversion Works— 6. (a) Height of dam feet, length on top feet, length feet; material to be used and character of construction (Loose rock, constitution of headgate (Timber, concrete, etc., number and size of openings)	OK. or 8.)
5. The Pipe Line (buried) to be 3241.3 feet (Main duch, canal or pipe line) (Miles or feet) length, terminating in the Lot 4 of Sec. 4, Tp. 75 48E , W. M., the proposed location being shown throughout on the accompanying (R. or W.) DESCRIPTION OF WORKS iversion Works— 6. (a) Height of dam feet, length on top feet, length feet; material to be used and character of construction (Loose rock, constant) it and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings)	
length, terminating in the Lot 4 of Sec. 4, Tp. 75 (Emailest legal subdivision) 48E W. M., the proposed location being shown throughout on the accompanying OESCRIPTION OF WORKS (Version Works— 6. (a) Height of dam feet, length on top feet, length feet; material to be used and character of construction (Loose rock, construction of headgate (Timber, concrete, etc., number and size of openings)	·
DESCRIPTION OF WORKS iversion Works— 6. (a) Height of dam feet, length on top feet, length feet; material to be used and character of construction (Loose rock, construction of headgate (Timber, concrete, etc., number and size of openings)	
DESCRIPTION OF WORKS iversion Works— 6. (a) Height of dam feet, length on top feet, length feet; material to be used and character of construction	
feet; material to be used and character of construction feet; material to be used and character of construction (Loose rock, constant) (b) Description of headgate	
feet; material to be used and character of construction (Loose rock, con k and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate	
(b) Description of headgate	at bott
(b) Description of headgate	ncrete, mai
(b) Description of headgate	
(c) If water is to be pumped give general description	
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)	

igate. At hou	dgate: width on t	op (at water b	ine)	feet; width on botto
	feet; depth of w	der	feet; grade	feet fall per o
sand feet.		niles from her	dgate: width on top (at wate	r line)
				\
			feet; depth of u	pater jet
	feet fall		· _	
(c) Lengt	h of pipe, 3241	ft.; s	rize at intake,12	. in.; size at
n intake	in.;	rive at place of	use 1½ in.; di	fference in elevation betwe
ke and place	of use 1000) ft la	grade uniform? No	Estimated capaci
				•
8. Locatio	sec. ft. on of area to be in	rigated, or pla	ice of use Lot 4, Sectio	n 4, T7S, R48E, i.M.
Township	Range 2 or V. of	Bertlen	Posty-acre Tract	Number Acres To Be Irrigated
Starth or South	Willemette Meridian			
78	48 z	5	10t 4 SE/4 SE/4	2.30 & domest
		4	Lot 4	Domestic
-				
	1	. •	♥ ¬	
		· ·		1 .
	•			
		. i		
				,
•		· (14 mass mass	personal attach assesses sheets	
(a) C	haracter of soil	Clay		·
			<u>(</u>	
, ,	ng Purposes—		<u> </u>	
	~ .	wer to be dev	eloped	theoretical horsepor
	•	3	powers	
				ec. je.
(c) T	otal fall to be util	ized	(Hend)	•
(d) 1	he nature of the	vorks by mean	u of which the power is to b	e developed
(e) S	Such works to be l	ocated in	(Legal subdivision)	of Sec.
				•
1	, R. (No.)		•	
(f) I	s water to be retu	rned to any st	Team?(Yes or No)	·
(a) 1	f so, name stream	and locate pe	oint of return	

(i) The nature of the mines to be served ..

dipal or Demortic Supply-			26737
M. (a) To supply the city of	7.0	100 100 10 10 10 10 10 10 10 10 10 10 10	
Country, has		ulation of	. po 10 4 40, 00 p es 0 400 a 100 4600 p a 1 4 64 a 1 80 a 1 4 60 a 1
m estimated population of		19	
(b) If for domestic use state	number of famil	les to be supplied	<u>Dne</u>
		2 N S 2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	en de la companya de La companya de la co
11. Estimated cost of proposed wo	1900.0	0	
	 A Section of the contract of the	and the second s	i In place
13. Construction work will begin			
13. Construction work will be co			
14. The water will be completely	applied to the pro	posed use on or before	See No 12 above
	, 		*******************
	I	DAHO POWER COMPANY	<i>a</i>
	13.	ROTAT	(in the second
	 _	Vice P	resident
Remarks:	**************************************		***************************************
***************************************		: 	
	*********************		······
	***************************************	•	
	<u></u>		
	***************************************		·
, 	······································	······································	
	•		
•			
www.careeeeeeeeeeeeeeeeeeeeeeeeeeeeeeeeeeee		·	

~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	,		, 
······································			•.
	•		
TATE OF OREGON,	÷		
County of Marion,			•
This is to certify that I have	examined the fore	egoing application, togethe	er with the accompan
aps and data, and return the same			
aps and data, and return the same	<i>jor</i>		
In order to retain its priority,	, this application r	nust be returned to the St	ate Engineer, with co
ons on or before	, 19	·······	
		*	
		•	••
•	day of		, 19
WITNESS my hand this			
WITNESS my hand this			•
WITNESS my hand this			

## STATE OF OREGON, County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the saide, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

				easured at the po		om the
	ts equivalent in co					
-						
	1				tic use of one	
					use.	
					of one cubic	
		*			ted to a divers	
			4		ing the irright	
			4		g for the same	
					, /-	
		• .	·····			
				••••••••••••		
<b></b>						
ind shall b	e subject to such	reasonable rotat	ion system as ma	y be ordered by the	re proper state offi 160	cet.
					260 21	
					ore October 1, 19.6	
					or before October	
	TNESS my hand t			July	19 90	
				Lewis	a Stanley	NGINEER
•			•			
. 1		of the	1		of of	R
	LIC	ed in	, j		705'7 FATE ENOINEER	ત્ય
\:	PUB	eceiv Salem -CA			3.43	pag
37		<b>1</b>	4		ន	
557110	THE THE STA	1 2 2				10
No. 33710	RMIT IATE THE DOF THE OREGON	was first ngineer a	o'clock nt:		ok No.	8
Ition No. 25110	PERMIT NOPRIATE THE IERS OF THE ST.	ment was first at Engineer a day of	OOo'clock		in book No. age	sin No. 9
Application No. 2371.C. Permit No. 26737	PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	This instrument was first received in the fice of the State Engineer at Salem, Oregon, the 10th day of NETCH	60, at 8.00 o'clock. A. M. eturned to applicant:	pproved:	Recorded in book No.	desinage Basin No. 9 page 2A