## APPLICATION FOR PERMIT

## To Appropriate the Public Waters of the State of Oregon

' <b>I,</b>	V. F. H				•			
}	Route 2	, BOX 1(4, string address)	Hillsboro	***************************************	····· <del>j</del>			
tate of	Oregon	•••••	, do	hereby make	application	m for a	permit to ap	propriate t
llowing <b>d</b>			f the State of					
If the	applicant is	a corporatio	on, give date	and place of	incorporat	ion		
					•			
1 Th	e source of t	the proposed	appropriation	, i an unn	amed str	am flo	wing to	
	ampbell Cr		, a ti			(Name of	stream)	
		,		· .		Alex,		0325
2. Th	ie amount of	' water which	h the applican	it intends to	apply to be	eneficial	use is	
	er second			e used from more				,
**3. T1	re use to wh	ich the water	r is to be appl	ied is <u>Ir</u>	rigation pulsa, power, n	nining, manu	ufacturing, domes	tic supplies, ètc.)
· ······	•••••	•••••••••••••	·····		······			
4. Ti	he point of d	liversion is l	ocated 67	ft. S	and4	91 ft.	from	n the SE
orner of	the J. E.	Rice D.L.	C. No. 64			••••••		
	~							
				(Section or subdi	vision)			
***************************************	······································	•••••	······································	(Section or subdi	vicion)		······································	·
		· · · · · · · · · · · · · · · · · · ·		(Section or subdi	vision)			· · · · · · · · · · · · · · · · · · ·
	?	(II )	overfarable, give dist	(Section or subdi	o section corner			
	3	(U)	preferable, give dist	ance and bearing to	o section corner	)		-
	(If there	(If ;	oreferable, give disk	ance and bearing to	o section corner	) ste sheet if s	nocessary)	
eing withi	at there n NW 3	is more than one i	preferable, give disk point of diversion, e n Gov't Lot allest legal subdivis	ance and bearing to such must be descri	o section corner bed. Use sepan	) ste sheet if s	nocessary)	
eing withi	in the NW. M.,	in the county	point of diversion, e n Gov't Lot hallest legal subdivis y of Washin	ance and bearing to each must be descri- tion) gton	bed. Use separ of Sec	ote sheet if s	, Tp	1 S
eing withi 2 W (E er W	in the NW. M.,, W. M.,	to more than one; of NW (in Give many in the count; Portable (Main di	point of diversion, e n Gov't Lot hallest legal subdivis y of Washin pipe tch, canal or pipe lie	ance and bearing to such must be descri- tion) gton	bed. Use separ of Sec to be	31 1200	onecessary), Tp ) feet (Miles or fe	1 S (Y. or S.)
eing withi 2 W (E or W 5. Ti n length, t	n the NW3, W. M.,	is more than one; of NW (in the count; Portable (Main din the	point of diversion, e n Gov't Lot saliest legal subdivis y of Washin pipe tch, canal or pipe lis NW1 of NW1	ance and bearing to such must be descri . 1) sion) gton set)	o section corner  bed. Use separ  of Sec  to be  of Sec	1200 31	) feet (Miles or fe	1 5 (N. or S.)
eing withi 2 W (E or W 5. Ti n length, t	n the NW3, W. M.,	is more than one; of NW (in the count; Portable (Main din the	point of diversion, e n Gov't Lot hallest legal subdivis y of Washin pipe tch, canal or pipe lie	ance and bearing to such must be descri . 1) sion) gton set)	o section corner  bed. Use separ  of Sec  to be  of Sec	1200 31	) feet (Miles or fe	1 5 (N. or S.)
eing withi 2 W (E or W 5. Ti n length, t	n the NW3, W. M.,	is more than one; of NW (in the count; Portable (Main din the	point of diversion, en Gov't Lot hallest legal subdivision of Washin pipe teh, canal or pipe like, canal o	ance and bearing to ach must be descri  1) ston gton ston ston ston ston ston ston ston s	bed. Use separ of Sec to be of Sec to the of Sec n througho	1200 31	) feet (Miles or fe	1 5 (N. or S.)
eing withing 2 W (E or W)  5. The length, to (E or W)  (E or W)	n the NW. M., , W. M., he erminating i	is more than one of NW1 (1r (Give ser in the count; Portable (Main din the	point of diversion, en Gov't Lot hallest legal subdivision of Washin pipe teh, canal or pipe like, canal o	ance and bearing to ach must be descri 1) ston gton ston ston ston ston responses to being shows	to become to be separation of Sec	31  1200 31  ut on the	ofeet Office or to	1 S (N. or 5.)  1 S (N. or 5.)  ing map.
eing withing 2 W S. The relation of the relati	n the NW.  n the NW.  www.  www.  Works—  a) Height of	of NW (11)  of NW (1)  (Give many in the county  Portable  (Main di  n the  M., the prop	point of diversion, en Gov't Lot allest legal subdivision of Washin pipe the canal or pipe is (Smallest legal su posed location DESCRIP	ance and bearing to  ach must be descri  1)  ston  gton  abdivision  being shows  TION OF Weet, length on	o section corner  bed. Use separ  of Sec  to be  of Sec  of Sec  througho  ORKS	31 1200 31 ut on the	Ofeet  Office or fe  Tp  Tp  Tp  Tp  Tp  Tp  Te accompany	1 S (N. or S.)  1 S (N. or S.)  jing map.
eing withing 2 W S. The relation of the relati	n the NW.  n the NW.  www.  www.  Works—  a) Height of	of NW (11)  of NW (1)  (Give many in the county  Portable  (Main di  n the  M., the prop	point of diversion, en Gov't Lot allest legal subdivision of Washin pipe the canal or pipe is (Smallest legal su posed location DESCRIP	ance and bearing to  ach must be descri  1)  ston  gton  abdivision  being shows  TION OF Weet, length on	o section corner  bed. Use separ  of Sec  to be  of Sec  of Sec  througho  ORKS	31 1200 31 ut on the	Ofeet  Office or fe  Tp  Tp  Tp  Tp  Tp  Tp  Te accompany	1 S (N. or S.)  1 S (N. or S.)  jing map.
eing withing 2 W (E or W)  5. Tin length, to (E o	of there in the NW. M., W. M., W. M., W. W., W., W., W., W., Works—  1) Height of feet; 1	is more than one of NW1 (11 (Give more in the county Portable (Main dien the	point of diversion, en Goy't Lot ballest legal subdivision of Washin pipe teh, canal or pipe is NW of NW (Smallest legal su posed location DESCRIP	ance and bearing to ach must be descri 1) ston gton at being shown PTION OF Weet, length on aracter of con	bed. Use separation of Sec	1200 31 ut on the	of feet  Miles or te  Tp  Tp  accompany  feet, len	1 S (N. or S.)  1 S (N. or S.)  jing map.
being withing 2 W (E or W )  I along the to the control of the con	n the	is more than one of NW1 (11 (Give more in the county Portable (Main at in the	poreterable, give dist point of diversion, e n Gov't Lot sallest legal subdivis y of Washin pipe tch, canal or pipe is NW of NW of (Smallest legal su posed location DESCRIP fe e used and ch	ance and bearing to ach must be descri 1) ston gton at being shown PTION OF Weet, length on aracter of con	bed. Use separation of Sec	1200 31 ut on the	of feet  (Miles or fs , Tp  accompany  feet, len  (Loose roc	1 S (N. or S.)  1 S (N. or S.)  ying map.
being withing 2 W (E or W )  I along the to the control of the con	THE there In the NW. In the NW. In the NW. In the M. In	of NW (11 of NW) (12 of NW) (13 of NW) (14 of NW) (15 o	point of diversion, en Gov't Lot allest legal subdivise y of Washin pipe tich, canal or pipe la NW1 of NW1 (Smallest legal su posed location DESCRIF	ance and bearing to each must be descri  1) tion) gt on  the being shown  TION OF Weet, length on aracter of con  (Timber, con	to be to be of Sec	1200 31 ut on the	of feet  (Miles or fs , Tp  accompany  feet, len  (Loose roc	1 S (N. or S.)  1 S (N. or S.)  ying map.
being withing 2 W (E or W)  5. Ti n length, to C. 2 W  6. (a)  ock and brush.  (b)	The there in the NW1, W. M., W. M., W. Works—  a) Height of feet; 1  tumber crib, etc  Description	is more than one of NW1 (11 (Give more in the county Portable (Main dien the	point of diversion, en Goy't Lot sallest legal subdivision of Washin pipe teh, canal or pipe is NW of NW (Smallest legal su posed location DESCRIP	ance and bearing to ach must be descri 1) ston gton at being shown ret, length on aracter of con (Tunber, con	bed. Use separation of Sec	1200 31 ut on the	feet, len	1 S (N. or S.)  1 S (N. or S.)  jing map.
eing withing a wind of the constant of the con	Works—  a) Height of timber crib, etc  Description of water is to	is more than one of NW1 (11 (Give more in the county Portable (Main dien the	point of diversion, en Gov't Lot allest legal subdivision by of Washin pipe teh, canal or pipe in NW1 of NW1 (Smallest legal suposed location DESCRIP fee used and charound dam)	ance and bearing to ach must be descri 1) ston gton at being shown ret, length on aracter of con (Tunber, con	bed. Use separation of Sec	1200 31 ut on the	feet, len	1 S (N. or S.)  1 S (N. or S.)  ing map.

<sup>\*</sup>A different form of application is provided where storage works are contemptated.
\*Application for permits to appropriate water for the generation of electricity, with the exception of members. From the storage water for the generation of the exception of the storage form the storage form the storage form.

gate, At hea	dgate: width on to	op (at water line	s) <u></u>	feet; width on bottom
			`	feet fall per one
annil fast				ter line)
	•			water feet;
•		•		water
	feet fall	3		
				in.; size at ft
n intake	in.;	size at place of u	se 17 in.; d	lifference in elevation between
ke and place	of use. 10	ft. Is g	rade uniform? Yes	Estimated capacity
	sec. ft.	ř		•
8. Locatio	on of area to be it	rigated, or place	of use	
Township North or South	Range 2. or W. of Willemotte Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
,		21	NW <sup>1</sup> of NW <sup>1</sup>	2.6
<u> 1 S</u>	2 W	31	MMA OT MMT	
	-			
۷	· ·			
				and a street was a street of the street of t
			•	
·				a a commence and the second se
		•		
		(If more space re	quired, attach separate sheet)	
· (a) (	Character of soil	clay loam		and a superior of the superior
(b) 1	Kind of crops raise	ed garden t	cruck and pasture	· · · · · · · · · · · · · · · · · · ·
	ng Purposes			
9. (à) '	Total amount of p	ower to be deve	loped	theoretical horsepow
(b) (	Quantity of water	to be used for pe	ower	sec. ft.
		-		Y
			(Head)	
(d)	The nature of the	works by means	of which the power is to	be developed
		· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·
(e)	Such works to be	located in	(Legal subdivision)	of Sec.
	, R			
	Is water to be ret			
(g)	If so, name stream	m and locate poi	int of return,	
		<b>~</b>	m	, R , W

unicipal or Domestic Supply—	1	26823
10. (a) To supply the city of	100 daga agusta e de es es es es se se se se es es es es es	
County, having a present	population of	
d an estimated population of		
		,
(b) If for domestic use state number of fe	smilies to be supplied	***************************************
(Anima) qualifica II, II,		مرابع در المرابع
11. Estimated cost of proposed works, \$300.		. N. • 3 • •
12. Construction work will begin on or before	Small area irrigate	d nov.
13. Construction work will be completed on or	before May 1, 1962	
14. The water will be completely applied to the	proposed use on or before	Sept. 1, 1962
	W 7 gleck	MAN
	(Mignature o	(applicant)
Remarks:		
	· · · · · · · · · · · · · · · · · · ·	
		······································
~		. •
<u> </u>		
*		
	•	
·		
		:
STATE OF OREGON,		·
Ss. County of Marion,		
This is to certify that I have examined the f	oregoing application, toget	her with the accompany
maps and data, and return the same for	•	
naps and data, and return the same for		
······································		
In order to retain its priority, this applicatio	n must be returned to the S	State Engineer, with corr
tions on or before ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	19	
WITNESS my hand this day of		10
WITNESS my hand this day of		
WITNESS my hand this day of		, 19
WITNESS my hand this day of		

This is to certify that I have examined the foregoing application and do hereby grant the same,

The right herein granted is limited to the amount of water which can be applied to beneficial use					
and shall not exceed					
The	use to which this	water is to be applied is	irrig	<b>p</b> tion	
If for	r irrigation, this a	ppropriation shall be limit	ted to 1/80	<u>1</u> of	one cubic foot per
of not t	o exceed 2½ ac	ach acre irrigated and re feet per acre for	each acre in	rigated during	the irrigation
<u></u>					
	•	reasonable rotation system			
• .		oork shall begin on or bej th reasonable diligence a			
Con	nplete application	of the water to the propos his 12 <sup>th</sup> day of	sed use shall be n	nade on or before	October 1, 19 63.
Application No. 34ML  Permit No. —26823	PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 2 m day of CUNC.  1960, at 8:00 o'clock. A. M.	Returned to applicant: Approved:	August 12, 1960  Recorded in book No. 73 of  Permits on page 26.182:3	LEWIS A. STANLEY STATE ENGINEER  Drainage Basin No. 2 page 224/7