

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Elaine J. Williams (Name of applicant)

of Route 1, Box 229, Clackamas (Mailing address)

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Clackamas River (Name of stream), a tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is .01 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is irrigation, lawn, shrubs and flowers (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1600 ft. S. and 270 ft. E. from the NW corner of Section 21 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW 1/4 NW 1/4 of Sec. 21, Tp. 2 South (Give smallest legal subdivision) (N. or S.)

R. 3 East, W. M., in the county of Clackamas (E. or W.)

5. The (Main ditch, canal or pipe line) to be (Miles or feet) in length, terminating in the (Smallest legal subdivision) of Sec. (N. or S.)

R. W. M., the proposed location being shown throughout on the accompanying map. (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 325 g.p.h. jet Teel 1/2 H. P. Electric (Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\*A different form of application is provided where storage works are contemplated.

\*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.



Municipal or Domestic Supply—

26826

10. (a) To supply the city of .....

County, having a present population of .....

(Name of)

and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied .....

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 125.00
- 12. Construction work will begin on or before June 1960
- 13. Construction work will be completed on or before October 1, 1960
- 14. The water will be completely applied to the proposed use on or before October 1, 1961

Blaine J. Williams  
(Signature of applicant)

Remarks: .....

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 19.....

WITNESS my hand this ..... day of ....., 19.....

STATE ENGINEER

By ..... ASSISTANT

PERMIT

STATE OF OREGON,

County of Marion,

} ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Clackamas River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 7, 1960

Actual construction work shall begin on or before August 12, 1961 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1962

Complete application of the water to the proposed use shall be made on or before October 1, 1963

WITNESS my hand this 12th day of August, 1960

STATE ENGINEER

Application No. 34007

Permit No. 26826

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 7th day of June, 1960, at 11:30 o'clock A. M.

Returned to applicant:

Approved:

August 12, 1960

Recorded in book No. 73 of 26826 Permits on page

LEWIS A. STANLEY STATE ENGINEER

Drainage Basin No. 2 page 6

Fees