## \*APPLICATION FOR PERMIT

## To Appropriate the Public Waters of the State of Oregon

If the applicant is a corporation, give date and place of incorporation	The source of the proposed appropriation is Pive Mile Creek (Thurse of Attention)  1. The source of the proposed appropriation is Pive Mile Creek (Thurse of Attention)  1. The source of the proposed appropriation is Pive Mile Creek (Thurse of Attention)  2. The amount of water which the applicant intends to apply to beneficial use is 0.82 abic feet per second.  3. The use to which the water is to be applied is (Trigation, power, united, manufacturing, domestic supplies, etc.)  4. The point of diversion is located Jose ft. N. and ZISTI. W. from the S.A. (The or W.) from the or W. (The or W.) from the or W.) from the S.A. (The or W.) from the order of Works, such hard to describe the described to the order of the	Ray Maintenance of the proposed appropriation is Pive Mile Creek (Name of Secondary).  1. The source of the proposed appropriation is Pive Mile Creek (Name of Secondary).  2. The amount of water which the applicant intends to apply to beneficial use is 0.82 is feet per second.  (If water is to be used from more than one source, give quantity from each).  1. The point of diversion is located JEGG, ft. N. and ZIGTft. W. from the Side of Secondary of North Ports, Sprague River.  4. The point of diversion is located JEGG, ft. N. and ZIGTft. W. from the Side of Secondary of North Ports, Sprague River.  4. The point of diversion is located JEGG, ft. N. and ZIGTft. W. from the Side of Secondary of Secondary (Section or subdivision).  4. The point of diversion is located JEGG, ft. N. and ZIGTft. W. from the Side of Secondary of Secon	I, Harry Obenchain	
taste of Oregon do hereby make application for a permit to appropriate the state of Oregon, SUBJECT TO EXISTING RIGHTS:  If the applicant is a corporation, give date and place of incorporation  1. The source of the proposed appropriation is	(d) there is more than one point of diversion, and leafly M. M. and leafly M. A. M.	A comparison of the proposed appropriation is five Mile Creek  (Stame of decremen)  1. The source of the proposed appropriation is five Mile Creek  (Other of decremen)  2. The amount of water which the applicant intends to apply to beneficial use is 0.82  is feet per second.  (If water is to be applied is frequency of the proposed appropriation is five Mile (Treek)  (It was to the season of the proposed appropriation is five Mile (Treek)  (It was to the season of the proposed appropriation is five Mile (Treek)  (It was to the season of the proposed appropriation is five Mile (Treek)  (It was to the season of the proposed appropriation is five applied to applied to applied is five applied to a		
If the applicant is a corporation, give date and place of incorporation  1. The source of the proposed appropriation is  2. The amount of water which the applicant intends to apply to beneficial use is  3. The use to which the water is to be applied is  4. The point of diversion is located 36.96. It. M. and 2187ft. W. from the  5. The point of diversion is located 36.96. It. M. and 2187ft. W. from the  6. (By preferable, give distance and bearing to mechan corner)  (If there is more than one point of diversion, each must be described. Use apparate thee if increasery)  6. (By preferable, give distance and bearing to mechan corner)	If the applicant is a corporation, give date and place of incorporation	If the applicant is a corporation, give date and place of incorporation  1. The source of the proposed appropriation is Five Mile Creak  (Thursday of North Fork, Sprague River  2. The amount of water which the applicant intends to apply to beneficial use is 0.82  ic feet per second.  (If water is to be used from more than ease source, are amount from each)  ***3. The use to which the water is to be applied is 1rrigation  (Tragation, power, mining, manufacturing, concents supplies, etc.)  ***4. The point of diversion, is located 36.96 ft. N. and 2197ft. W. from the 5.2  ***5. F. SE. M.M. and 1.65.7 ft. N.M. form 5 diversion, is located 36.96 ft. N. flow 5 diversion N. S. (E. v. W.)  (If preferable, give distance and bearing to section corner)  (If water is new than one point of diversion, each mind be described. Use sugarity short it necessary)  ing within the Siz-Nez (the sugarity lags individuals)  (If we make it light and dividuals)  (If we make it light and light a	(Mailing address)	
If the applicant is a corporation, give date and place of incorporation  1. The source of the proposed appropriation is  2. The amount of water which the applicant intends to apply to beneficial use is  3. The use to which the water is to be applied is  4. The point of diversion is located 3696 ft. N. and 2187ft. W. from the St. a.	1. The source of the proposed appropriation is  1. The source of the proposed appropriation is  2. The amount of water which the applicant intends to apply to beneficial use is  3. The use to which the water is to be applied is  4. The point of diversion is located 36.9% ft. M. and 2187ft. W. from the  5. The use to which the water is to be applied is  6. The point of diversion is located 36.9% ft. M. and 2187ft. W. from the  6. The point of diversion is located 36.9% ft. M. and 2187ft. W. from the  6. The point of diversion is located 36.9% ft. M. and 2187ft. W. from the  6. The point of diversion is located 36.9% ft. M. and 2187ft. W. from the  6. The point of diversion is located 36.9% ft. M. and 2187ft. W. from the  6. The point of diversion is located 36.9% ft. M. and 2187ft. W. from the  6. The point of diversion is located 36.9% ft. M. and 2187ft. W. from the  6. The point of diversion is located 36.9% ft. M. and 2187ft. W. from the  6. The point of diversion is located 36.9% ft. M. and 2187ft. W. from the  6. The point of diversion is located 36.9% ft. M. and 2187ft. W. from the  6. The point of diversion is located 36.9% ft. M. and 2187ft. W. from the  6. The point of diversion is located 36.9% ft. M. and 2187ft. W. from the  6. The point of the point of the point of diversion which is described. The separate the first of the point of the first of the point of the point of diversion which is a located and of the point of the poi	1. The source of the proposed appropriation is	tate of, do hereby	make application for a permit to appropriate the
1. The source of the proposed appropriation is  (Runs of diversity)  (Runs of diversity)  2. The amount of water which the applicant intends to apply to beneficial use is  (Runs of diversity)  2. The amount of water which the applicant intends to apply to beneficial use is  (Runs of diversity)  2. The use to which the water is to be used from more than one source, give quantity from each)  (Runs of diversity)  (Runs of divers	1. The source of the proposed appropriation is  a tributary of North Fork, Sprague River  2. The amount of water which the applicant intends to apply to beneficial use is 0.82  bic feet per second.  (If water is to be used from more than as source, are quantity from each)  1 Trigation  1 Trigation  (If water is to be applied is 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1. The source of the proposed appropriation is	llowing described public waters of the State of Orego	n, SUBJECT TO EXISTING RIGHTS:
(Author of dispersion)  2. The amount of water which the applicant intends to apply to beneficial use is 0.82  abic feet per second.  (It water is to be used from more than one source, give quantity from each)  **3. The use to which the water is to be applied is  (It gatton, power, mining, manufacturing, domestic supplies, etc.)  4. The point of diversion is located 36.76 ft. M. and 2187ft. W. from the S. A. The point of diversion is located 36.76 ft. M. and 2187ft. W. from the S. A. The point of diversion is located 36.76 ft. M. and 2187ft. W. from the S. A. The point of diversion is located 36.76 ft. M. A.	(States of dression)  , a tributary of North Fork, Sprague River  2. The amount of water which the applicant intends to apply to beneficial use is 0.82  abic feet per second.  (It water is to be used from more than one source, give quantity from each)  1171 GB t100  **3. The use to which the water is to be applied is 1771 GB t100  (It water is to be used from more than one source, give quantity from each)  (It core is)  177 GB t100  (It water is to be used from more than one source, give quantity from each)  (It core is)  (It co	a tributary of North Fork, Sprague River  2. The amount of water which the applicant intends to apply to beneficial use is 0.82 ic feet per second.  (If water is to be used from more than one source, give quantity from each)  1. The use to which the water is to be applied is  1. The use to which the water is to be applied is  1. The point of diversion is located JEGE ft. N. and 2187ft. W. from the S.E. (E. or W.)  1. The point of diversion is located JEGE ft. N. and 2187ft. W. from the S.E. (E. or W.)  1. The point of diversion is located JEGE ft. N. and Diversion No. 2 is located S.G. or W. and S.E. (E. or W.)  2. S. A. N. and S.E. H. N. And Diversion No. 2 is located S.G. or W. and S.E. (E. or W.)  (If there is more than one point of diversion, each most be described. Use superste sheet if necessary)  (If there is more than one point of diversion, each most be described. Use superste sheet if necessary)  (If there is more than one point of diversion, each most be described. Use superste sheet if necessary)  (If there is more than one point of diversion, each most be described. Use superste sheet if necessary)  (If there is more than one point of diversion, each most be described. Use superste sheet if necessary)  (If there is more than one point of diversion, each most be described. Use superste sheet if necessary)  (If there is more than one point of diversion, each most be described. Use superste sheet if necessary)  (If there is more than one point of diversion, each most be described. Use superste sheet if necessary)  (If there is more than one point of diversion, each most be described. Use superste sheet if necessary)  (If there is more than one point of diversion, each most be described. Use superste sheet if necessary)  (If there is more than one point of diversion, each most be described. Use superste sheet if necessary)  (If there is more than one point of diversion, each most be described. Use superste sheet if necessary)  (If there is more than one point of diversion, each most be described.  (If	If the applicant is a corporation, give date and pla	ice of incorporation
2. The amount of water which the applicant intends to apply to beneficial use is 0.82  abic feet per second.  (It water is to be used from more than one source, give quantity from each)  1	2. The amount of water which the applicant intends to apply to beneficial use is 0.82  abic feet per second.  (It water is to be used from more than one source, eve quantity from each)  **3. The use to which the water is to be applied is 1P1 (get 100 (trigation, power, mining, manufacturing, domestic supplies, etc.)  4. The point of diversion, is located 3696 ft. (N and 2187 ft. W, from the 5.4 (get w.)  4. The point of diversion, is located 3696 ft. (N and 2187 ft. W, from the 5.4 (get w.)  4. The point of diversion, is located 3696 ft. (N and 2187 ft. W, from the 5.4 (get w.)  4. The point of diversion, is diversion or subdivision  (It there is more than one point of diversion, each mout be described. Use separate sheet if accessary)  (It there is more than one point of diversion, each mout be described. Use separate sheet if accessary)  (It there is more than one point of diversion, each mout be described. Use separate sheet if accessary)  (It there is more than one point of diversion, each mout be described. Use separate sheet if accessary)  (It there is more than one point of diversion, each mout be described. Use separate sheet if accessary)  (It there is more than one point of diversion, each mout be described. Use separate sheet if accessary)  (It there is more than one point of diversion, each mout be described. Use separate sheet if accessary)  (It there is more than one point of diversion, each mout be described. Use separate sheet if accessary)  (It there is more than one point of diversion, each mout be described. Use separate sheet if accessary)  (It there is more than one point of diversion and beauting to section correct.  (It there is more than one point of diversion and beauting to section correct.  (It there is no be used and character of construction and the point of openings)  (It there is no be pumped give general description (the section correct of pump)	2. The amount of water which the applicant intends to apply to beneficial use is 0.82  ic feet per second.  (If water is to be used from more than one source, give quantity from each)  ITTIGATION  (ITTIGATION  (IT	1. The source of the proposed appropriation is	Five Mile Creek (Name of stream)
whice feet per second.  (If water is to be used from more than one source, give quantity from each)  1 Prigation  (It right to be used from more than one source, give quantity from each)  1 Prigation  (It right to be used from more than one source, give quantity from each)  1 Prigation  (It right to be used from more than one source, give quantity from each)  (It preferable, give distance and bearing to mertion corner)  (It there is more than one point of diversion, each must be described. The separate sheet if necessary)  (It there is more than one point of diversion, each must be described. The separate sheet if necessary)  (It there is more than one point of diversion, each must be described. The separate sheet if necessary)  (It there is more than one point of diversion, each must be described. The separate sheet if necessary)  (It there is more than one point of diversion, each must be described. The separate sheet if necessary)  (It there is more than one point of diversion, each must be described. The separate sheet if necessary)  (It there is more than one point of diversion, each must be described. The separate sheet if necessary)  (It there is more than one point of diversion, each must be described. The separate sheet if necessary)  (It there is more than one point of diversion, each must be described. The separate sheet if necessary)  (It there is more than one point of diversion, each must be described. The separate sheet if necessary)  (It there is more than one point of diversion, each must be described. The separate sheet if necessary)  (It there is more than one point of diversion, each must be described. The separate sheet if necessary)  (It there is more than one point of diversion, each must be described. The separate sheet if necessary)  (It there is more than one point of diversion, each must be described. The separate sheet if necessary)  (It there is more than one point of diversion, each must be described. The separate sheet if necessary)  (It there is more than one point of diversion,	abic feet per second.  (If water is to be used from more than one source, give quantity from each)  1 The use to which the water is to be applied is  1 The use to which the water is to be applied is  (trigation, power, mining, manufacturing, domestic supplies, etc.)  4. The point of diversion is located 36.96 ft. N. and 2187ft. W. from the 57 ft. or or or and 2187ft. W. from the 57 ft. or or or and 2187ft. W. from the 57 ft. or	(If water is to be used from more than one source, give quantity from each)  **3. The use to which the water is to be applied is  (Irrigation, power, mining, manufacturing, domestic supplies, etc.)  4. The point of diversion, is located 3696 ft. N. and 2/87ft. W. from the F. C. or w.)  API  4. The point of diversion, is located 3696 ft. N. and 2/87ft. W. from the F. C. or w.)  API  4. The point of diversion, is located 3696 ft. N. and 2/87ft. W. from the F. C. or w.)  API  4. The point of diversion, is located 3696 ft. N. and 2/87ft. W. from the F. C. or w.)  API  4. The point of diversion, is located 3696 ft. N. and 2/87ft. W. from the F. C. or w.)  API  4. The point of diversion, is located 3696 ft. N. and 2/87ft. W. from the F. C. or w.)  API  4. The point of diversion, is located 3696 ft. N. and 2/87ft. W. from the F. C. or w.)  API  4. The point of diversion, is located 3696 ft. N. and 2/87ft. W. from the F. C. or w.)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  API  4. The point of diversion, is located 3696 ft. N. and 2/87ft. W. from the Corners.  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  (If there is more than one point of diversion each must be described. Use separate sheet if necessary)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  (If there is more than one point of diversion each must be described. Use separate sheet if necessary)  (If there is more than one point of diversion each must be described. Use separate sheet if necessary)  (If there is more than one point of the first of point of the first of the fi	, a tributarı	y of North Fork, Sprague River
(If water is to be used from more than one source, give quantity from each)  1 PT 1 gat 10 II  (Registion, power, mining, manufacturing, domestic supplies, etc.)  4. The point of diversion is located 36.96 ft. N and 2/87 ft. W from the 5.4 Ct. or 8.)  9. Orner of Sect. 1, 7.365, KBE, W.M. and Diversion N°2 is loc decision or mobile means of the section of the sect	(If water is to be used from more than one source, give quantity from each)  1PT ga 110n  (Trigation, power, mining, manufacturing, domestic supplies, etc.)  4. The point of diversion is located 3696 ft. N. and 2/87ft. W. from the S.A. or or s.)  4. The point of diversion is located 3696 ft. N. and 2/87ft. W. from the S.A. or or s.)  (Section or subdivision)  (If there is more than one point of diversion, sach must be described. Use suparate sheet if necessary)  eing within the Sid-Net (Give smallest legal subdivision)  (If there is more than one point of diversion, each must be described. Use suparate sheet if necessary)  eing within the Sid-Net (Give smallest legal subdivision)  (If there is more than one point of diversion, each must be described. Use suparate sheet if necessary)  eing within the Sid-Net (Give smallest legal subdivision)  (If there is more than one point of diversion, each must be described. Use suparate sheet if necessary)  eing within the Sid-Net (Give smallest legal subdivision)  (If there is more than one point of diversion, each must be described. Use suparate sheet if necessary)  (If the maliest legal subdivision)  (If the maliest legal s	(If water is to be used from nore than one source, give quantity from each)  1 Tri gation  (Irrigation, power, mining, manufacturing, domestic supplies, etc.)  4. The point of diversion is located 36.96 ft. N. and 2/87ft. W. from the S.E. (R. or w.)  1. The point of diversion is located 36.96 ft. N. and 2/87ft. W. from the S.E. (R. or w.)  1. The point of diversion is located 36.96 ft. N. and 2/87ft. W. from the S.E. (R. or w.)  1. The point of diversion is located 36.96 ft. N. and 2/87ft. W. from the S.E. (R. or w.)  1. The point of diversion is located 36.96 ft. N. and 2/87ft. W. from the S.E. (R. or w.)  1. The point of diversion is located 36.96 ft. N. and 2/87ft. W. from the S.E. (R. or w.)  1. The point of diversion is located 36.96 ft. N. and 2/87ft. W. from the S.E. (R. or w.)  1. The point of diversion is located 36.96 ft. N. and 2/87ft. W. from the S.E. (R. or w.)  1. The point of diversion is located 36.96 ft. N. and 2/87ft. W. from the S.E. (R. or w.)  1. The point of diversion is located 36.96 ft. N. and 2/87ft. W. from the S.E. (R. or w.)  1. The point of diversion is located 36.96 ft. N. and 2/87ft. W. from the S.E. (R. or w.)  1. The point of diversion is located and character of construction from the accompanying map.  1. The point of diversion is located and character of construction from the accompanying map.  2. The point of the waters over a sound dam)  2. The point of the set of points and the of opening is located by the set of opening is the from the control of the points of points and the opening is the from the control of points and the opening is the from the control of points and the opening is the from the points and the opening is the from the control of points and the opening is the from the control of points and the opening is the from the control of points and the control of		ds to apply to beneficial use is 0.82
4. The point of diversion is located 36.96 ft. N. and 2187ft. W. from the S. (R. or W.)  Former of Sect. 1, 7. 365, R. B.E., W.M. and Diversion Nº2 is located 32.93 ft. N. and Diversion Nº2 is located 32.93 ft. N. and 1634 ft. W. from 5 ame Corner, both  (If preferable, give distance and bearing to section corner)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  (If there is more than one point of diversion of head point of diversion was a separate sheet if necessary)  (If there is more than one point of diversion of separate sheet if necessary)  (If there is more than one point of diversion of separate sheet if necessary)  (If there is more than one point of diversion of separate sheet if necessary)  (If there is more	4. The point of diversion is located JESE ft. N. and ZISTft. W. from the St. C. or N. and Diversion N°2 is located JESE N. A. A. Diversion N°2 is located JESE N. A. A. Diversion N°2 is located N°3 ft. N°4 and Diversion N°3 is located N°4 ft. N°5	4. The point of diversion is located 36.96 ft. N. and 2/87ft. W. from the S. f. (a. or w.) from the S. f. (b. occ.) f. (b.	(If water is to be used fro	m more than one source, give quantity from each)
(Rection or subdivision)  32.83 ft. N. And 1634 ft. W. from Same Corner, both  (Rection or subdivision)  (Rection or subdi	(Bettern or nubdivision)  (Comparable, give distance and bearing to section corner)  (Bettern or number than one point of diversion, each must be described. Use separate sheet if necessary)  eing within the Siden NE (Comparable street is number and subdivision)  (Comparable street is number	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  ing within the SWI-NE;  (Give smallest legal subdivision)  13 E , W. M., in the county of Klamath  (Main ditch, eand or pipe line)  (Miles or teet)  ength, terminating in the NEI-SET & SEI-SE;  (Ginalter legal subdivision)  (Bonalter legal subdivision)  DESCRIPTION OF WORKS  6. (a) Height of dam 4 feet, length on top 25 feet, length at botto  20 feet; material to be used and character of construction FOCK and Drugh, af 1994  (b) Description of headgate 1896 General description  (Size and type of pump)  (Size and type of pump)	**3. The use to which the water is to be applied is	IFFI ga UIOH (Irrigation, power, mining, manufacturing, domestic supplies, etc.)
(If preferable, give distance and bearing to section corner)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  eing within the Sil-NE (Give smallest legal subdivision)  (It of there is more than one point of diversion, each must be described. Use separate sheet if necessary)  eing within the Sil-NE (Give smallest legal subdivision)  (It of Sil-NE)  (It of	(Bettern or nubdivision)  (Comparable, give distance and bearing to section corner)  (Bettern or number than one point of diversion, each must be described. Use separate sheet if necessary)  eing within the Siden NE (Comparable street is number and subdivision)  (Comparable street is number	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  ing within the SWI-NE;  (Give smallest legal subdivision)  13 E , W. M., in the county of Klamath  (Main ditch, eand or pipe line)  (Miles or teet)  ength, terminating in the NEI-SET & SEI-SE;  (Ginalter legal subdivision)  (Bonalter legal subdivision)  DESCRIPTION OF WORKS  6. (a) Height of dam 4 feet, length on top 25 feet, length at botto  20 feet; material to be used and character of construction FOCK and Drugh, af 1994  (b) Description of headgate 1896 General description  (Size and type of pump)  (Size and type of pump)	4. The point of diversion is located 36.96 ft.	N and 2187ft. W. from the S.E.
(If preferable, give distance and bearing to section corner)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  eing within the SWINE (Give smallest legal subdivision)  2. 13 E	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  eing within the SHINEY  (Give smallest legal subdivision)  13 E , W. M., in the county of Klamath  (Stamath, terminating in the NETSET & SETSET of Sec. 1 , Tp. 365  (Shouldest legal subdivision)  13 E , W. M., in the county of Klamath  (Main ditch, canal or pipe line)  14 length, terminating in the NETSET & SETSET of Sec. 1 , Tp. 365  (Shouldest legal subdivision)  DESCRIPTION OF WORKS  DIVERSION WORKS  6. (a) Height of dam 4 feet, length on top 25 feet, length at botton  20 feet; material to be used and character of construction FOCK in the Drugh, & from Wasteway Over dam.  (c) If water is to be pumped give general description (State and type of pump)	(If preferable, give distance and bearing to section corner, both  (If there is more than one point of divertion, each must be described. Use separate sheet if necessary)  Ing within the SWINE (Give smallest legal subdivision) of Sec. 1 , Tp. 36S (Nors)  13 E , W. M., in the country of Klamath  5. The Main ditch, cand or pipe line) to be 4000 ft.  (Main ditch, cand or pipe line) of Sec. 1 , Tp. 36S (Nors)  13 E , W. M., the proposed location being shown throughout on the accompanying map.  (Exerw.) DESCRIPTION OF WORKS  Persion Works—  6. (a) Height of dam feet, length on top 25 feet, length at botto  20 feet; material to be used and character of construction FOCK ind brush & final stream and both limber orth six westewny over dam.  and both limber orth six westewny over or bound dam)  (b) Description of headgate 18° Corrugated culverts with flash-boards.  (C) If water is to be pumped give general description (Sue and type of pump)	orner of Sect. 1, T. 365, R. BE, W.M.	and Diversion Nº 2 is loca
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  seing within the Sid-NE (Give smallest legal subdivision) of Sec. 1 , Tp. 36S (N or 8)  13 E , W. M., in the country of Klamath (E or W.)  5. The	(If preferable, give distance and bearing to section corner)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  eing within the SWX-NEX (Give smallest legal subdivision) of Sec. 1 , Tp. 36S (Nors.)  13 E , W. M., in the county of Klamath  5. The main ditch (Lamath to be Miles or feet)  14 Legal, terminating in the NEX-SEX SEX-SEX (Smallest legal subdivision)  15 E , W. M., the proposed location being shown throughout on the accompanying map.  (Exerw.)  DESCRIPTION OF WORKS  Siversion Works—  6. (a) Height of dam	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  of Sec. 1 , Tp. 36S (Give smallest legal subdivision) of Sec. 1 , Tp. 36S (Nors)  13 E , W. M., in the country of Klamath  5. The main ditch to be 4000 ft.  (Miles or feet)  ength, terminating in the NET-SET SET SET SET OF Sec. 1 , Tp. 36S  (Brailest legal subdivision) of Sec. 1 , Tp. 36S  (Brailest legal subdivision) of Sec. 1 , Tp. 36S  (Brailest legal subdivision)  DESCRIPTION OF WORKS  rersion Works—  6. (a) Height of dam 4 feet, length on top 25 feet, length at botto  20 feet; material to be used and character of construction Pock and brush & first  wasteway over dam.  and brush timber orth etc wasteway over or a cound dam)  (b) Description of headgate 18 <sup>th</sup> Corrugated culverts with flesh-boards.  (C) If water is to be pumped give general description  (Size and type of pump)		
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  seing within the Six-NEX (Give smallest legal subdivision) of Sec. 1 , Tp. 36S  (R. or W.)  13 E , W. M., in the county of Klamath  5. The main ditch to be 4000 ft.  (Main ditch, canal or pipe line) (Miles or feet)  n length, terminating in the NEX-SEX & SEX-SEX of Sec. 1 , Tp. 36S  (Smallest legal subdivision)  R. 13 E , W. M., the proposed location being shown throughout on the accompanying map.  DESCRIPTION OF WORKS  Diversion Works—  6. (a) Height of dam 4 feet, length on top 25 feet, length at bottom seasons are material to be used and character of construction POCK and brush & from Wasteway over dam.  Ock and brush timber orth six wasteway over or a cound dam)  (b) Description of headgate 18 Corrugated culverts with Tlash-boards.  (Timber, concrete, etc. number and size of openings)	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  eing within the SW1-NE1  (Give smallest legal subdivision)  13 E	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  ng within the SWINE (Give smallest legal subdivision)  13 E , W. M., in the county of Klamath  (Rew W.)  5. The	va - v fi in yua i vot fr. N. fi	TOTAL SAVILE COFFIER DOTH
(He there is more than one point of diversion, each must be described. Use separate sheet if necessary)  seing within the SWA-NEE (Give smallest legal subdivision) of Sec. 1 , Tp. 36S  (Nors)  13 E , W. M., in the county of Klamath  5. The Main ditch to be 4000 ft.  (Main ditch, canal or pipe line) (Miles or feet)  n length, terminating in the NEE-SEE & SEE-SEE of Sec. 1 , Tp. 36S  (Smallest legal subdivision)  R. 13 E , W. M., the proposed location being shown throughout on the accompanying map.  DESCRIPTION OF WORKS  Diversion Works—  6. (a) Height of dam 4 feet, length on top 25 feet, length at bottom to the second struction of the second struction of the second struction of headgate 18° Corrugated culverts with Tlash-boards.  (Timber, concrete, etc. number and size of openings)	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  eing within the SW1-NE1  (Give smallest legal subdivision)  13 E	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  ng within the SWINE (Give smallest legal subdivision)  13 E , W. M., in the county of Klamath  (Rew W.)  5. The		
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  peing within the Six-NEX (Give smallest legal subdivision) of Sec. 1 , Tp. 36S (N or S)  2. 13 E , W. M., in the county of Klamath  5. The main ditch to be 4000 ft.  (Main ditch, canal or pipe line) (Miles or feet)  n length, terminating in the NEX-SEX & SEX-SEX of Sec. 1 , Tp. 36S (N or S)  R. 13 E , W. M., the proposed location being shown throughout on the accompanying map.  DESCRIPTION OF WORKS  Diversion Works—  6. (a) Height of dam 4 feet, length on top 25 feet, length at bottom sets of the second seco	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  eing within the SW1-NE1  (Give smallest legal subdivision)  13 E	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  ng within the SWINE (Give smallest legal subdivision)  13 E , W. M., in the county of Klamath  (Rew W.)  5. The	19.	
Give smallest legal subdivision)  C. 13 E , W. M., in the county of Klamath  S. The	(Give smallest legal subdivision)  13 E , W. M., in the county of Klamath  (E. or W.)  5. The	(Give emaliest legal subdivision)  13 E	(1f preferable, give distance and b	saring to section corner)
R 13 E , W. M., in the county of Klamath  5. The Main ditch (Main ditch, canal or pipe line)  10. (Main ditch, canal or pipe line)  11. (Main ditch, canal or pipe line)  12. (Miles or feet)  13. E , Tp. 365  (Smallest legal subdivision)  (R. or W.)  DESCRIPTION OF WORKS  Diversion Works—  6. (a) Height of dam 4 feet, length on top 25 feet, length at bottom feet; material to be used and character of construction POCK and brush of feet, concrete mason wasteway over dam.  (Loose rock, concrete mason (Imper crit etc wasteway over or a ound dam)  (b) Description of headgate 18 Corrugated culverts with flesh-boards.  (Timber, concrete, etc. number and size of openings)	Main ditch, canal or pipe line)  5. The Main ditch, canal or pipe line)  1 length, terminating in the NEX-SEX & SEX-SEX Of Sec. 1, Tp. 36S  (Smallest legal subdivision)  1 E , W. M., the proposed location being shown throughout on the accompanying map.  DESCRIPTION OF WORKS  DESCRIPTIO	13 E W. M., in the county of Klamath  (R. or W.)  5. The Main ditch canal or pipe line) to be 4000 ft.  (Main ditch canal or pipe line) (Miles or feet)  ength, terminating in the NEX-SEX & SEX-SEX of Sec. 1 Tp. 365 (N. or s.)  13 E W. M., the proposed location being shown throughout on the accompanying map.  DESCRIPTION OF WORKS  version Works—  6. (a) Height of dam feet, length on top 25 feet, length at botto  20 feet; material to be used and character of construction FOCK and brush of the concrete mason (Loose rock, concrete mason (Loose rock, concrete mason (Description of headgate 18 Corrugated culverts with flash-boards.  (b) Description of headgate 18 Corrugated culverts with flash-boards.  (c) If water is to be pumped give general description (Size and type of pump)	eing within the SWI-NET	
(Main ditch, canal or pipe line)  In length, terminating in the NET-SET & SET-SET of Sec. 1 , Tp. 365  (Smallest legal subdivision)  I. 13 E , W. M., the proposed location being shown throughout on the accompanying map.  DESCRIPTION OF WORKS  Diversion Works—  6. (a) Height of dam	(Main ditch, canal or pipe line)  a length, terminating in the NEZ-SEZ & SEZ-SEZ of Sec. 1 , Tp. 365  (Smallest legal subdivision)  DESCRIPTION OF WORKS  DESCRIPTION OF WORKS  Diversion Works—  6. (a) Height of dam 4 feet, length on top 25 feet, length at botto  20 feet; material to be used and character of construction POCK and brush & first  (Loose rock, concrete, masor  Wasteway over dam.  Sek and brush, timber with etc wasteway over or a sound dam)  (b) Description of headgate 18th Corrugated culverts with flash-boards.  (C) If water is to be pumped give general description  (Size and type of pump)	ength, terminating in the NET-SET & SET-SET of Sec. 1 , Tp. 365  (Smallest legal subdivision) of Sec. 1 , Tp. 365  (Nors.)  13 E , W. M., the proposed location being shown throughout on the accompanying map.  DESCRIPTION OF WORKS  Persion Works—  6. (a) Height of dam		(14. 01 3 /
(Main ditch, canal or pipe line)  In length, terminating in the NET-SET & SET-SET of Sec. 1 , Tp. 365  (Smallest legal subdivision)  I. 13 E , W. M., the proposed location being shown throughout on the accompanying map.  DESCRIPTION OF WORKS  Diversion Works—  6. (a) Height of dam	(Main ditch, canal or pipe line)  a length, terminating in the NEZ-SEZ & SEZ-SEZ of Sec. 1 , Tp. 365  (Smallest legal subdivision)  DESCRIPTION OF WORKS  DESCRIPTION OF WORKS  Diversion Works—  6. (a) Height of dam 4 feet, length on top 25 feet, length at botto  20 feet; material to be used and character of construction POCK and brush & first  (Loose rock, concrete, masor  Wasteway over dam.  Sek and brush, timber with etc wasteway over or a sound dam)  (b) Description of headgate 18th Corrugated culverts with flash-boards.  (C) If water is to be pumped give general description  (Size and type of pump)	ength, terminating in the NET-SET & SET-SET of Sec. 1 , Tp. 365  (Smallest legal subdivision) of Sec. 1 , Tp. 365  (Nors.)  13 E , W. M., the proposed location being shown throughout on the accompanying map.  DESCRIPTION OF WORKS  Persion Works—  6. (a) Height of dam	5. The main ditch	to be 4000 ft.
DESCRIPTION OF WORKS  Diversion Works—  6. (a) Height of dam feet, length on top 25 feet, length at botto  20 feet; material to be used and character of construction TOCK and brush, & fine  Wasteway over dam.  ock and brush timber with site wasteway over or around dam)  (b) Description of headgate 18° Corrugated culverts with flash-boards.  (Timber, concrete, site, number and size of openings)	DESCRIPTION OF WORKS  DESCRIPTION OF WORKS  Diversion Works—  6. (a) Height of dam	DESCRIPTION OF WORKS  version Works—  6. (a) Height of dam	(Main ditch, canal or pipe line)	
DESCRIPTION OF WORKS  Diversion Works—  6. (a) Height of dam	DESCRIPTION OF WORKS  6. (a) Height of dam 4 feet, length on top 25 feet, length at botto  20 feet; material to be used and character of construction TOCK and brush & fine (Loose rock, concrete, masor  Wasteway over dam.  (b) Description of headgate 18th Corrugated culverts with flash-boards.  (c) If water is to be pumped give general description  (Size and type of pump)	DESCRIPTION OF WORKS  6. (a) Height of dam		
Diversion Works—  6. (a) Height of dam	6. (a) Height of dam	feet, length on top 25 feet, length at botto  20 feet; material to be used and character of construction FOCK and brush & firm  (Loose rock, concrete, mason  wasteway over dam.  and brush, timber rith etc. westeway over or a sound dam)  (b) Description of headgate 18° Corrugated culverts with flash-boards.  (Timber, concrete, etc., number and size of openings)  (c) If water is to be pumped give general description  (Size and type of pump)	t. 13 E , W. M., the proposed location being (E. or W.)	shown throughout on the accompanying map.
6. (a) Height of dam feet, length on top 25 feet, length at botto  20 feet; material to be used and character of construction POCK and brush, & fin  Wasteway over dam.  bek and brush, timber rib etc wasteway over or a bound dam)  (b) Description of headgate 18° Corrugated culverts with rlash-boards.  (Timber, concrete, etc., number and size of openings)	6. (a) Height of dam	6. (a) Height of dam		OF WORKS
Wasteway over dam.  Ock and brish, timber crib etc. wasteway over or a ound dam)  (b) Description of headgate 18° Corrugated culverts with flash-boards.  (Timber, concrete, etc., number and size of openings)	(c) If water is to be pumped give general description  (b) Description of headgate 18th Corrugated culverts with flash-boards.  (c) If water is to be pumped give general description  (Size and type of pump)	(c) If water is to be pumped give general description  (b) Description of headgate 18. Corrugated culverts with flash-boards.  (c) If water is to be pumped give general description  (c) Size and type of pump)		gth on top25 feet, length at bottor
Wasteway over dam.  bek and brook timber orth etc wasteway over or a bound dam)  (b) Description of headgate 18° Corrugated culverts with flash-boards.  (Timber, concrete, etc., number and size of openings)	Wasteway over dam.  (b) Description of headgate 18° Corrugated culverts with flash-boards.  (c) If water is to be pumped give general description  (size and type of pump)	wasteway over dam.  and brush, timber crib etc westeway over or a ound dam)  (b) Description of headgate 18 Corrugated culverts with flash-boards.  (Timber, concrete, etc., number and size of openings)  (c) If water is to be pumped give general description  (Size and type of pump)	20 feet; material to be used and character	of construction rock and brush & time
(b) Description of headgate 18° Corrugated culverts with flash-boards.  (Timber, concrete, etc., number and size of openings)	(b) Description of headgate 18° Corrugated culverts with flash-boards.  (Timber, concrete, etc., number and size of openings)  (c) If water is to be pumped give general description  (Size and type of pump)	(b) Description of headgate 18° Corrugated culverts with flash-boards.  (Timber, concrete, etc., number and size of openings)  (c) If water is to be pumped give general description  (Size and type of pump)	······································	•
	(c) If water is to be pumped give general description(Size and type of pump)	(c) If water is to be pumped give general description (Size and type of pump)	(b) Description of headgate 18* Corruga	nber, concrete, etc., number and size of openings)
(Size and type of pump)				otion

<sup>\*</sup>A different form of application is provided wares storage works are contemplated.
\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the electric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem.

26865				•
nal System or P				alia sia atating miles from
			anal where materially change	
•			ine) 3.5	A contract of the contract of
1.5 ousand feet.	eet; depth of w	ater 1.0	feet; grade 0.4	feet fall per one
(b) At		miles from he	adgate: width on top (at wate	r line)
	lect; width on be	otiom	feet; depth of u	vater feet;
rade	feet fall	per one thous	and feet.	
(c) Length	of pipe,	ft.;	size at intake,	in.; size at ft
om intake	in.;	size at place o	f usein.; di	fference in elevation between
			grade uniform?	
			Sk-NET & Eb	-SEż. Sec. l.
8. Location	sec. ft. a of area to be i	rrigated, or pl	ace of use T. 36 S, R	13 E. W.M.
Township North or South	Range Z. or W. of Willemette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
36S	13 E	1	SW4-NEt	<b>3670</b> 6
			SEZ-NEZ	77
			NET-SET	2550 3
!			SEZ-SEZ	3670 4
				70,70 6
•				
. •				
<del></del>				
		<del> </del>		
		(If more space	e required, attach separate sheet)	
(a) Cl	naracter of soil	Sand	y loam	
(b) K	ind of crops rais	ed Grain	s, grasses and row-	crops.
Power or Minin	-			
		•	veloped	
			* power	sec. ft.
(c) T	otal fall to be ut	ilized	(Head) feet.	
(d) T	he nature of the	works by med	ins of which the power is to b	oe developed
				· · · · · · · · · · · · · · · · · · ·
(e) S	uch works to be	located in	(Legal subdivision)	of Sec.
	, R			
140 41.00				
. (f) I	s water to be re	iurnea io any :	stream? (Yes or No)	

dunicipal or Domestic Supply—	Ottes
10. (a) To supply the city of	A.CR Y
(Hame of)	present population of
nd an estimated population of	in 19
(b) If for domestic use state num	nber of families to be supplied
(Answer que	estions II, 12, 13, and 14 in all cases)
11. Estimated cost of proposed works,	100.00 (mostly constructed)
12. Construction work will begin on o	r before Mostly constructed
13. Construction work will be complete	ted on or before Oct. 1st, 1960
14. The water will be completely appli	ed to the proposed use on or before Oct. 1st, 1961
	Harry Obenchain
	By (Signature of applicant)
Remarks:	kn gi ne er
E .	application the applicant does not waive
	hts appurtenant to said lands.
3	
	1
, , , , , , , , , , , , , , , , , , , ,	
TATE OF OREGON, )	
County of Marion,	
This is to certify that I have examin	ned the foregoing application, together with the accompany
naps and data, and return the same for	
	pplication must be returned to the State Engineer, with corr
ions on or before July 19	, 1960
WITNESS my hand this 19th d	ay of, 1960
	LEWIS A. STANLEY
	STATE ENGINEE

By Walter N. Perry Assistant

The right herein	granted is lin	nited to the am	ount of wa	ter which can	be applied to	beneficial use
and shall not exceed		•				
tream, or its equivalen	t in case of r	otation with ot	her water i	users, from	live Mile Cr	reek
	,	ar				
The use to which	this water is	to be applied i	, irrig	tion		***
					***************************************	
		•				
If for irrigation, t	his approprie				of or	ne cubic foot per
second or its equivalent	for each acre	e irrigated an	d shall b	e further l	imited to a	diversion of
not to exceed 3 ac						
season of each yea						
season.oieach.yea		•			ļ.	
		* - *				
•				•		
	······		•••••			
	* .	<u>.</u>		•••••••		***************************************
and shall be subject to						state officer.
The priority dat						
						and shall
thereafter be prosecut	ed with reas	onable diligenc	e and be co	mpleted on or	before Octobe	er 1, 19½2
Complete appli	cation of the 1	water to the pr	oposed use	shall be made	on or before	October 1, 19 5
WITNESS my	and this?	'O day	of	iept mber		
				Lun	0 14	STATE ENGINEER
	•		,		•	
n	ll o	<b>.</b>			<b>.</b> 2.	~
υ	in th	rego				STATE ENGINEER
	ived	E			2.3	TH EN
P B B	rece	r Sale		Š	25/5/655	STA STA Pa
25 Z	GON	2 1 2 a				That y
on No. 3.3 To. 26.  PERMIT	ORE	ngin of	nt:	`	k No	S
No. PE	OF OF	ate E day	plıca	•	remo n hoo ge	LEVIS A. STAILEY Basin No. /#
Application No. 336 F.F.  Permit No. 26865  PERMIT  APPROPRIATE THE PUB.	WALENS OF THE SILLING OF OREGON	te State Engineer at Salem, day of Murch	to ap		Sep led in	Basi
Application No. 336 FY Permit No. 26865  PERMIT TO APPROPRIATE THE PUBLIC	WALENS OF THE STATE OF OREGON This instrument was first received in the	office of the State Engineer at Salem, Oregon, on the Cay of Murch 1962, at 8:10 o'clock N. M.	Returned to applicant:	Approved	Recorded in book No.  23 555	LENIS Á. Orainage Basin No.
: H	≥ئہ و	au = U+	_ =			II

Fees