*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

ate of O	regon	, do hereby make application for a permit to appropriate the			
lowing described	public waters of th	blic spaters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:			
If the applica	nt is a corporation,	give date and place of incorporation			
1. The source	of the proposed app	propriation is Sturgis & O'Brien Forks of Carberry (Name of Streem)			
eek .	<u> </u>	, a tributary of Applegate River			
2. The amoun	ut of water which th	e applicant intends to apply to beneficial use is0.25c.f.S.			
bic feet per second	being 0.15	c.f.s. from Sturgis and 0.10 c.f.s. from O'T			
		to be applied is 1FF1 gation (Brigation, power, mining, manufacturing, domestic supplies, etc.)			
· · · · · · · · · · · · · · · · · · ·					
4. The point	Stur of diversion/is local	g18 ted 1520 ft. S. and 840 ft. W. from the NE			
ewer of Section	on 15. being	within the SE NE of Section 15, Township 40			
		(Section of subdivision) - O'Brien diversion is located 2760 feet Sou			
nd 2480 feet	•	e NE corner of Section 12			
nd 2480 feet	West from th	nable, give distance and bearing to section corner)			
(12)	West from th	nable, give distance and bearing to section corner) ed diversion, each must be described. Use separate sheet if necessary)			
eing within the	West from the Mest from the Mest from the Mest from the Mest one point NW 2 SE 1 (Oire smaller	rable, give distance and bearing to section corner) of diversion, each must be described. Use separate sheet if necessary) of Sec. 12 , Tp. 40 3 e., (N. or S.)			
eing within the	West from the county of M., in the county of	rable, give distance and bearing to section corner) of diversion, each must be described. Use separate sheet if necessary) of Sec. 12 , Tp. 40 3 , (N. or S.) Josephine			
ing within the	West from the constant of the country of main ditch.	rable, give distance and bearing to section corner) of diversion, each must be described. Use separate sheet if necessary) of Sec. 12 , Tp. 10 3 , (N. or s.) Josephine to be 15½ miles (approx.) mand or pipe line) (Miles or feet)			
eing within the	West from the CM predent there is more than one point NW 1 SE 1 (Give smaller M., in the county of main ditch. (Main ditch. one in the SW 1 (6)	rable, give distance and bearing to section corner) of diversion, each must be described. Use separate sheet if necessary) of Sec. 12 , Tp. 10 3. it legal subdivision) Josephine to be 15½ miles (approx.) canal or pipe line) SE¼ of Sec. 29 , Tp. 30 S. maliest legal subdivision)			
ting within the	West from the CM predent there is more than one point NW 1 SE 1 (Give smaller M., in the county of main ditch. (Main ditch. one in the SW 1 (6)	rable, give distance and bearing to section corner) of diversion, each must be described. Use separate sheet if necessary) of Sec. 12 , Tp. 40 3. (N. or S.) Josephine to be 15½ miles (approx.) mand or pipe line) (Miles or feet)			
(Heing within the	West from the Carpender there is more than one point NW2 SE2 (Give smaller M., in the county of main ditch chain ditch sing in the SW4 (Sw. M., the propose	rable, give distance and bearing to section corner) of diversion, each must be described. Use separate sheet if necessary) of Sec. 12 , Tp. 10 3. it legal subdivision) Josephine to be 15½ miles (approx.) canal or pipe line) SE¼ of Sec. 29 , Tp. 30 3. maliest legal subdivision)			
ting within the	West from the Carpender there is more than one point NW 2 SE 2 (Give smaller M., in the country of main ditch case after the SW 4 (See A.), W. M., the propose	rable, give distance and bearing to section corner) of diversion, each must be described. Use separate sheet if necessary) of Sec. 12 , Tp. 10 3. t legal subdivision) Josephine to be 15½ miles (approx.) samples pipe lime) SE½ of Sec. 29 , Tp. 30 S. (N. or S.) ed location being shown throughout on the accompanying map.			
teing within the	West from the CM peeden there is more than one point NW 1 SE 1 (Give smaller M., in the county of main ditch (Main ditch, ong in the SW 1 (Main ditch, ong in the	rable, give distance and bearing to section corner) of diversion, each must be described. Use separate sheet if necessary) of Sec. 12 , Tp. 10 3. t legal subdivision) Josephine to be 15½ miles (approx.) canal or pipe line) SE¼ of Sec. 29 , Tp. 30 3. maliest legal subdivision) ed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS feet, length on top 25 feet, length at bottom and character of construction present al version str			
ting within the	West from the Carpesses there is more than one point NW SE (Give smalles M., in the country of main ditch can gin the SW (M.), W. M., the propose t of dam 2.0	rable, give distance and bearing to section corner) of diversion, each must be described. Use separate sheet if necessary) of Sec. 12 , Tp. 10 3. to be 15½ miles (approx.) sameler pipe line) SE½ of Sec. 29 , Tp. 30 3. (N. or S.) mailest legal subdivision) ed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS feet, length on top 25 feet, length at bottom sed and character of construction present alversion structure and character masonry. Irrigation Association Litches.			
ting within the	West from the care there is more than one point NW \(\frac{1}{2} \) SE\(\frac{1}{2} \) (Give smalless M., in the county of main ditch. In main ditch. In main the county of main the second of the second of the second of the propose of the county of the care that the county of th	rable, give distance and bearing to section corner) of diversion, each must be described. Use separate sheet if necessary) of Sec. 12 , Tp. 10 S. Nors.) Josephine to be 15½ miles (approx.) canal or pipe line) SE½ of Sec. 29 , Tp. 30 S. mallest legal subdivision) ed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS feet, length on top 25 feet, length at bottom sed and character of construction present diversion struction sed and character of construction bitches. Irrigation Association Litches.			
eing within the	West from the care there is more than one point NW \(\frac{1}{2} \) SE\(\frac{1}{2} \) (Give smalless M., in the county of main ditch. In main ditch. In main the county of main the second of the second of the second of the propose of the county of the care that the county of th	rable, give distance and bearing to section corner) of diversion, each must be described. Use separate sheet if necessary) of Sec. 12 , Tp. 10 S. Nors.) Josephine to be 15½ miles (approx.) canal or pipe line) SE½ of Sec. 29 , Tp. 30 S. mallest legal subdivision) ed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS feet, length on top 25 feet, length at bottom sed and character of construction present diversion struction sed and character of construction bitches. Irrigation Association Litches.			
eing within the	West from the Carpeter is more than one point NW 2 SE 2 (Give smaller M., in the county of main ditch chain ditch carpeter is the county of main ditch carpeter is the county of	rable, give distance and bearing to section 12 rable, give distance and bearing to section corner) of diversion, each must be described. Use separate sheet if necessary) of Sec. 12 , Tp. 10 3. t legal subdivision) Josephine to be 15½ miles (approx.) small or pipe lime) SE½ of Sec. 29 , Tp. 30 5. mallest legal subdivision) ed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS feet, length on top 25 feet, length at bottom sed and character of construction present aiversion struction and dam) orth headgates are constructed of concrete.			

^{*}A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem,

Canal	System	of Pipe	Lina

.0	feet; depth of t	oater1.	5feet; grade	2.0 feet fall per o
wand feet. (b) At	134	miles from he	eadgate: width on top (at i	vater line) 3.0
	feet; width on l	ottom	2.0 feet; depth	of water
ie 2.0) feet fa	l per one thou	sand feet.	
		-	\	in.; size at 900
				; difference in elevation betwe
		4	•	
		Эц јт. 1	s grade unijorm?y.e.s	Estimated capaci
	sec. ft. · on of area to be	irrigated, or pl	ace of use	
Township North or South	Range E. or W. of Willemette Meridian	Section	Porty-acre Tract	Number Acres To Be Irrigated
8 s.	L W.	29	SW 4 SE4	20 acres
	-		· ·	
	-			
			,	
·	<u> </u>			
· .				
			<u></u>	
,			required, attach separate sheet)	
	naracter of soil.			
	ind of crops raise g Purposes—	≥d	nay and pasture.	
		ower to be dev	peloped	theoretical horsepou
			power	
			•	•
			(Head) feet.	
(u) 1	ne nature of the	•		be developed
~				
				of Sec.
	, R(No.	• •	M.	,
(f) Is	water to be reti	irned to any st	Team?(Yes or No)	
(a) 14	so, name stream	n and locate po	oint of return	
(9) -)				

A separate the second of the s	
diapal of Domistic Supply—	26895
At let to easily the chip of	
County, Kertily & greenst population	of
and a state of the	en e
(b) If for Concessic use state number of families to	* +
	*
11. Estimated cost of proposed works, \$ 3260,00	•
12. Construction work will begin on or before	
13. Construction work will be completed on or before	
14. The water will be completely applied to the proposed	use on or before October 1, 1963
$\mathbf{A}_{\boldsymbol{\ell}}$	Holmon-l
	(Signature of applicant)
Remarks:	
•	
``	
	~
<u> </u>	
TATE OF OREGON,	
County of Marion,	Year and an interest at a second
This is to certify that I have examined the foregoing	
naps and data, and return the same for	
In order to retain its priority, this application must be	returned to the State Engineer, with corre
ions on or before, 19,	•
with the total define	
WITNESS my hand this day of	, 19

STATE OF OREGON,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

	1 1	e e e e e e e e e			ations and conditions:	·
•				-	water which can be applied to beneficial	
		ī			measured at the point of diversion from	
					er users, from Sturgis Creek and	
O'Brien	Creek, being	0.15 c.f.s.	from St	urgis 0	Creek and 0.10 c.f.s. from O'Brien	·
Creek.	***************************************		***************************************	••••••		
The	use to which this	water is to be	: applied i	8	irrigation	
	100				Ţ.	
					1/80th of one cubic foot	
second or i	its equivalent for	each acre irrig	jated ⁸¹	nd shall	l be further limited to a diversio	n
				• "	h acre irrigated during the irriga	
season	of each year;	provided fu	irther t	hat the	amount of water allowed herein,	·••
				•	er right existing for the same lan	
					. provided further that the right	
-					the flow of the Rogue River is mo	
•						
				•		
					may be ordered by the proper state officer.	
	· ·				July 18, 1960	
					September 20, 1961 and s	
					*	
•	•				completed on or before October 1, 1962.	53
•		2 ∩ th			shall be made on or before October 1, 19.	
WI	TNESS my hand	this	day (of	19 A A	
	,			<i>i</i>	STATE ENGINE	ER
ļ		on,	1		2 " 7	
N.	្ន	in t Oreg			September 20, 1960 ed in book No. 73 rpage 123:TS. A. STANLEY state Enginera	
3	UBI	eived em,	Z		ge de	
7 8	IE P	rec t Sal	7 4		19% (5) FR 19% (19% (19% (19% (19% (19% (19% (19%	
Application No. 9	PERMIT APPROPRIATE THE PUB WATERS OF THE STATE OF OREGON	first eer a	5 4		September 20, 1960 led in book No. 73 PUNET ILEVIE A. STANLEY SEAN	
Application No. 34127	PERMIT PRIATE THE RS OF THE OF OREGOI	was	of	rt:	k No	
tion No.	PE OPR OF OF	nent 1te E	day	plica	temb	
plica mit	PPR	strun e Ste	» 00	ldv o		
Ap Per	PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon,	on the <i>''''</i> day of <i>''''''''''</i> 19.60, at 8.00 o'clock A M.	Returned to applicant:	Approved: September 20, 19 Recorded in book No. 73 Permits on page LEMIS A. STANIEX Drainage Basin No. 75	
		Th	1 th	etur	lppro Re ermi	
		1 6	0 71	, es	: 4 1 1	-