

RECEIVED  
JUL 20 1960  
STATE ENGINEER  
SALEM

Permit No. 26904

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Lloyd E. Thomas (Name of applicant)

of Rt. 4, Box 941, Roseburg (Mailing address)

State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation No

1. The source of the proposed appropriation is Ten Mile Creek (Name of stream)

a tributary of Lookingglass Creek

2. The amount of water which the applicant intends to apply to beneficial use is 1/4 th.

cubic feet per second. (If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 2240 ft. N and 1180 ft. W from the S-E

corner of 23 section (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NE 1/4 of SE 1/4 of Sec. 23, Tp. 28 S

R. 8 W, W. M., in the county of Douglas

5. The Pipeline to be 640 feet

in length, terminating in the NE 1/4 SE 1/4 of Sec. 23, Tp. 28 S

R. 8 W, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam NO feet, length on top feet, length at bottom

feet; material to be used and character of construction (Loose rock, concrete, masonry,

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate NO (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 3 HP Moore Pump (Size and type of pump)

Total Head counting suction, elevation, supply, main line and sprinklers is 129 feet. Pump will be portable - 16 sprinklers rated 76 GPM each -

\*A different form of application is provided where storage works are contemplated.

\*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.



10. (a) To supply the city of \_\_\_\_\_

\_\_\_\_\_ County, having a present population of \_\_\_\_\_

and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

(b) If for domestic use state number of families to be supplied \_\_\_\_\_

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ *250.00*

12. Construction work will begin on or before *AUGUST 1960*

13. Construction work will be completed on or before *OCTOBER 1960*

14. The water will be completely applied to the proposed use on or before *OCTOBER 1960*

*Lloyd E Thomas*  
(Signature of applicant)

Remarks: *Sir; I hope the enclosed fee of 15 dollars is the correct amount, if not please let me know-*

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before \_\_\_\_\_, 19\_\_\_\_\_

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 19\_\_\_\_\_

STATE ENGINEER

By \_\_\_\_\_ ASSISTANT

PERMIT

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.25 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Ten Mile Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 20, 1960

Actual construction work shall begin on or before September 20, 1961 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1962

Complete application of the water to the proposed use shall be made on or before October 1, 1963

WITNESS my hand this 20th day of September 1960

*Lewis A. Staley*  
STATE ENGINEER

Application No. 34145  
Permit No. 26904

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 20th day of September, 1960, at 11 o'clock A.M.

Returned to applicant:

Approved:

September 20, 1960 of 73  
Recorded in book No. 268001  
Permits on page

LEWIS A. STALEY  
STATE ENGINEER

Drainage Basin No. 16 page 370

Fees