APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

(If there is more than one point of diversion, so detained and bearing to section corner) (If there is more than one point of diversion, so detained and bearing to section corner) (If there is more than one point of diversion, such must be described. Use separate short if necessary) ing within the M.W. (Given malboat legal subdivision) (If there is more than one point of diversion, such must be described. Use separate short if necessary) ing within the M.W. (Given malboat legal subdivision) (If there is more than one point of diversion, such must be described. Use separate short if necessary) ing within the M.W. (Given malboat legal subdivision) (If there is more than one point of diversion, such must be described. Use separate short if necessary) ing within the M.W. (Given malboat legal subdivision) (If there is more than one point of diversion, such must be described. Use separate short if necessary) ing within the M.W. (Given malboat legal subdivision) (If there is more than one point of diversion, such must be described. Use separate short if necessary) (If there is more than one point of diversion, such must be described. Use separate short if necessary) ing within the M.W. (If there is more than one point of feet, length of post of section or subdivision) (If there is more than one point of diversion or subdivision) (If there is more than one point of diversion or subdivision) (If there is more than one point of diversion or subdivision) (If there is more than one point of diversion or subdivision) (If there is more than one point of diversion or subdivision) (If there is more than one point of diversion or subdivision) (If there is necessary) (If there is necessar	the of Orage in do hereby make application for a permit to appropriate the							
1. The source of the proposed appropriation is	lowing described public waters of the State of Ore	egon, SUBJECT TO EXISTING RIGHTS:						
2. The amount of water which the applicant intends to apply to beneficial use is O. O. C. Of water is to be used from more than one source, driv quantity from each) The use to which the water is to be applied is I P 19 2 1/8 12 (trigation, polyer, mining, manufacturing, demostic supplies, etc.) 4. The point of diversion is located 1.9 16 ft. N and 45 ft. E from the 500 cm. or nicely fill the control of	If the applicant is a corporation, give date and	place of incorporation						
2. The amount of water which the applicant intends to apply to beneficial use is O. O. C. Of water is to be used from more than an assure, and quantity from each) The use to which the water is to be applied is I F 1 9 2 1/8 1/8 (trigation, polyer, mining, manufacturing, demostic supplies, etc.) 4. The point of diversion is located 1.4 1 6 ft. N and 45 ft. E from the 5 W There of C. M.Y. F.Y. D. L. C. 4.3 (Residen or ministrating to section correct) (If there is in more than one point of diversion, each must be described. The supersta these if it seccessory) ting within the NW. Or manufact legal ministration of Sec. 2 6 , Tp. 3.5 (N. or S.) One was a section of the country of C. 1.2 G. R. R.Y. & S. S. The Colain actual, cannot be point and section being shown throughout on the accompanying map. (R. or W.) DESCRIPTION OF WORKS fiversion Works— 6. (a) Height of dam feet, length on top feet, length at bottor feet; material to be used and character of construction (Country of the Country of the country of the poly in the country of the countr	1. The source of the proposed appropriation is	Creek (No Name)						
2. The amount of water which the applicant intends to apply to beneficial use is O. O. C. Of water is to be used from more than an assure, and quantity from each) The use to which the water is to be applied is I F 1 9 2 1/8 1/8 (trigation, polyer, mining, manufacturing, demostic supplies, etc.) 4. The point of diversion is located 1.4 1 6 ft. N and 45 ft. E from the 5 W There of C. M.Y. F.Y. D. L. C. 4.3 (Residen or ministrating to section correct) (If there is in more than one point of diversion, each must be described. The supersta these if it seccessory) ting within the NW. Or manufact legal ministration of Sec. 2 6 , Tp. 3.5 (N. or S.) One was a section of the country of C. 1.2 G. R. R.Y. & S. S. The Colain actual, cannot be point and section being shown throughout on the accompanying map. (R. or W.) DESCRIPTION OF WORKS fiversion Works— 6. (a) Height of dam feet, length on top feet, length at bottor feet; material to be used and character of construction (Country of the Country of the country of the poly in the country of the countr	, a tribu	vary of Willemette River						
(If wester is to be used from more than one source, give quantity from each) ***3. The use to which the water is to be applied is (Irrigation, police, mining, manufacturing, donestic supplies, etc.) 4. The point of diversion is located 1.4 16 ft. N. and 45 ft. E. from the 5.00 (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) eing within the (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) eing within the (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) eing within the (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) eing within the (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) eing within the (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) eing within the (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) eing within the (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) eing within the (If there is no the contents of th		•						
**3. The use to which the water is to be applied is **The point of diversion is located 1416 ft. N. and 45 ft. E. from the 5 w. (R. or M.) **The point of diversion is located 1416 ft. N. and 45 ft. E. from the 5 w. (R. or M.) **The point of diversion is located 1416 ft. N. and 45 ft. E. from the 5 w. (R. or M.) **The point of diversion is located 1416 ft. N. and 45 ft. E. from the 5 w. (R. or M.) **The point of diversion is located 1416 ft. N. and 45 ft. E. from the 5 w. (R. or M.) **The point of diversion is located 1416 ft. N. and 45 ft. E. from the 5 w. (R. or M.) **The point of diversion is located 1416 ft. N. and 45 ft. E. from the 5 w. (R. or M.) **The point of diversion is located 1416 ft. N. and 45 ft. E. from the 5 w. (R. or M.) **The point of diversion is located 1416 ft. N. and 45 ft. E. from the 5 w. (R. or M.) **The point of diversion is located 1416 ft. N. and 45 ft. E. from the 5 w. (R. or M.) **The point of diversion is located 1416 ft. N. and 45 ft. N.								
(If preferable, give distance and bearing to rection corner) (If there is more than one point of diversion, each must be described. Use separate sheet if seconsary) eing within the	(12 Mater in 10 he nee							
(Main ditch, canal or pipe line) 5. The	4. The point of diversion is located 1416 rner of Curry QLC, 43	ft. N and 45 ft. E from the 5 W						
(E. er W.) 5. The to be (Miles or feet) length, terminating in the (Binallest legal subdivision) of Sec. Tp. (N. or S.) (E. er W.) DESCRIPTION OF WORKS iversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete masons of the and brush, timber crib, etc., wasteway over or around dem) (b) Description of headgate (Timber, concrete, etc., number and size of openings)								
5. The	(If there is more than one point of diversion, each sering spithin, the M.W. & 6F. N.E.	and bearing to section corner) must be described. Use separate sheet if secessary) // of Sec. 2.6. To. 3.5						
DESCRIPTION OF WORKS (a) Height of dam feet, length on top feet, length at bottor feet; material to be used and character of construction (Loose rock, concrete masons) (b) Description of headgate (Timber, concrete, etc., number and size of openings)								
DESCRIPTION OF WORKS iversion Works— 6. (a) Height of dam	(E et W.) W. M., in the county of	kemes to be						
6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete masons et and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings)	(E. ex W.) 5. The (Main ditch, canal or pipe line)	to be						
6. (a) Height of damfeet, length on topfeet, length at bottorfeet; material to be used and character of construction(Loose rock, concrete masons cok and brush, timber crib, etc., wastaway over or around dam) (b) Description of headgate(Timber, concrete, etc., number and size of openings)	(Hearth, terminating in the	to be						
feet; material to be used and character of construction (Loose rock, concrete masons) (b) Description of headgate	5. The (Main ditch, canal or pipe line) a length, terminating in the (Amallest legal subdivi	to be						
(b) Description of headgate	(E. ex W.) W. M., in the county of	to be						
(b) Description of headgate	(E. ex W.) 5. The	to be						
(c) If mater is to be numbed give general description (Present) 2± H.P. g. 25 4	(E. ex W.) 5. The	to be						
	(E er W.) (Main citch, canal or pipe line) 1. (Main citch, canal or pipe line) 1. (Manallest legal subdiving) 1. (Manallest legal subdiving) 2. (Manallest legal subdiving) 3. (Manallest legal subdiving) 4. (Manallest legal subdiving) 5. (Manallest legal subdiving) 6. (a) Height of dam	to be						

[&]quot;A different form of application is provided where storage works are contemplated.

"Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the specific commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem,

(i) The nature of the mines to be served

(6) If for detectic use state samples of families to be supplied (8) If for detectic use state samples of families to be supplied 12. Construction stock will begin on or before 3 for family 13. Construction stock will be completely applied to the proposed use on or before Oct 1, 1962 14. The water will be completely applied to the proposed use on or before Oct 1, 1962 County of Marion, 12. County of Marion, 13. This is to certify that I have examined the foregoing application, together with the accompanying appropriate to retain its priority, this application must be returned to the State Engineer, with corrections on or before 19. WITNESS my hand this day of 19.	M. (a) To supply the city of	enent population of
(6) If for deducate we state sumber of families to be supplied (A) If the deducate was such as a sumber of families to be supplied (A) Educated cost of proposed works, \$ 2000.00 12. Construction work will begin on or before \$ \$ 10.00 ft. 1961. 13. Construction work will be completely applied to the proposed use on or before \$ 0.00 ft. 1962. **Construction work will be completely applied to the proposed use on or before \$ 0.00 ft. 1962. **Construction work will be completely applied to the proposed use on or before \$ 0.00 ft. 1962. **Construction work will be completely applied to the proposed use on or before \$ 0.00 ft. 1962. **Construction work will be completely applied to the proposed use on or before \$ 0.00 ft. 1962. **Construction work will be completely applied to the proposed use on or before \$ 0.00 ft. 1962. **Construction work will be completely applied to the proposed use on or before \$ 0.00 ft. 1962. **Construction work will be completely applied to the proposed use on or before \$ 0.00 ft. 1962. **Construction work will be completely applied to the proposed use on or before \$ 0.00 ft. 1962. **Construction work will be completely applied to the proposed use on or before \$ 0.00 ft. 1962. **Construction work will be completely applied to the proposed use on or before \$ 0.00 ft. 1962. **Construction work will be completely applied to the proposed use on or before \$ 0.00 ft. 1962. **Construction work will be completely applied to the proposed use on or before \$ 0.00 ft. 1962. **Construction work will be completely applied to the proposed use on or before \$ 0.00 ft. 1962. **Construction work will be completely applied to the proposed use on or before \$ 0.00 ft. 1962. **Construction work will be construction work will be constructed use of the proposed use on or before \$ 0.00 ft. 1962. **Construction work will be constructed use of the proposed use on or before \$ 0.00 ft. 1962. **Construction work will be constructed use of the proposed use on or befo		
12. Construction work will begin on or before 13. Construction work will be completed on or before 14. The water will be completely applied to the proposed use on or before 15. Construction work will be completely applied to the proposed use on or before 16. The water will be completely applied to the proposed use on or before 17. [962] 18. Construction work will be completely applied to the proposed use on or before 19. Construction 19. County of Marion, 18. County of Marion, 18. This is to certify that I have examined the foregoing application, together with the accompanying ups and data, and return the same for 19. In order to retain its priority, this application must be returned to the State Engineer, with correcture on or before 19	·廉·魏州(新)(6) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4	
12. Construction work will be completed on or before QCL		of 11, 44, 13, and 14 in all excess)
13. Construction work will be completed on or before O.C. 1, 1962 Land Haul Ammuella (Superioral) Ammuella (S	12 Estimates cost of proposed works, \$	2000.00
ATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying ps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before 19.		
Remarks: ATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with correctus on or before 19		· · · · · · · · · · · · · · · · · · ·
Remarks: ATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying ps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with correctus on or before 19	14. The water will be completely applied t	to the proposed use on or before Oct. 1, 1962
Remarks: ATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying ps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with correctus on or before 19	***************************************	M CO AN
ATE OF OREGON, See. County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying ps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with correctors on or before 19		Sichail Fail Ammerli
ATE OF OREGON, See. County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying ps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with correctors on or before 19		
ATE OF OREGON, Sea. County of Marion, Sea. This is to certify that I have examined the foregoing application, together with the accompanying ps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with correcting on or before 19.	Remarks:	
ATE OF OREGON, Sea. County of Marion, Sea. This is to certify that I have examined the foregoing application, together with the accompanying ps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with correcting on or before 19.		
ATE OF OREGON, SS. County of Marion, SS. This is to certify that I have examined the foregoing application, together with the accompanying ps and data, and return the same for		
ATE OF OREGON, SS. County of Marion, SS. This is to certify that I have examined the foregoing application, together with the accompanying ps and data, and return the same for	***************************************	
ATE OF OREGON, SS. County of Marion, SS. This is to certify that I have examined the foregoing application, together with the accompanying ps and data, and return the same for		
ATE OF OREGON, SS. County of Marion, SS. This is to certify that I have examined the foregoing application, together with the accompanying ps and data, and return the same for		· · · · · · · · · · · · · · · · · · ·
ATE OF OREGON, St.		
ATE OF OREGON, St.	***************************************	
ATE OF OREGON, St.		3 -
ATE OF OREGON, St.		
ATE OF OREGON, St.		-
ATE OF OREGON, State County of Marion, State Engineer, with correcting on or before State Engineer, with correcting on or before State Engineer, with correcting the state Engineer, with correcting on or before State Engineer, with correcting to the State Engineer, with correcting on or before State Engineer, with correcting to the State Engineer, with correcting on or before State Engineer, with correcting the state Engineer	•	<u> </u>
ATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying ps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with correctes on or before		
County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying ps and data, and return the same for		
County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying ps and data, and return the same for	ATE OF OREGON)	
ps and data, and return the same for	> 88.	
In order to retain its priority, this application must be returned to the State Engineer, with correc- ns on or before, 19	This is to certify that I have examined	the foregoing application, together with the accompanying
In order to retain its priority, this application must be returned to the State Engineer, with correc- ns on or before, 19	ps and data, and return the same for	
ns on or before, 19, 19		
	In order to retain its priority, this app	lication must be returned to the State Engineer, with correc-
WITNESS my hand this day of, 19	ns on or before	, 19
WITNESS my hand this day of, 19		
	WITNESS my hand thisday	of
		STATE ENGINEER

STATE OF OREGON,

This is to certify that I have examined the foregoing application and do hereby grant the same,

hall not exceed	0.06	cubic	feet per s	econd n	neasured at	the point	of diversion	m from the
m, or its equivale	nt in case of	rotation	with other	r water	users, fron	an un	named cre	ek.
						·		
The use to which	h this water	is to be o	applied is	iı	rrigation			
If for irrigation,	this approp	riation sh	all be limi	ted to	/80 th		of one c	ıbic foot per
l or its equivaler								
to exceed 21/2								
on of each ye								····
n.ofeach.ye	8.Ty		••••••					
	······································		•••••					
	•••••••••••••••••••••••••••••••••••••••							
shall be subject t								officer.
The priority do	ite of this pe	rmit is			July 29,	1960		
Actual constru	iction work s	hall beg	in on or be	fore	September	20, 1961	<u> </u>	and shal
reafter be prosect	uted with rec	asonable	diligence (ind be c	completed o	n or before	October 1,	19
Complete appl								
WITNESS my					Septemb eŕ	· · · · · · · · · · · · · · · · · · ·	19 60	
					· · · · · ·	Mr. J	1 Ita	ALL I

Application No. 26919

Approved:

Returned to applicant:

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the RIA day of Clark 1966, at RIVS o'clock

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

PERMIT

September 20, 1960
Recorded in book No. 73

Permits on page LEMIS A. STAILET

Drainage Basin No. 2 page 76.423

STATE ENGINEER

.

Fees

State Printing 98137