

RECEIVED
AUG 10 1930
STATE ENGINEER
SALEM, OREGON

Permit No. 26955

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, IVAN E. HOLM
(Name of applicant)
of Rt. 1 Box 415 SUTHERLIN
(Residing address)
State of OREGON, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is SUTHERLIN CREEK
(Name of stream)
a tributary of No UMPQUA RIVER

2. The amount of water which the applicant intends to apply to beneficial use is 0.188
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is IRRIGATION
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located _____ ft. _____ and _____ ft. _____ from the SW
(N. or S.) (E. or W.)
corner of SEC. 13 N. 64° 26' E. 1107 FEET
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW 1/4 SW 1/4 of Sec. 13, Tp. 25 S
(Give smallest legal subdivision) (N. or S.)

R. 5 W, W. M., in the county of DOUGLAS
(E. or W.)

5. The PIPE LINE AND PORTABLE PIPE 455 FT.
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the SW 1/4 SW 1/4 of Sec. 13, Tp. 25 S
(Smallest legal subdivision) (N. or S.)

R. 5 W, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam SEE RES. Appl. R 30518 PER. R 1873
feet, length on top _____ feet, length at bottom _____
feet; material to be used and character of construction _____
(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate _____
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description _____
(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

10. (a) To supply the city of _____

County, having a present population of _____

(Name of)

and an estimated population of _____ in 19____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ SEE NONE

12. Construction work will begin on or before SEE REMARKS COMPLETED

13. Construction work will be completed on or before SEE REMARKS COMPLETED

14. The water will be completely applied to the proposed use on or before OCT 1 1961

Ivan E. Holm
(Signature of applicant)

Remarks:

The land to be irrigated under this application is in addition to Applications # 30519 + #32988 and Permits # 24260 + # 26087 See map.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19____

WITNESS my hand this _____ day of _____, 19____

STATE ENGINEER

By _____ ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.02 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Sutherlin Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/800 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right to the use of water is limited to the period when the flow of the North Umpqua River is more than 525 c.f.s. at its mouth.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 10, 1960

Actual construction work shall begin on or before October 20, 1961 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1962.

Complete application of the water to the proposed use shall be made on or before October 1, 1963.

WITNESS my hand this 20th day of October, 1960

STATE ENGINEER

Application No. 342224
Permit No. 26955

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 10th day of August, 1960, at 8:00 o'clock A. M.

Returned to applicant:

Approved: _____
October 20, 1960
Recorded in book No. 73 of _____
Permits on page _____

LEWIS A. STANLEY
STATE ENGINEER
Drainage Basin No. 16 page 286

Fees