

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Dorney J. PEARSON (Name of applicant)

of Route 1 Riddle (Mailing address)

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Council Creek (Name of stream), a tributary of Cow Creek, of South Umpqua River

2. The amount of water which the applicant intends to apply to beneficial use is 0.03 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is domestic & irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 245 ft. S and 55 ft. E from the NW corner of Sec. 4 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NW 1/4 of NW 1/4 of Sec. 4, Tp. 31S (Give smallest legal subdivision) (N. or S.)

R. 6N, W. M., in the county of Douglas (E. or W.)

5. The pipe line to be 400 ft. (Ditch, canal or pipe line) (Miles or feet) in length, terminating in the NW 1/4 of NW 1/4 of Sec. 4, Tp. 31S (Smallest legal subdivision) (N. or S.)

R. 6N, W. M., the proposed location being shown throughout on the accompanying map. (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 1 1/2" Centrifugal (Size and type of pump) 3 1/2 HP gas engine (Size and type of engine or motor to be used, total head water is to be lifted, etc.) head 10 ft.

\*A different form of application is provided where storage works are contemplated.

\*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.



11. (a) To supply the city of \_\_\_\_\_  
County, having a present population of \_\_\_\_\_  
and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

(b) If for domestic use state number of families to be supplied \_\_\_\_\_  
(Answer questions 11, 12, 13, and 14 in all cases)

- 12. Estimated cost of proposed works, \$ 400
- 13. Construction work will begin on or before June 1961
- 14. Construction work will be completed on or before June 1961
- 15. The water will be completely applied to the proposed use on or before June 1961

X *Dorsey J. Pearson*  
(Signature of applicant)

Remarks:

I submit this application with the knowledge of the provisions of ORS 536.360, which include the limited flow of the South Umpqua River to be 60 cfs. below which I may not divert any water from its tributaries should this statute be invoked.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before \_\_\_\_\_, 19\_\_\_\_\_

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 19\_\_\_\_\_

STATE ENGINEER

By \_\_\_\_\_ ASSISTANT

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.03 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Council Creek

The use to which this water is to be applied is domestic use of one family and irrigation; being 0.01 c.f.s. for domestic and 0.02 c.f.s. for irrigation

If for irrigation, this appropriation shall be limited to 1/70 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right to the use of water is limited to the period when the flow of Cow Creek is more than 11 c.f.s. at its mouth.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 25, 1960

Actual construction work shall begin on or before October 20, 1961 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19 62.

Complete application of the water to the proposed use shall be made on or before October 1, 19 63.

WITNESS my hand this 20th day of October, 19 60.

[Signature] STATE ENGINEER

Application No. 34279
Permit No. 26973

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 20th day of October, 1960, at 10:00 o'clock P.M.

Returned to applicant:

Approved:

October 20, 1960

Recorded in book No. 73 of 26973 Permits on page

LEWIS A. STANLEY STATE ENGINEER

Drainage Basin No. 16 page 126

Fees