

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, C. O. Albritton of B.B. Pt. Bay 2 34 Cottage Grove State of Oregon do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Upper name E North Fork Willamette a tributary of North Fork of Willamette

2. The amount of water which the applicant intends to apply to beneficial use is 2.16 cubic feet per second. being 0.06 cfs from S.E. and 0.06 cfs N.F.K. Willamette

3. The use to which the water is to be applied is Irrigation & Domestic

4. The point of diversion is located 300 ft. and 100 ft. from the corner of N. 70' corner of lot 3 Township 21 South Range 3 West section 16. From N.F.K. Willamette - 150' West from SE Corner DLS 49 being within Lot 5.

being within the Southeast 1/4 S.E. 1/4 of Sec. 17 Tp. 21 South R. 3 West, W. M., in the county of Lane

5. The Pipeline to be is 2500 in length, terminating in the of Sec. of Tp. W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works-

6. (a) Height of dam 1 1/2 feet, length on top 6 ft feet, length at bottom 6 ft feet; material to be used and character of construction concrete

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate

(c) If water is to be pumped give general description

\*A different form of application is provided where storage works are contemplated. \*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

26985

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake, ..... in.; size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
21 S	3 W	16	government lot 3	5 acres Domestic
			lot 4	1 Domestic
			lot 5	5 Domestic

(If more space required, attach separate sheet.)

(a) Character of soil ..... *clay*  
 (b) Kind of crops raised ..... *pasture*

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower.  
 (b) Quantity of water to be used for power ..... sec. ft.  
 (c) Total fall to be utilized ..... feet.  
 (d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in ..... of Sec. ....

Tp. ...., R. ...., W. M. ....

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

..... Sec. .... Tp. .... R. .... W. M. ....

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of \_\_\_\_\_  
County, having a present population of \_\_\_\_\_

(Name of)

and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

(b) If for domestic use state number of families to be supplied Two

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ \_\_\_\_\_
- 12. Construction work will begin on or before started
- 13. Construction work will be completed on or before Oct 1 '62
- 14. The water will be completely applied to the proposed use on or before Oct 1 of 63

*[Handwritten Signature]*

Remarks:

P. 11

Lot 3-4-5 of Township 21 South  
Range 3 West section 16.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before \_\_\_\_\_, 19\_\_\_\_\_

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 19\_\_\_\_\_

STATE ENGINEER

By \_\_\_\_\_

ASSISTANT

PERMIT

STATE OF OREGON, }  
County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same. SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.16 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from unnamed stream and North Fork Willamette River

The use to which this water is to be applied is irrigation and domestic use of two families; being 0.02 c.f.s. from unnamed stream for domestic, and 0.08 c.f.s. from unnamed stream and 0.06 c.f.s. from North Fork Willamette River for irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 6, 1960

Actual construction work shall begin on or before October 20, 1961 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1962.

Complete application of the water to the proposed use shall be made on or before October 1, 1963.

WITNESS my hand this 20th day of October, 1960

STATE ENGINEER

Application No. 34334  
Permit No. 26985

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 6th day of September 1960, at 2:45 o'clock P. M.

Returned to applicant:

Approved:

October 20, 1960

Recorded in book No. 74 of Permits on page 21133

LEWIS A. STANLEY  
STATE ENGINEER

Drainage Basin No. 2 page 76A23

Fees