

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, OREGON STATE BOARD OF FORESTRY (Name of applicant) 2600 State St., Salem (Mailing address) Oregon State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is 2 unnamed springs (Name of stream) a tributary of Big Creek

2. The amount of water which the applicant intends to apply to beneficial use is .01 cubic feet per second. being 1/2 from each source (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is domestic (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1525.5 ft. N and 1037.1 ft. W from the 1/4 corner of Sections 27 & 28 (Section or subdivision)

The second point of diversion is located 1519.1 ft. N and 1064.2 ft. W from the 1/4 corner of Sections 27 and 28, (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SW 1/4 NE 1/4 of Sec. 28 Tp. 29S (Give smallest legal subdivision) (N. or S.)

R. 11W W. M., in the county of Coos (E. or W.)

5. The Pipeline to be 3010 feet (Main ditch, canal or pipe line) (Miles or feet) in length, terminating in the NW 1/4 SE 1/4 of Sec. 28 Tp. 29S (Smallest legal subdivision) (N. or S.)

R. 11W W. M., the proposed location being shown throughout on the accompanying map. (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, 97.0 ft. Is grade uniform? No Yes Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
29S	11W	28	E-1/4-SE-1/4 W-1/4-SE-1/4	Domestic

Beginning at a point on the East line of a parcel of land described in the Coos County Deed Records, Volume 122, page 5 and Volume 142, page 380; said point being 675.68 feet South and 964.96 feet West of the one-quarter corner common to Sections 27 and 28, Township 29 South, Range 11 West Willamette Meridian; thence South 38° 30' West 567 feet to a car axle which marks the Northeast corner of Tax Lot 7, described in the Coos County Deed Records Volume 124, page 21, and Volume 146, page 295; thence North 56° 45' West 137.5 feet along the North line of said Tax Lot 7 to a point which is a one-half inch galvanized pipe extending 6 inches above the ground; thence South 37° 30' West 203 feet along the West line of Tax Lot 7 to a point on the North right-of-way line of State Highway No. 42; thence North 52° 30' West 136 feet along the North right-of-way line to the center of the Big Creek road; thence North 152.8 feet along the center line of said road; thence North 21° 30' East 100 feet continuing on said road; thence South 58° 30' East along the South line of Tax Lot 8 described in Coos County Deed Records, Volume 99, page 561 and Volume 146, page 72, as Tax Lot 8; thence North 30° East 190 feet along the East line of said Tax Lot 8; thence North 58° 30' West 100 feet along the North line of said Tax Lot 8 to a 1 and one-half inch iron pipe marking the Northwest corner of said Tax Lot 8; thence North 58° 30' West 17 feet to the center of the Big Creek road; thence North 29° 30' East 451 feet along center of said road; thence South 44° 30' East 20 feet to a one-half inch galvanized pipe 18 inches long driven flush with the ground; thence South 44° 30' East 489 feet to the point of beginning.

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of

(Name of) County, having a present population of

and an estimated population of in 19.....

Oregon State Board of Forestry
Guard Station

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$.....

12. Construction work will begin on or before - - -

13. Construction work will be completed on or before - - -

14. The water will be completely applied to the proposed use on or before *New in use*

D. L. Whigg
(Signature of applicant)

Remarks: *9 to 10 p.m. 2002-03 use
at Guard station at Marion*

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from two unnamed springs; being 0.005 c.f.s. from each

The use to which this water is to be applied is domestic at state forestry guard station.

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is October 6, 1960

Actual construction work shall begin on or before December 8, 1961 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1962

Complete application of the water to the proposed use shall be made on or before October 1, 1962

WITNESS my hand this 8th day of December, 1960

Lewis A. Stanley STATE ENGINEER

Application No. 34398

Permit No. 27025

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 6th day of October, 1960, at 1:40 o'clock P. M.

Returned to applicant:

Approved:

December 8, 1960

Recorded in book No. 74 of 27025 Permits on page

LEWIS A. STANLEY STATE ENGINEER

Drainage Basin No. 17 page 221

Fees