

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Verlin L. Atwood (Name of applicant) of Route 3 Box 535-B, Oregon City, Oregon (Mailing address) State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed stream (Name of stream), a tributary of Unnamed stream

2. The amount of water which the applicant intends to apply to beneficial use is .032 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is stock use, domestic (animals) (Irrigation, power, mining, manufacturing, domestic supply, etc.)

4. The point of diversion is located 2360 ft. S and 983 ft. E from the corner of Section 13 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the Sec. 13 of Sec. 13, Tp. 3-S (Give smallest legal subdivision) (N. or S.)

R. 2-W, W. M., in the county of Clatsop

5. The (Main ditch, canal or pipe line) to be (Miles or feet) in length, terminating in the (Smallest legal subdivision) of Sec. 13, Tp. 3-S (N. or S.)

R. 2-W, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works— Gravity

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\*A different form of application is provided where storage works are contemplated. \*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.



Municipal or Domestic Supply—

27027

10. (a) To supply the city of .....

County, having a present population of .....

(Name of)

and an estimated population of ..... in 19 .....

(b) If for domestic use state number of families to be supplied No. families, animals only

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 10.50 .....

12. Construction work will begin on or before work complete .....

13. Construction work will be completed on or before completed .....

14. The water will be completely applied to the proposed use on or before October 15, 1960 .....

*Marion J. Steward*  
(Signature of applicant)

Remarks: Serves 21 head sheep

2 horses

6 cows

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 19 .....

WITNESS my hand this ..... day of ....., 19 .....

STATE ENGINEER

By ..... ASSISTANT

PERMIT

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from unnamed stream

The use to which this water is to be applied is stockwater

If for irrigation, this appropriation shall be limited to - - of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is October 10, 1960

Actual construction work shall begin on or before December 8, 1961 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1961

Complete application of the water to the proposed use shall be made on or before October 1, 1961

WITNESS my hand this 9th day of December, 1960

*Lewis A. Stanley*  
STATE ENGINEER

Application No. 34403  
Permit No. 2227

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 10th day of October, 1960, at 9:15 o'clock A. M.

Returned to applicant:

Approved:

December 8, 1960

Recorded in book No. 74 of 107127 Permits on page

LEWIS A. STANLEY  
STATE ENGINEER

Drainage Basin No. 2 page 76-123

Fees