*APPLICATION FOR PREMIT

To A	Appropriate	the	Public	Waters	of	the	State	of	Oregon
------	-------------	-----	---------------	--------	----	-----	-------	----	---------------

, fack L. formy + son James by	Le Jong
Alelidan Oregon DEDI	
State of, do hereby make application for a permit to	ppropriate the
ollowing described public waters of the State of Oregon, SUBJECT TO EXISTING RIGH	
If the applicant is a corporation, give date and place of incorporation	
1. The source of the proposed appropriation is	n enlangement J
f existing reservoir (Per. R1538), a tributary of Salt Creek	·
2. The amount of water which the applicant intends to apply to beneficial use is	· ·
white feet per second.	
(If water is to be used from more from one source, give quantity from each) **3. The use to which the water is to be applied is	
(Brigation power, mining, manufacturing, dom	etic supplies, etc.)
4. The point of diversion is located 3.37 ft. 5 and 2/9/ft. F. from from from from from from from from	m the M.W.
corner of Section /8	in the like
(Section or subdivision)	
	······································
	•••••••••••••••••••••••••••••••••••••••
(If preferable, give distance and bearing to section corner)	
ceing within the M.E. L. H. W.W. G. of Sec. 18, Tp.	10-IL
peing within the M.E. of Sec. 18. Tp. (City smallest lead substitute of Sec. 18. Tp. (R. 5. W. M., in the county of 1 alk:	(N. or 8.)
Por I	
5. The Portable to be	leet)
n length, terminating in the	
R, W. M., the proposed location being shown throughout on the accompan	ying map.
DESCRIPTION OF WORKS Diversion Works—	
6. (a) Height of dam 33 feet, length on top 25 feet, le	ngth at bottom
20 feet; material to be used and character of construction Companies	Earth Fill
ock and brush, timber crib, etc., wasteway over or around dom)	
(b) Description of headgate 12 Calca Model 20-100	act I ron the
(Timber, concrete, etc., number and size of openings)	0
(c) If water is to be pumped give general description	
(Timber, concrete, etc., number and size of openings)	

[&]quot;A circurent norm of application to provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the avoid of the above forms may be secured, without cost, together with instructions by addressing the finish Washings of the contemplate of the contempl

The second secon

sympe, sat new	lgate: width on	top (at wate	er line)	feet; width on bottom
	feet; depth of u	pater	feet; grade	feet fall per one
usand feet. (b) At		miles from	headgate: width on top (at wate	т line)
	feet; width on b	ottom	feet; depth of u	pater feet;
	feet fal		•	
		S	.; size at intake,	in size at ft
* * *			of usein.; dif	
			Is grade uniform?	
		J ř.	18 grade unijorm?	Estimatea capacity,
8. Location		rrigated, or	place of use	· · · · · · · · · · · · · · · · · · ·
Township North or South	Range E. or W. of Wiltersotte Moridian	Cortica	Forty-acre Tract	Number Acres To Be Irrigated.
S /P	R5W	7	NW 4 of SEE %	02
S	175W	7	SW4 of SE /4	349
3	R5 W	7	SE /4 of SW/4	6 -
S	R5W	. / 8	NW/y of NE'y	160
S		18		15
	R5W	/ 8	NEYY OF NW/4	
_	R5W	18 for		
Applic	RSW		NEYy of NW/4 supple mental	irrigation from
Applic	RSW etian is drese	rvor.	NEYy of NW/4 supple mental Area tabe iri	irrigation from
Applic	RSW etian is drese	rvor.	NEYy of NW/4 supple mental	irrigation from
Applic plarge ame a	RSW etian is drese scare	rvor.	NEYy of NW/4 supple mental Area tabe iri	irrigation from
Applic plarge ame a	RSW etian is drese scare	rvor.	NEYy of NW/4 supple mental Area tabe iri	irrigation from
Applic plarge ame a	RSW etian is drese scare	rvor.	NEYy of NW/4 supple mental Area tabe iri	irrigation from
nlarge	RSW etian is drese scare	rvor.	NEYy of NW/4 supple mental Area tabe iri	irrigation from
Applic nlarge ame a a 2417	RSN etian is drese scare	rror red	NEYy of NW/y supple mental Area tabe iri by permit man	irrigation from gated being 2489 certifi
Application of the second of t	RSW A rese S Care aracter of soil.	rvor. red	NEYY OF NW/Y Supple mental Area tabe iri permit ma. see required, attach superate sheet) clay loam	irrigation from from 19 aled being 22 489 Certifi
(a) Ch	RSW Stian 13 drese SCAVE 7 aracter of soil and of crops raise	rvor. red	NEYy of NW/y supple mental Area tabe iri by permit man	irrigation from from 19 aled being 22 489 Certifi
(a) Ch (b) Ki	A F G S C B F C B C B F	rvor. red (temorem	NETY of NW/y supple mental Area tabe iri by permit man	irrigation from from 19 aled being certific
(a) Ch (b) Ki wer or Mining 9. (a) To	aracter of soil and of crops raises Purposes— tal amount of po	rver red (it more me 3 i/L g ed far.a.	NE/y of NW/y supple mental Area take iri permit no see required, attach separate sheet) c/ay.laam eveloped —	irrigation from from ing aled being 22489 Cerlish
(a) Ch (b) Ki wer or Mining 9. (a) To (b) Qu	aracter of soil and of crops raises Purposes tal amount of potentity of water	ryor red (it more specification of the second for a sec	NE/y of NW/y supple mental Area tabe iri by permit man see required, attach separate sheet) clay laam generate sheet seet seet seet seet seet seet s	irrigation from from 19 aled being certific
(a) Ch (b) Ki wer or Mining 9. (a) To (b) Qu	aracter of soil and of crops raises Purposes tal amount of potentity of water	ryor red (it more specification of the second for a sec	NE/y of NW/y supple mental Area take iri permit no see required, attach separate sheet) c/ay.laam eveloped —	irrigation from from ing aled being 22489 Cerlish
(a) Ch (b) Ki wer or Mining 9. (a) To (b) Qu (c) To	aracter of soil and of crops raises tal amount of positive of water tal fall to be uti	(If more me silling of far a converto be de to be used for lized.	NE/y of NW/y supple mental Area tabe iri by permit man see required, attach separate sheet) clay laam generate sheet seet seet seet seet seet seet s	theoretical horsepower
(a) Ch (b) Ki wer or Mining 9. (a) To (b) Qu (c) To	aracter of soil and of crops raises tal amount of positive of water tal fall to be uti	ryer red filt more many state of the seed for the used for lized works by me	NE/y of NW/y supple mental Area tabe iri permit ma are required, attach separate sheet) c/ay/aam eveloped rr power NeMe se	theoretical horsepower
(a) Ch (b) Ki wer or Mining 9. (a) To (b) Qu (c) To (d) Th	aracter of soil and of crops raises Purposes tal amount of per tal fall to be utilize nature of the	ryer red red silk y d far a ower to be do to be used fo lized works by me	NE/y of NW/y Supple men [a] Area tabe iri Be permit no. Clay laam geveloped	theoretical horsepower
(a) Ch (b) Ki wer or Mining 9. (a) To (b) Qu (c) To (d) Th	aracter of soil and of crops raises tal amount of per tal fall to be util the nature of the	the more seed of the be used for works by me docated in	NE/y of NW/y Supple men [a] Area tabe iri Area t	theoretical horsepower
(a) Ch (b) Ki wer or Mining 9. (a) To (c) To (d) Th	aracter of soil and of crops raises Purposes tal amount of per tal fall to be utilize nature of the	(It more specified of the used for works by me cocated in	NE/y of NW/y Supple men [a] Area tabe iri Area t	theoretical horsepower
(a) Ch (b) Ki wer or Mining 9. (a) To (c) To (d) Th (e) Su (f) Is	aracter of soil aracter of soil and of crops raises Purposes tal amount of positatity of water tal fall to be util an ature of the ch works to be l water to be returned.	ryer red red red fara ower to be do to be used fo lized works by me ocated in zorw, wrned to any	NE/y of NW/y Supple men [a] Area tabe iri Area t	theoretical horsepower of Sec.

**************************************	County, having a pres	ent population of		
end an estimated population				***************************************
	tic use state number (27		
			DRES	******
11 Paternaul near as		I, 63, 35, and 34 in all enemy		
	proposed works, \$. M.		•	
	k will begin on or befo			
•	k will be completed on			
14. The water will be	completely applied to	the proposed use on	or before S.C.C.	rete
	Jack	Un Jay &	Ron James	6 2. <
•			***************************************	
Remarks: Dura	technical	requiremen	is cansl	ructi
of dom will	be perfar	med in 3	steps Full	dere
ment and u	seafnate	· r cannel	beaccom	Plish
before sun				
•			• • •	•
				······································
		,		****************
			·····	•••••••••••••••••••••••••••••••••••••••
***************************************		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		······································
		······································		······································
***************************************				•••••••••••••••••••••••••••••••••••••••
*			******************************	•••••••••••••••••••••••••••••••••••••••
***************************************		· 		•••••••••••••••••
	······································	***************************************		
				······································
•				
STATE OF OREGON.)	ss.			
STATE OF OREGON, County of Marion,				
County of Marion,	at I have examined the	t foregoing application	m together with th	<i>a accompa</i>
County of Marion, This is to certify the	at I have examined the			е ассотран
County of Marion, This is to certify the maps and data, and return	the same for	••••		
County of Marion, This is to certify the maps and data, and return	the same for		•	
County of Marion, This is to certify the maps and data, and return In order to retain it.	the same fors	tion must be returned	•	
County of Marion, This is to certify the maps and data, and return	the same fors	tion must be returned	•	
County of Marion, This is to certify the maps and data, and return In order to retain it.	the same fors	tion must be returned	•	
County of Marion, This is to certify the maps and data, and return In order to retain it tions on or before	the same fors	tion must be returned	•	eer, with co
County of Marion, This is to certify the maps and data, and return In order to retain it tions on or before	the same fors	tion must be returned	to the State Engine	eer, with co

	TO EXISTING I		•				4- Lama	Mainl mag
		cre feet st	ored wat	ter only	•			
	not exceed							
	its equivalent in	Salar Salar			•			
TO PATAC	dr to be const	Nicted unde	, abbir	08.T1021 A	0. K-7+7++, j	Permit No.	∏− 4フフ	J•
The	use to which this	water is to be	applied i	s supp	plemental irri			
	or irrigation, this e	¥			a diversion	of 2½ acre	feet	r fastrpar
steend er	itmaquivalent for	each acre irrige	ited .dur:	ingthe	irrigation.s	aason of	ach ye	Ar;
provide	d further that	t the amount	of wat	er allo	red herein, to	ogether w	th the	amount
secure	i under any oth	her right ex	isting	for the	same lands si	hall not	xceed	the
limita	tion.allowed.h	erein,	•••••				·	
					••••	••••		
			·	••••	·	••••		
••••								
								
		•						
and shall	be subject to such	reasonable rot	ation sus	tom as mi	v he ordered hu	the proper	state off	icar
	priority date of t		-		•			
	ual construction i	•						
								_
	be prosecuted wi							4
	nplete application					_		1, 19
WI	TNESS my hand t	his	day o)f	Liuna	1. All	1 . la.	
					IXMVA	U. gu	STATE I	NGINEER
		the gon,				8	5	8
: :	Tric	This instrument was first received in the office of the State Engineer at Salem, Oregon,					LEY STATE ENGINEER	page 90/3
5 K	PUB	ceiva alem			5	₹ ii.	SY PATE	age
Application No. 34 34.5. Permit No. 370.55	PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	rat re	19 & 9, at 5.00 o'clock. P. M.	•	Approved: Jamary 18, 1961	Recorded in book No. つかりにいます。	LEXIS A. STANIEY	Q
J .g	PERMIT PPRIATE THE RS OF THE OF OREGON	as für	ż		Approved: Jamary 18,		3	N
n No	PRIA S OF	at the second se	o'cl	Returned to applicant:	in and	Recorded in book No. Permits on page	ន្ន	0.
catio it No	PROI TERN	umei State	100	ippli	Jar	in bc rage	ă	Drainage Basin No. Fees
lppli erm	API WA	instr the		d to	ż	rded on p		e Bau
`	ę.	This ce of	20.	urne	Approved:	Recon mits		inag
		of the second	22	Ret	App	Per		Dra Fee