## \*APPLICATION FOR PERMIT

## To Appropriate the Public Waters of the State of Oregon

1. The source of the proposed appropriation is	1. Anna & Benne	#
The applicant is a corporation, give date and place of incorporation  1. The source of the proposed appropriation is  2. The amount of water which the applicant intends to apply to beneficial use is  2. The amount of water which the applicant intends to apply to beneficial use is  3. The use to which the water is to be applied is  4. The point of diversion is located 22.1.1.1. See and 1.1. from the water of south applicant is a corporation.  4. The point of diversion is located 22.1.1.1. See and 1.1. from the water of south applied is  4. The point of diversion is located 22.1.1.1. See and 1.1. from the water of south applied is  4. The point of diversion is located 22.1.1.1. See and 1.1. from the water of see applied is  6. (a) W. M. in the country of colors and diversion and baseling to section corporation.  (a) water is many baseline legal adultivation.  (b) Description of headgate field is length on top feet, length at be greatly fine and break incorporation.  (c) water is to be pumped give general description.	Tidewater)	
If the applicant is a corporation, give date and place of incorporation	(Mailing address)	-
1. The source of the proposed appropriation is Mill Credit (Channel of december)  2. The amount of water which the applicant intends to apply to beneficial use is . O  2. The amount of water which the applicant intends to apply to beneficial use is  (If were is to be used from more than one assume, the amount from such assumed to the state of th	ete of, do hereby	make application for a permit to appropriate t
1. The source of the proposed appropriation is Mill Credit (Channel of december)  2. The amount of water which the applicant intends to apply to beneficial use is O  2. The amount of water which the applicant intends to apply to beneficial use is O  3. The use to which the water is to be applied is  4. The point of diversion is located  5. The  6. (a) W. M., in the county of  6. (a) Height of dam  6. (b) Description of headgate  6. (c) If water is to be pumped give general description  (c) If water is to be pumped give general description	llowing described public waters of the State of Oregon	SUBJECT TO EXISTING RIGHTS:
1. The source of the proposed appropriation is Mill Credit (Comme december)  a tributary of Allea Revet  2. The amount of water which the applicant intends to apply to beneficial use is a.l.  abic feet per second.  (If were is to be applied is Dominus and an arrow of the comment of the		
a tributary of Alle Revenue  2. The amount of water which the applicant intends to apply to beneficial use is . O. I ship feet per second.  (If were to be used from more than one source, by quantity true such)  **3. The use to which the water is to be applied is	17 the applicant is a corporation, give date and place	ce of incorporation
a tributary of Alle Reserved  2. The amount of water which the applicant intends to apply to beneficial use is . O. I abic feet per second.  (If were to the seed from more than one source, typ quantity true such)  2. The use to which the water is to be applied is		
a tributary of Alle Revenue  2. The amount of water which the applicant intends to apply to beneficial use is . O. I ship feet per second.  (If were to be used from more than one source, by quantity true such)  **3. The use to which the water is to be applied is	1. The source of the proposed communication is	mill Coaste
2. The amount of water which the applicant intends to apply to beneficial use is	•	(Hann of street)
Discreption of the country of Charles and the country of Sec. 28 (Charles and Charles)  (If you was a company one or around dams)  (If you was a company one or around dams)  (If you was a construction of the country	, a tributary	of Alexa River
A The point of diversion is located 29/10 ft. S. and ft. ft. from the country of guidanties, give distance and boaring to naction corner)  (If guidanties, give distance and boaring to naction corner)  (If there is mare than one point of diversion, each must be described. The reports that if nacessary)  (If there is mare than one point of diversion, each must be described. The reports that if nacessary)  (If there is mare than one point of diversion, each must be described. The reports that if nacessary)  (If there is mare than one point of diversion, each must be described. The reports that if nacessary)  (If there is nave than one point of diversion, each must be described. The reports that if nacessary)  (If there is nave than one point of diversion and boaring to naction corner)  (If there is nave than one point of diversion and boaring to nacessary)  (If there is nave than one point of diversion and boaring to nacessary)  (If there is nave than one point of diversion and boaring to nacessary)  (If there is nave than one point of diversion and boaring to nacessary)  (If there is nave than one point of diversion and boaring to nacessary)  (If there is nave than one point of diversion and boaring to nacessary)  (If there is no nave than one point of diversion and boaring to nacessary)  (If there is no nave than one point of diversion and boaring to nacessary)  (If there is no nave than one point of diversion and boaring to nacessary)  (If there is nave than one point of diversion and boaring to nacessary)  (If there is no nave than one point of diversion and boaring to nacessary)  (If there is no nave than one point of diversion and boaring to nacessary)  (If there is no nave than one point of diversion and boaring to nacessary)  (If there is no nave than one point of diversion and boaring to nacessary)  (If the is national legal diversion and boaring to nacessary)  (If the is national legal diversion and boaring to nacessary)  (If the is national legal diversion and boaring to nacessary)  (If the is national	2. The amount of water which the applicant intend	s to annly to heneficial use is . A
(If presentable, over distance and bearing to motive current, gre-quantity from each)  4. The point of diversion is located 22/0 ft. (tregation, power, mining, manufacturing, demonster supplies, of the point of diversion is located 22/0 ft. (tregation, power, mining, manufacturing, demonster supplies, of the point of diversion is located 22/0 ft. (tregation to manufacturing) from the order of (tregation of manufacturing)  (If presentable, dive distance and bearing to section current)  (If there is more than one point of diversion, each must be described. Use supersion should if securing)  (If there is more than one point of diversion, each must be described. Use supersion should if securing)  (If there is more than one point of diversion, each must be described. Use supersion should if securing)  (If there is more than one point of diversion, each must be described. Use supersion should it securing)  (If there is more than one point of diversion, each must be described. Use supersion should it securing)  (If there is more than one point of diversion, each must be described. Use supersion should it securing)  (If there is more than one point of diversion, each must be described. Use supersion should it securing)  (If there is more than one point of diversion, each must be described. Use supersion should it securing)  (If there is more than one point of diversion, each must be described. Use supersion distinct its securing)  (If there is more than one point of diversion, each must be described. Use supersion when it is securing)  (If there is more than one point of diversion, each must be described. Use supersion should it securing)  (If there is more than one point of diversion, each must be described. Use supersion should it securing)  (If there is more than one point of diversion.  (If there is more than one point of diversion.  (If there is more than one point of diversion.  (If there is more than one point of diversion.  (If the is more than one point of diversion.  (If the is more than one point of dive		- co apprig to occupicate ase as
(By predictable, give distance and bearing to carties current)  (By predictable, give distance and bearing to carties current)	ibic feet per second	Mary Man, one source, sine executive from each)
(Brighton, power, mining, manufacturing, domestic supplies, of the point of diversion is located 22/0 ft. 5. and 5. (E. or W.) from the corner of	**3. The use to which the water is to be applied is	Damestic
(Becken or substitutions)  (If preferable, give distance and bearing to metian commer)  (If there is more than one point of diversion, each must be described. The separate theat if sessions?)  ring within the SE /4 ME /4 (Give smallest legal substitutions)  (Give smallest legal substitutions)  (Give smallest legal substitutions)  (Give w.)  5. The Siph Little  (Give smallest legal substitutions)  (Give w.)  (Give smallest legal substitutions)  (Give w.)  (Give smallest legal substitutions)  (Give w.)  (Give w.)  (Give smallest legal substitutions)  (Give w.)  (Give w.)  (Give w.)  (Give w.)  (Give w.)  (Give w.)  (Give smallest legal substitutions)  (Give w.)  (Give w.)  (Give w.)  (Give w.)  (Give w.)  (Give w.)  (Give smallest legal substitutions)  (Give w.)  (Give w.)  (Give w.)  (Give w.)  (Give smallest legal substitutions)  (Give w.)  (Give w.)  (Give w.)  (Give w.)  (Give w.)  (Give w.)  (Give smallest legal substitutions)  (Give w.)  (Give w.)  (Give w.)  (Give w.)  (Give smallest legal substitutions)  (Give w.)  (Give w.)  (Give smallest legal substitutions)  (Give w.)  (Give w.)  (Give smallest legal substitutions)  (Give smallest legal substitutions)  (Give w.)  (Give smallest legal substitutions)  (Give w.)  (Give smallest legal substitutions)  (Give w.)  (Give w.)  (Give w.)  (Give w.)  (Give smallest legal substitutions)  (Give w.)  (Give w.)  (Give smallest legal substitutions)  (Give w.)  (Give w.)  (Give w.)  (Give w.)  (Give smallest legal substitutions)  (Give w.)  (Give w.)  (Give w.)  (Give smallest legal substitutions)  (Give w.)  (Give w.)  (Give w.)  (Give w.)  (G		(Irrigation, power, mining, manufacturing, domestic supplies, etc.)
(If genderable, give dictance and bearing to median commer)  (If there is more than one point of diversion, each most be described. The separate short if measurer)  ting within the SE /4 ME /4 (front 2) of Sec. 21 (Nor 3)  (Cleve modifiest legal subdivision)  (If there is more than one point of diversion, each most be described. The separate short if measurer)  ting within the SE /4 ME /4 (front 2) of Sec. 21 (Nor 3)  (Cleve modifiest legal subdivision)  (If there is more than one point of diversion)  (If there is more than one point of diversion)  (If there is more than one point of diversion)  (If there is more than one point of diversion)  (If there is more than one point of diversion)  (If there is more than one point of diversion)  (If there is more than one point of diversion)  (If there is to be pumped give general description		
(If gentlership, give dictance and bearing to merium corner)  (If there is more than one point of diversion, each most be described. The separate short if measurer)  (If there is more than one point of diversion, each most be described. The separate short if measurer)  (If there is more than one point of diversion, each most be described. The separate short if measurer)  (If there is more than one point of diversion.  (If there is more than one point of diversion)  (If there is more than one point of diversion.  (If there is more than one point of diversion)  (If there is to be I for I for the separate short in the second short in the sec	4. The point of diversion is located 22/4 ft.	S and - ft - from the
(If perforable, give distance and boaring to section corner)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  ring within the SE 14 NE 15 (Olive smallest legal subdivision)  (I. or I. 18 (I. or I. 19 (I. or II. 19 (III.	0 +	(X. or X.) - (X. or W.)
(If perforable, give distance and boaring to section corner)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  ring within the SE 14 NE 15 (Olive smallest legal subdivision)  (I. or I. 18 (I. or I. 19 (I. or II. 19 (III.	THET OF BLCLENG ZI- ZZ- 37 and 2	Cath (Veloca)
(E. or W.)  5. The Skl Line (Main disch, consist or pice line)  1. In the Skl Line (Main disch, consist or pice line)  1. In the Skl Line (Main disch, consist or pice line)  1. In the Skl Line (Main disch, consist or pice line)  1. In the Skl Line (Main disch, consist or pice line)  1. In the Skl Line (Main disch, consist or pice line)  1. In the Skl Line (Main disch, consist or pice line)  (N. or R. (N. or R.)  1. In the proposed location being shown throughout on the accompanying map.  1. In the Companying map.  1. In the Comp	<del>-</del>	
(E. or W.)  5. The Skl Line (Main disch, consist or pice line)  1. In the Skl Line (Main disch, consist or pice line)  1. In the Skl Line (Main disch, consist or pice line)  1. In the Skl Line (Main disch, consist or pice line)  1. In the Skl Line (Main disch, consist or pice line)  1. In the Skl Line (Main disch, consist or pice line)  1. In the Skl Line (Main disch, consist or pice line)  (N. or R. (N. or R.)  1. In the proposed location being shown throughout on the accompanying map.  1. In the Companying map.  1. In the Comp		
(E. or W.)  5. The Selection disch, consist or pice line)  1. length, terminating in the SE 4 NE 4 Of Sec. 25 Tp. 135  (Smallest topal subdivision)  1. Length, terminating in the SE 14 NE 14 Of Sec. 25 (N. or R. O. W.)  1. Length, W. M., the proposed location being shown throughout on the accompanying map.  DESCRIPTION OF WORKS  iversion Works—  6. (a) Height of dam feet, length on top feet, length at both feet; material to be used and character of construction  (Loose rock, concrete, m.)  (b) Description of headgate field if laid in Research, etc., number spid site of openings)  Watter flower by gradity to place of successions  (c) If water is to be pumped give general description		
(E. or W.)  5. The Sign Line (Blain effich, consil or pipe line)  1. length, terminating in the SE M NE W Of Sec. 25 (M. or B. M. M. M. M. the proposed location being shown throughout on the accompanying map.  DESCRIPTION OF WORKS  iversion Works—  6. (a) Height of dam feet, length on top feet, length at both feet; material to be used and character of construction (Loose rock, concrete, method and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate fields if laid in Rel Mill Creek (Timber, concrete, etc., number spid site of openings)  Watter flower by graculaty to place of succession (C) If water is to be pumped give general description		
(E. or W.)  5. The Sign Line (Blain effich, consil or pipe line)  1. length, terminating in the SE M NE W Of Sec. 25 (M. or B. M. M. M. M. the proposed location being shown throughout on the accompanying map.  DESCRIPTION OF WORKS  iversion Works—  6. (a) Height of dam feet, length on top feet, length at both feet; material to be used and character of construction (Loose rock, concrete, method and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate fields if laid in Rel Mill Creek (Timber, concrete, etc., number spid site of openings)  Watter flower by graculaty to place of succession (C) If water is to be pumped give general description	(If preferable, give distance and ber	wing to section corner)
(E. or W.)  5. The Sife! Little (Stain ethich, consol or pipe line)  1. length, terminating in the SE M NE M Of Sec. 25 (M. or B. M. M. M. M. the proposed location being shown throughout on the accompanying map.  DESCRIPTION OF WORKS  iversion Works—  6. (a) Height of dam feet, length on top feet, length at both feet; material to be used and character of construction (Loose rock, concrete, method in the day of the stand brush, timber crib, etc., wasteway over or around day)  (b) Description of headgate field in land in Mill Creek (Timber, concrete, etc., number spin site of openings)  Watter flower by graculaty to black of Mill Creek (Construction)  (c) If water is to be pumped give general description		
(E. or W.)  5. The Sife! Little (Stain ethich, consol or pipe line)  1. length, terminating in the SE M NE M Of Sec. 25 (M. or B. M. M. M. M. the proposed location being shown throughout on the accompanying map.  DESCRIPTION OF WORKS  iversion Works—  6. (a) Height of dam feet, length on top feet, length at both feet; material to be used and character of construction (Loose rock, concrete, method in the day of the stand brush, timber crib, etc., wasteway over or around day)  (b) Description of headgate field in land in Mill Creek (Timber, concrete, etc., number spin site of openings)  Watter flower by graculaty to black of Mill Creek (Construction)  (c) If water is to be pumped give general description	in more in more than one point of diversion, each must be	described. Use separate sheet if necessary)
5. The Sike Live (Main disch, consist or pipe line)  clength, terminating in the SE 4 NE 4 of Sec. 25 Tp. 135 (M. or 8.	(Give smallest legal subdivision)	of Sec, Tp. / 3 3
5. The Sike Live (Main disch, consist or pipe line)  clength, terminating in the SE 4 NE 4 of Sec. 25 Tp. 135 (M. or 8.		, , , , , , , , , , , , , , , , , , ,
DESCRIPTION OF WORKS  iversion Works—  6. (a) Height of dam feet, length on top feet, length at bo  feet; material to be used and character of construction  (Losse rock, concrete, m  ck and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate fifth at land an led of Mill Creek  (c) If water is to be pumped give general description	s m. Phaline	was H
DESCRIPTION OF WORKS iversion Works—  6. (a) Height of dam feet, length on top feet, length at bo feet; material to be used and character of construction  (Loose rock, concrete, m  ck and brush, timber crib, etc., wasteway ever or around dam)  (b) Description of headgate fifth is laid in Bill Creek  (Timber, concrete, etc., number fee size of openings)  Watter flower by gracity to place of size.  (c) If water is to be pumped give general description	5. The (Main ditch, cenel or pipe line)	
DESCRIPTION OF WORKS iversion Works—  6. (a) Height of dam feet, length on top feet, length at bo feet; material to be used and character of construction  (Loose rock, concrete, m  ck and brush, timber crib, etc., wasteway ever or around dam)  (b) Description of headgate fifth is laid in Bill Creek  (Timber, concrete, etc., number fee size of openings)  Watter flower by gracity to place of size.  (c) If water is to be pumped give general description	length, terminating in the SE 4 NE 14	of Sec. 28 Tp. 135
DESCRIPTION OF WORKS  iversion Works—  6. (a) Height of dam		
6. (a) Height of dam feet, length on top feet, length at bo feet; material to be used and character of construction  (Lasse rock, concrete, m  the and brush, timber crib, etc., wasteway over or around dom)  (b) Description of headgate fifth is laid in the Mill Creek  (Timber, concrete, etc., number spin size of openings)  Watter flower by graciity to place of size.  (c) If water is to be pumped give general description		hown throughout on the accompanying map.
6. (a) Height of dam feet, length on top feet, length at bo feet; material to be used and character of construction  (Lasse rock, concrete, m  the and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate fifth is laid in the Mill Creek  (Timber, concrete, etc., number she size of openings)  Watter flower by graclity to place of size (c) If water is to be pumped give general description		
6. (a) Height of dam feet, length on top feet, length at bo feet; material to be used and character of construction  (Lasse rock, concrete, m  ck and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate fight is laid in hest of Mill Creek  (Timber, concrete, etc., number fee size of openings)  Watter flowers by graciity to place of size of spenings)  (c) If water is to be pumped give general description		of works
feet; material to be used and character of construction  (Losso rock, concrete, m  (the and brush, timber crib, etc., wasteway ever or around dam)  (b) Description of headgate fished in land in his of Mill Creek  (Thaber, concrete, etc., number fishes etc of openings)  Water flower by gradity to place of mar.  (c) If water is to be pumped give general description		
(Losse rock, concrete, met and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate faith is laid in his of Mill Creek (Timber, concrete, etc., number spe size of openings)  Water flower by graclity to place of war.  (c) If water is to be pumped give general description	b. (a) Height of dam feet, lengt	th on top feet, length at botto
(Losse rock, concrete, met and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate faith is laid in his of Mill Creek (Timber, concrete, etc., number spe size of openings)  Water flower by graclity to place of war.  (c) If water is to be pumped give general description	feet; material to be used and character of	of construction
(b) Description of headgate life is laid in his of Mill Creek water flower by gradity to place of war.  (c) If water is to be pumped give general description		(Losse rock, concrete, maso
(c) If water is to be pumped give general description		
(c) If water is to be pumped give general description		d in bed of Mill Creek -
(c) If water is to be pumped give general description	Timb	er, concrete, etc., number and size of openings)
(c) If water is to be pumped give general description	walle flows by gradity to	
	, , , , , , , , , , , , , , , , , , , ,	wall of mal
		ion
		OR (Size and type of pump)

<sup>&</sup>quot;Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the receipting. Either of the above forms may be accured, without cost, together with, instructions by addressing the State Engineer, Salem.

nusand feet. (b) At feet. feet. (c) Length of the feet.	et; depth of wo	niles from h ttom per one thon ft.	line)  feet; grade  eadgate: width on top (at water  feet; depth of we  usand feet.  size at intake, 2	feet fall per o
nusand feet. (b) Atfeet ide(c) Length of om intake2	t; width on bo feet fall pipe, in.;	niles from h ttom per one tho	eadgate: width on top (at waterfeet; depth of we sand feet.	line)
(c) Length of	feet fall f pipe, in.; :	per one thou	isand feet.	ster fe
om intake 2	f pipe,in.;	- ft.,	•	
om intake 2	in.;	-	; size at intake,2	
om intake 2	in.;	-		in.; size at 1200
		p	of use in.; diff	erence in elevation betwe
are and place of	<b>436.</b>	44	Is grade uniform?	
			is grade unijorni:	
8. Location o	•	rigated, or p	lace of use	
Township	Range E. or V. of	Section	Forty-sere Tract	Number Acres To Be Irrigated
	Willemette Meridian	- Section		
135	1020	28	Lot 3 (511/4 NE 44)	Domestic (1)
		·		
		•		
		•		
		(If more spe	ce required, attach separate sheet)	-
*				
	-	d		<del>-</del>
Power or Mining F	-	to be de	eveloped	th counting! however
				· ·
		•	r power se	c. ft.
(c) Tota	l fall to be util	ized	(Heed)	
(d) The	nature of the t	works by me	ans of which the power is to be	developed
	·			
(e) Such	works to be l	ocated in	(Legal subdivision)	of Sec
Гр(No N. or 5.)				*
(115.11.55.2.)	,			
			stream?(Yes or No)	
			point of return	_
·		., Sec	, Tp(Ne. N. or S.)	, R, V

funicipal or Domestic Supply—	5.
County, having a p	present population of
nd an estimated population of	in 19
(b) If for domestic use state number	er of families to be supplied
/^	une il. il. il. and it in all court
11. Estimated cost of proposed works, \$	
12. Construction work will begin on or i	pejore Completed  on or bejore Completed
14. The water will be completely applied	l to the proposed use on or before
	anna L. Bennet
	(Mgnature of applicant)
Their is	extention of the systems
Remarks: John LA ALIA	extention of the systems ication 19757, Permit 18
acretoped unack uppe	icalism 19757, sirmis 18
Certificate 21874	
0	
<u> </u>	
	,
<u>``</u>	
STATE OF OREGON,	
County of Marion,	
	d the foregoing application, together with the ac
maps and data, and return the same jor	
······································	
In order to retain its priority, this app	plication must be returned to the State Engineer,
•	10
tions on or before	
	······································
tions on or before	
tions on or before	y of
tions on or before	
tions on or before	

## STATE OF OREGON,

County of Manion

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

shall not exceedQ.Q1 cubic feet per second measured at the point of diversion from			
s, or its equivalent in case of rotation with other wa	ter users, from Hill Crook		
The use to which this water is to be applied is	domestic use of one family		
	•		
If for irrigation, this appropriation shall be limited to	of one cubic for		
l or its equivalent for each acre irrigated			
	· · · · · · · · · · · · · · · · · · ·		
all be subject to such reasonable rotation system as s	may be ordered by the proper state officer		
The priority date of this permit is	7 7		
Actual construction work shall begin on or before	January 18, 1962 and		
fter be prosecuted with reasonable diligence and be	completed on or before October 1, 19.62.		
Complete application of the water to the proposed us	se shall be made on or before October 1, 1		
WITNESS my hand this 18th day of	James 1961 LWW A Estanley		

on the 17th day of No. Contaction,

19 4.0, at 15 4.4. o'clock 12) M.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

TO APPROPRIATE THE PUBLIC

WATERS OF THE STATE
OF OREGON

PERMIT

Recorded in book No. 24 of
Permits on page

LEWIS A. STANIEY
STATE ENGINEER

1.2 C.

Drainage Basin No. 18 page 200

Fees