

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Southern Oregon Ranches of Lakeview, Oregon State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation Oregon - 1952

1. The source of the proposed appropriation is Antelope and Cottonwood Creeks Drainage from Sections 10 & 11, Township 40, Range 19 E, a tributary of Goose Lake

2. The amount of water which the applicant intends to apply to beneficial use is 7 CFS 5 CFS Antelope 2 CFS Cottonwood cubic feet per second

3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located 550 ft. N. and 200 ft. W. from the SE Cor. corner of Above the north line of Sections 14 & 15, Township 40 South, Range 19 E, Sec. 10 T 40S R 19 E

No direct diversion from Cottonwood Creek. Picked up as overflow from

SW 1/4 of Sec. 11 - 4) - 19 at approximately 2000' East from the NW Cor of Sec. 14 - T 40S - R 19 E being within the SE 1/4, SE 2/4, NW 1/4, NE 1/4 of Sec. 14, Tp. 40 S, R. 19 E, W. M., in the county of Lake

5. The in length, terminating in the R. W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works-

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate

(c) If water is to be pumped give general description

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\*A different form of application is provided where storage works are contemplated. \*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

**Canal System or Pipe Line—**

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake, ..... in.; size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

8. Location of area to be irrigated, or place of use .....

Township North or South	Range E. or W. of Merrimack Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
40 South	19 East	15	NENE	30
			SWNE	19
			NWSE	24.4
			Lot 2	20.0
		14	NWN	40
			SWN	19.5
			Lot 4	11.2
			NEN	7.3
			Lot 2	20.0
			Lot 6	20.0
			NES	40.0
	Lot 7	25.5		

(If more space required, attach separate sheet)

(a) Character of soil .....

(b) Kind of crops raised .....

**Power or Mining Purposes—**

9. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Quantity of water to be used for power ..... sec. ft.

(c) Total fall to be utilized ..... feet.  
(Head)

(d) The nature of the works by means of which the power is to be developed .....

(e) Such works to be located in ..... of Sec. ....  
(Legal subdivision)

Tp. ...., R. ...., W. M. ....  
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? .....  
(Yes or No)

(g) If so, name stream and locate point of return .....

....., Sec. ...., Tp. ...., R. ...., W. M. ....  
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is .....

(i) The nature of the mines to be served .....

Municipal or Domestic Supply—

37000

10. (a) To supply the city of .....

..... County, having a present population of .....  
(Name of) and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied .....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 500.00 .....

12. Construction work will begin on or before August 1, 1961 .....

13. Construction work will be completed on or before August 15, 1962 .....

14. The water will be completely applied to the proposed use on or before August 15, 1963 .....

*Southern Oregon Ranches Inc*  
*By Hartley P. Co.*  
(Signature of applicant)

Remarks: There is no direct diversion from Cottonwood Canal as the Green Channel does not extend this far as a separate channel. Water from the overflow of Cottonwood waters are picked up in a pick up ditch along the North Side of NENE & NWNE Sec 14 40-19. Principally diverted in old Slough Channel connected to pick up ditch at approx 2000' East from NW Cor Sec 14 40-19

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for ~~completion~~ completion .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ~~August 22~~ August 22, 1960  
January 17, 1961

WITNESS my hand this 2nd day of June, 1960  
17th November 1960

LEWIS A. STANLEY  
STATE ENGINEER

By *Walter N. Perry*  
Walter N. Perry ASSISTANT

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 6.92 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Antelope Creek and waste water from SE 1/4 SW 1/4 and SW 1/4 SE 1/4 of Section 11, Township 40 South, Range 19 East, W.M.; being 5.0 c.f.s. from Antelope Creek and 1.92 c.f.s. from waste water.

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/40th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year. and shall also be limited to the water available at the proposed point of diversion, and shall not carry with it the right to compel the continuance of the waste water,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 10, 1960

Actual construction work shall begin on or before February 15, 1962 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1962

Complete application of the water to the proposed use shall be made on or before October 1, 1962

WITNESS my hand this 15th day of February 1961

Lewis A. Stanley STATE ENGINEER

Application No. 34011

Permit No. 27093

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 10 day of June 1960, at 8 o'clock A. M.

Returned to applicant:

Approved:

February 15, 1961

Recorded in book No. 74 of Permits on page 266

LEWIS A. STANLEY STATE ENGINEER

Drainage Basin No. 13 page 266

Fees