

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Roy H. and June Byron (Name of applicant) of P. O. Box 325, LaGrande, Oregon (Mailing address) State of Oregon do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Byron's Spring, slough and Byron's Reservoir (Name of stream) a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 0.21 cubic feet per second being 0.03 c.f.s. from spring. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation and stock water from slough and reservoir. (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. and ft. from the corner of (N. or S.) (E. or W.) (Section or subdivision)

The spring is located S. 87° 31' 48" E. from NW corner Sec. 9, T. 3 S., R. 38 E., W.M.-Dist. 4803.89 feet.

Headgate Tie- S. 89° 57' 50" E. 4830.7 feet from NW corner, Sec. 9 (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the NE 1/4 NE 1/4 of Sec. 9, Tp. 3S, R. 38E, W. M., in the county of Union (Give smallest legal subdivision) (N. or S.) (E. or W.)

5. The none (Main ditch, canal or pipe line) to be (Miles or feet) in length, terminating in the of Sec. Tp. R. W. M., the proposed location being shown throughout on the accompanying map. (Smallest legal subdivision) (N. or S.) (E. or W.)

DESCRIPTION OF WORKS

Diversion Works-

6. (a) Height of dam 2 feet, length on top No fill feet, length at bottom feet; material to be used and character of construction No. Fill (Loose rock, concrete, masonry)

This is not a fill - it is excavation of old slough, rock and brush, timber crib, etc., wasteway over or around dam

(b) Description of headgate Outlet is wood headgate with flash boards, 2ft wide with max. height of approx two feet. (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (Size and type of pump) 1 1/2" pump (centif) - 1 HP motor - additional as needed (Size and type of engine or motor to be used, total head water is to be lifted, etc) Water to be used by pumping

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line--

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
3S.	38E.	9	NE $\frac{1}{4}$ NE $\frac{1}{4}$	7.1 and stock
3S.	38E.	10	NE $\frac{1}{4}$ NW $\frac{1}{4}$	7.9

(If more space required, attach separate sheet)

(a) Character of soil **Silty clay loam**

(b) Kind of crops raised **Hay, grain and pasture**

Power or Mining Purposes--

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

Tp., R., W. M.

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

..... Sec., Tp., R., W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply--

(220)

10. (a) To supply the city of _____
(City or town) _____ County, having a present population of _____
(City or town) and an estimated population of _____ in 19 _____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 750.00 _____

12. Construction work will begin on or before Sept. 15, 1960 _____

13. Construction work will be completed on or before October 15, 1960 _____

14. The water will be completely applied to the proposed use on or before July 1, 1961 _____

Ray H. Byron
(Signature of applicant)
John Byron

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19 _____

WITNESS my hand this _____ day of _____, 19 _____

STATE ENGINEER

By _____ ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same. SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.21 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Byron's spring, slough and reservoir to be constructed under application No. R-34437, permit No. R-2581; being 0.03 c.f.s. from the spring and 0.18 c.f.s. from slough

The use to which this water is to be applied is supplemental irrigation and stock; being 0.20 c.f.s. for irrigation and 0.01 c.f.s. for stock.

If for irrigation, this appropriation shall be limited to 1/40th of one cubic foot per second or its equivalent for each acre irrigated from direct flow and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year from direct flow and storage from reservoir to be constructed under permit No. R-2581 and the right allowed hereunder for the appropriation of water for lands having a valid prior right shall be limited to the amount necessary to make up any deficiency in water available to said lands under said prior right and the amount allowed herein, together with the amount secured under any other right existing for said lands, shall be limited by the duty of water as fixed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is January 30, 1961

Actual construction work shall begin on or before March 16, 1962 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1962

Complete application of the water to the proposed use shall be made on or before October 1, 1963

WITNESS my hand this 16th day of March, 1961

STATE ENGINEER

Application No. 34584
Permit No. 2760

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 5th day of February, 1961, at 8 o'clock A. M.

Returned to applicant:

Approved:

March 16, 1961

Recorded in book No. 76 of Permits on page 117

LESLIE A. STANLEY
STATE ENGINEER

Drainage Basin No. 8 page 18D

Fees